



Weekly Australian Climate, Water and Agricultural Update

No. 8/2024

29 February 2024

Summary of key issues

- In the week ending 28 February 2024, ex-Tropical Cyclone Lincoln generated heavy rainfall in Western Australia's Kimberley region. South-western parts of Western Australia also benefitted from the heavy rainfall, after being dry for several months. Showers and storms were recorded in the tropics, extending to coastal east New South Wales.
- Over the coming days, widespread storms and showers is forecast for much of northern Australia and Western Australia. Southerly onshore winds will bring showers to coastal New South Wales and Queensland. A cold front will bring showers to the western Tasmania.
 - Rainfall in Queensland and New South Wales will continue to support development of summer crops and pasture growth.
 - If realized, forecast rainfall across Western Australian cropping regions will provide some boost to soil moisture levels following several months of dryness. However, more rainfall in autumn will be required in these areas to support the planting of winter crops.
- Autumn 2024 rainfall is likely to be below median across much of northern and eastern Australia. There is 50% chance of rainfall being above median across parts of southern Western Australia.
- Water storage levels in the Murray-Darling Basin (MDB) decreased between 21 February 2024 and 28 February 2024 by 173 gegalitres (GL). Current volume of water held in storage is 18 103 GL, equivalent to 84% of total storage capacity. This is 12 percent or 2493 GL less than at the same time last year.
- Allocation prices in the Victorian Murray below the Barmah Choke increased from \$22 on 22 February 2024 to \$25 on 29 February 2024. Prices are lower in the Murrumbidgee and regions above the Barmah choke due to the binding of the Murrumbidgee export limit and Barmah choke trade constraint.


1. Climate

1.1. Rainfall this week

For the week ending 28 February 2024, ex-Tropical Cyclone Lincoln generated heavy rainfall in Western Australia's Kimberley region. South-western parts of Western Australia also benefitted from the heavy rainfall, after being dry for several months. Showers and storms were recorded in the tropics, extending to coastal eastern New South Wales. A high-pressure system kept central and southern parts of the country dry.

Across cropping regions, rainfall totals of up to 100 millimetres were recorded across northern and eastern parts of Western Australia. While these falls have likely provided some relief from months of dry conditions in Western Australia cropping regions, follow-up falls will be required to build moisture levels prior to the planting of winter crops. Rainfall totals of up to 50 millimetres were recorded in Queensland. These falls will continue to support the ongoing growth and lift the yield potential of summer crops. Additionally, these falls will help maintain soil moisture levels to support pasture growth and build reserves ahead of the upcoming winter cropping season. By contrast, South Australia, and Victoria and New South Wales remained dry.

Rainfall for the week ending 28 February 2024



©Commonwealth of Australia 2024, Australian Bureau of Meteorology
Note: The rainfall analyses and associated maps utilise data contained in the Bureau of Meteorology climate database, the Australian Data Archive for Meteorology (ADAM). The analyses are initially produced automatically from real-time data with limited quality control. They are intended to provide a general overview of rainfall across Australia as quickly as possible after the observations are received. For further information go to <http://www.bom.gov.au/climate/rainfall/>
Issued: 28/02/2024


1.2. Rainfall forecast for the next eight days

Over the 8 days to 7 March 2024, widespread storms and showers is forecast for much of northern Australia and Western Australia. Southerly onshore winds will bring showers to coastal New South Wales and Queensland. A cold front will bring showers to the western Tasmania. A high-pressure system would keep much of the remainder of Queensland and New South Wales, and Victoria and South Australia mainly dry.

Across cropping regions, rainfall totals up to 25 millimetres are forecast for Queensland and northern New South Wales. If realised, these falls will continue to benefit soil moisture levels for pasture growth and support the growth of long season and later sown summer crops in Queensland and New South Wales. With the harvest of early planted summer crop now underway, wet weather over the next 8-days is likely to result in some harvest delays. For the second week in a row Western Australia is expected to receive up to 50 millimetres of rainfall. After several dry months, however, more is required to prepare the sub-soil with sufficient moisture for the winter crops.

Little to no rainfall is expected across remaining cropping regions.

Total forecast rainfall for the period 29 February to 7 March 2024



©Commonwealth of Australia 2024, Australian Bureau of Meteorology

Issued 29/02/2024

Note: This rainfall forecast is produced from computer models. As the model outputs are not altered by weather forecasters, it is important to check local forecasts and warnings issued by the Bureau of Meteorology.

1.3. National Climate Outlook


The Bureau of Meteorology's latest rainfall outlook for March 2024 indicates that rainfall is likely (60 to 80% chance) to be below median across much of central Australia. Above median rainfall is likely in southern parts of Western Australia and northeastern New South Wales. Equal chances of below or above median rainfall is likely elsewhere.

The Bureau of Meteorology's climate model suggests that for March 2024, there is a 75% chance of rainfall totals being over 25 millimetres across coastal east and northern Australia, as well as in western Tasmania and southern Victoria. Rainfall totals in excess of 100 millimetres are expected northern Queensland and Northern Territory.

Across cropping regions, there is at least a 75% chance of rainfall totals up to 25 millimetres in Queensland and parts of northeastern New South Wales, and southern Western Australia. March rainfall totals are expected to be below 10 millimetres for the remaining cropping regions.

If realised these forecast rainfall totals for March will provide some useful follow-up falls for dryland summer crop production as well as pasture growth across eastern and northern Australia.

Rainfall totals that have a 75% chance of occurring in March 2024




©Commonwealth of Australia 2024, Australian Bureau of Meteorology

Issued: 29/02/2024

The 2023 El Niño continues to weaken. The rainfall outlook for March to May 2024 suggests that there is least a 50% chance of exceeding median rainfall across much of Western Australia and South Australia, and in scattered areas in the eastern Australia and Western Tasmania. Below median rainfall is likely remaining Australia.

Across cropping regions, 50% chance of exceeding median rainfall is likely in many growing regions.

Chance of exceeding the median rainfall March to May 2024



©Commonwealth of Australia 2024, Australian Bureau of Meteorology


Issued: 29/02/2024

The outlook for March to May 2024 suggests there is at least a 75% chance of rainfall totals above 25 millimetres across much of Australia. The main exceptions being large areas of the interior where below 25 millimetres of rainfall are expected. Rainfall totals in excess of 200 millimetres are likely across tropical northern Australia, along Australia's eastern coastline and western Tasmania during this period.

Across cropping regions, there is at least a 75% chance of receiving 25 millimetres or more.

If realised, these falls will likely be sufficient to support autumn pasture growth across eastern and northern Australia and growth late planted summer crops. These falls are also likely to be sufficient to support the early planting of winter crops across those areas of eastern Australia that have benefited from above average summer rainfall and an associated boost to soil moisture profiles.

Rainfall totals that have a 75% chance of occurring March to May 2024



©Commonwealth of Australia 2024, Australian Bureau of Meteorology

Issued: 29/02/2024

2. Water

2.1. Water markets – current week

Water storage levels in the Murray-Darling Basin (MDB) decreased between 21 February 2024 and 28 February 2024 by 173 gigalitres (GL). Current volume of water held in storage is 18 103 GL, equivalent to 84% of total storage capacity. This is 12 percent or 2493 GL less than at the same time last year.

Water storages in the Murray-Darling Basin, 2013–2024




Water storage data is sourced from the Bureau of Meteorology.

Allocation prices in the Victorian Murray below the Barmah Choke increased from \$22 on 22 February 2024 to \$25 on 29 February 2024. Prices are lower in the Murrumbidgee and regions above the Barmah choke due to the binding of the Murrumbidgee export limit and Barmah choke trade constraint.

Region	\$/ML
NSW Murray Above	13
NSW Murrumbidgee	21
VIC Goulburn-Broken	25
VIC Murray Below	25

Surface water trade activity, Southern Murray–Darling Basin



The trades shown reflect estimated market activity and do not encompass all register trades. The price is shown for the VIC Murray below the Barmah choke. Historical prices (before 1 July 2019) are ABARES estimates after removing outliers from BOM water register data. Prices after 1 July 2019 and prior to the 30 October 2019 reflect recorded transaction prices as sourced from Ruralco. Prices after the 30 October 2019 are sourced from Waterflow. Data for volume traded is sourced from the BOM water register. Only the price data shown is current on 29 February 2024.

To access the full, interactive, weekly water dashboard, which contains the latest and historical water storage, water market and water allocation information, please visit https://www.agriculture.gov.au/abares/products/weekly_update/weekly-update-29224





3. Commodities





Indicator	Week ended	Unit	Latest Price	Previous Week	Weekly change	Price 12 months ago	Annual change
Selected world indicator prices							
AUD/USD Exchange rate	21-Feb	A\$/US\$	0.65	0.65	1%	0.67	-3%
Wheat – US no. 2 hard red winter wheat, fob Gulf	21-Feb	US\$/t	274	276	-1%	371	-26%
Corn – US no. 2 yellow corn, fob Gulf	21-Feb	US\$/t	185	189	-2%	294	-37%
Canola – Rapeseed, Canada, fob Vancouver	21-Feb	US\$/t	471	469	1%	659	-29%
Cotton – Cotlook 'A' Index	21-Feb	USc/lb	102	101	1%	99	2%
Sugar – Intercontinental Exchange, nearby futures, no.11 contract	21-Feb	USc/lb	22.9	22.6	2%	20	14%
Wool – Eastern Market Indicator	14-Feb	Ac/kg clean	1,157	1,163	-1%	1,278	-9%
Wool – Western Market Indicator	14-Feb	Ac/kg clean	1,293	1,291	0%	1,408	-8%
Selected Australian grain export prices							
Milling Wheat – APW, Port Adelaide, SA	21-Feb	A\$/t	428	440	-3%	496	-14%
Feed Wheat – ASW, Port Adelaide, SA	21-Feb	A\$/t	406	418	-3%	464	-13%
Feed Barley – Port Adelaide, SA	21-Feb	A\$/t	357	364	-2%	406	-12%
Canola – Kwinana, WA	21-Feb	A\$/t	724	729	-1%	1,021	-29%
Grain Sorghum – Brisbane, QLD	21-Feb	A\$/t	462	462	0%	511	-10%
Selected domestic livestock indicator prices							
Beef – Eastern Young Cattle Indicator	21-Feb	Ac/kg cwt	628	648	-3%	733	-14%
Mutton – Mutton indicator (18–24 kg fat score 2–3), Vic	21-Feb	Ac/kg cwt	214	257	-17%	338	-37%
Lamb – National Trade Lamb Indicator	21-Feb	Ac/kg cwt	630	658	-4%	771	-18%
Pig – Eastern Seaboard (60.1–75 kg), average of buyers & sellers	07-Feb	Ac/kg cwt	411	411	0%	367	12%
Goats – Eastern States (10.1–12 kg)	27-Dec	Ac/kg cwt	170	170	0%	350	-51%
Live cattle – Light steers to Indonesia	21-Feb	Ac/kg lwt	330	320	3%	440	-25%
Global Dairy Trade (GDT) weighted average prices^a							

Dairy – Whole milk powder	21-Feb	US\$/t	3,388	3,463	-2%	3,329	2%
Dairy – Skim milk powder	21-Feb	US\$/t	2,788	2,758	1%	2,829	-1%
Dairy – Cheddar cheese	21-Feb	US\$/t	4,143	4,469	-7%	4,980	-17%
Dairy – Anhydrous milk fat	21-Feb	US\$/t	6,552	6,033	9%	5,586	17%


a Global Dairy Trade prices are updated twice monthly on the first and third Tuesday of each month.


3.1. Selected world indicator prices










3.2. Selected domestic crop indicator prices







3.3. Selected domestic livestock indicator prices






3.5. Selected fruit and vegetable prices





3.6 Selected domestic fodder indicator prices



4. Data attribution

Climate

Bureau of Meteorology

- Weekly rainfall totals: www.bom.gov.au/climate/maps/rainfall/
- Monthly and last 3-month rainfall percentiles: www.bom.gov.au/water/landscape/
- Temperature anomalies: www.bom.gov.au/jsp/awap/temp/index.jsp
- Rainfall forecast: www.bom.gov.au/jsp/watl/rainfall/pme.jsp
- Seasonal outlook: www.bom.gov.au/climate/outlooks/#/overview/summary/
- Climate drivers: <http://www.bom.gov.au/climate/enso/>
- Soil moisture: www.bom.gov.au/water/landscape/

Other

- Pasture growth: www.longpaddock.qld.gov.au/aussiegrass/
- 3-month global outlooks: [Environment and Climate Change Canada](#), [NOAA Climate Prediction Center](#), [EUROBRISA CPTC/INPE](#), [European Centre for Medium-Range Weather Forecasts](#), [Hydrometcenter of Russia](#), [National Climate Center Climate System Diagnosis and Prediction Room \(NCC\)](#), [International Research Institute for Climate and Society](#)
- Global production: <https://ipad.fas.usda.gov/ogamaps/cropmapsandcalendars.aspx>
- Autumn break: Pook et al., 2009, <https://rmetsonline.wiley.com/doi/epdf/10.1002/joc.1833>

Water

Prices

- Waterflow: <https://www.waterflow.io/>
- Ruralco: <https://www.ruralcowater.com.au/>

Bureau of Meteorology:

- Allocation trade: <http://www.bom.gov.au/water/dashboards/#/water-markets/mdb/at>
- Storage volumes: <http://www.bom.gov.au/water/dashboards/#/water-storages/summary/drainage>

Trade constraints:

- Water NSW: <https://www.watarnsw.com.au/customer-service/ordering-trading-and-pricing/trading/murrumbidgee>
- Victorian Water Register: <https://www.waterregister.vic.gov.au/TradingRules2019/>

Commodities

Fruit and vegetables

- Datafresh: www.freshstate.com.au

Pigs

- Australian Pork Limited: www.australianpork.com.au

Dairy

- Global Dairy Trade: www.globaldairytrade.info/en/product-results/

World wheat, canola

- International Grains Council

World coarse grains

- United States Department of Agriculture

World cotton

- Cotlook: www.cotlook.com/

World sugar

- New York Stock Exchange - Intercontinental Exchange

Wool

- Australian Wool Exchange: www.awex.com.au/

Domestic wheat, barley, sorghum, canola and fodder

- Jumbuk Consulting Pty Ltd: <http://www.jumbukag.com.au/>

Cattle, beef, mutton, lamb, goat and live export

- Meat and Livestock Australia: www.mla.com.au/Prices-and-market

© Commonwealth of Australia 2023

Ownership of intellectual property rights

Unless otherwise noted, copyright (and any other intellectual property rights, if any) in this publication is owned by the Commonwealth of Australia (referred to as the Commonwealth).

Creative Commons licence

All material in this publication is licensed under a [Creative Commons Attribution 4.0 International Licence](#) except content supplied by third parties, logos and the Commonwealth Coat of Arms.

Inquiries about the licence and any use of this document should be emailed to copyright@awe.gov.au.



Cataloguing data

This publication (and any material sourced from it) should be attributed as:

ABARES 2023, Weekly Australian Climate, Water and Agricultural Update, Australian Bureau of Agricultural and Resource Economics and Sciences, Canberra, 29 February 2024. CC BY 4.0 DOI: <https://doi.org/10.25814/5f3e04e7d2503>

ISSN 2652-7561

This publication is available at https://www.agriculture.gov.au/abares/products/weekly_update

Department of Agriculture, Fisheries and Forestry

GPO Box 858 Canberra ACT 2601

Telephone 1800 900 090

Web agriculture.gov.au/abares

Disclaimer

The Australian Government acting through the Department of Agriculture, Fisheries and Forestry, represented by the Australian Bureau of Agricultural and Resource Economics and Sciences, has exercised due care and skill in preparing and compiling the information and data in this publication. Notwithstanding, the Department of Agriculture, Fisheries and Forestry, ABARES, its employees and advisers disclaim all liability, including liability for negligence and for any loss, damage, injury, expense or cost incurred by any person as a result of accessing, using or relying on any of the information or data in this publication to the maximum extent permitted by law.

Statement of Professional Independence

The views and analysis presented in ABARES publications, including this one, reflect ABARES professionally independent findings, based on scientific and economic concepts, principles, information and data. These views, analysis and findings may not reflect or be consistent with the views or positions of the Australian Government, or of organisations or groups who have commissioned ABARES reports or analysis. More information on [professional independence](#) is provided on the ABARES website.

Acknowledgements

This report was prepared by Kavina Dayal and Matthew Miller.