



Aquaculture Queensland groper residue testing annual datasets 2020–21

National Residue Survey (NRS), Department of Agriculture, Water and the Environment

Dataset abbreviations

LOR Limit of reporting.

MRL Maximum Residue Limit.

no limit No Australian standard applicable for the contaminant. The ‘as low as reasonably achievable’ principle applies. Detections at low levels are allowable.

not defined Standards are not defined in inedible matrixes (urine, retina and faeces).

not set No Australian standard has been set for the chemical in the edible matrix and any detection is a contravention of the Australia New Zealand Food Standards Code.

Disclaimer

Although the Australian Government has exercised due care and skill in the preparation and compilation of this publication, it does not warrant its accuracy, completeness, currency or suitability for any purpose. To the maximum extent permitted by law, the Australian Government disclaims all liability, including liability in negligence for any loss, damage, cost or expense incurred by persons as a result of accessing, using or relying on any of the information or data set out in this publication. Before relying on the material in any matters, users should carefully evaluate its accuracy, currency, completeness and relevance for the purposes intended, and should obtain any appropriate professional advice relevant to their particular circumstances.

Table 1: Antibiotics

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>LOR to ≤½MRL	>½MRL to ≤MRL	>MRL
chloramphenicol	flesh	0.0001	not set	1	0	0	0
florfenicol	flesh	0.003	not set	1	0	0	0
thiamphenicol	flesh	0.0029	not set	1	0	0	0

Table 2: Metals

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>LOR to ≤½MRL	>½MRL to ≤MRL	>MRL
antimony	flesh	0.01	no limit	1	0	0	0
arsenic (total)	flesh	0.05	no limit	1	1	0	0

Aquaculture Queensland proper residue testing annual datasets 2020-21

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>LOR to ≤½MRL	>½MRL to ≤MRL	>MRL
cadmium	flesh	0.01	no limit	1	0	0	0
chromium	flesh	0.05	no limit	1	0	0	0
lead	flesh	0.01	0.5	1	0	0	0
mercury (total)	flesh	0.01	1	1	1	0	0