



Deer - Farmed residue testing annual datasets 2021-22

National Residue Survey (NRS), Department of Agriculture, Fisheries and Forestry

Dataset abbreviations

LOR Limit of reporting.

MRL Maximum Residue Limit.

no limit No Australian standard applicable for the contaminant. The ‘as low as reasonably achievable’ principle applies. Detections at low levels are allowable.

not defined Standards are not defined in inedible matrixes (urine, retina and faeces).

not set No Australian standard has been set for the chemical in the edible matrix and any detection is a contravention of the Australia New Zealand Food Standards Code.

Disclaimer

Although the Australian Government has exercised due care and skill in the preparation and compilation of this publication, it does not warrant its accuracy, completeness, currency or suitability for any purpose. To the maximum extent permitted by law, the Australian Government disclaims all liability, including liability in negligence for any loss, damage, cost or expense incurred by persons as a result of accessing, using or relying on any of the information or data set out in this publication. Before relying on the material in any matters, users should carefully evaluate its accuracy, currency, completeness and relevance for the purposes intended, and should obtain any appropriate professional advice relevant to their particular circumstances.

Table 1: ANTIBIOTICS

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>LOR to ≤½MRL	>½MRL to ≤MRL	>MRL
amoxicillin	Kidney	0.01	0.01	1	0	0	0
ampicillin	Kidney	0.01	not set	1	0	0	0
apramycin	Kidney	0.05	2	1	0	0	0
avilamycin	Kidney	0.05	not set	1	0	0	0
benzyl G penicillin	Kidney	0.01	0.06	1	0	0	0
ceftiofur (desfuroylceftiofur)	Kidney	0.1	not set	1	0	0	0
cefuroxime	Kidney	0.05	not set	1	0	0	0
cephalonium	Kidney	0.05	not set	1	0	0	0
chloramphenicol	Muscle	0.0003	not set	1	0	0	0
chlortetracycline	Kidney	0.01	not set	1	0	0	0

cloxacillin	Kidney	0.01	not set	1	0	0	0
dihydrostreptomycin	Kidney	0.1	0.3	1	0	0	0
dimetridazole	Muscle	0.0001	not set	1	0	0	0
doxycycline	Kidney	0.01	not set	1	0	0	0
erythromycin	Kidney	0.05	0.3	1	0	0	0
florfenicol	Muscle	0.001	not set	1	0	0	0
gentamycin	Kidney	0.05	not set	1	0	0	0
lincomycin	Kidney	0.05	0.2	1	0	0	0
metronidazole	Muscle	0.0001	not set	1	0	0	0
neomycin	Kidney	0.05	not set	1	0	0	0
oleandomycin	Kidney	0.05	0.1	1	0	0	0
oxytetracycline	Kidney	0.01	not set	1	0	0	0
ronidazole	Muscle	0.0001	not set	1	0	0	0
streptomycin	Kidney	0.1	0.3	1	0	0	0
sulfachloropyridazine	Kidney	0.02	not set	1	0	0	0
sulfadiazine	Kidney	0.01	0.1	1	0	0	0
sulfadimethoxine	Kidney	0.02	not set	1	0	0	0
sulfadimidine (sulfamethazine)	Kidney	0.01	0.1	1	0	0	0
sulfadoxine	Kidney	0.02	0.1	1	0	0	0
sulfafurazole	Kidney	0.02	not set	1	0	0	0
sulfamerazine	Kidney	0.02	not set	1	0	0	0
sulfamethoxazole	Kidney	0.02	not set	1	0	0	0
sulfamethoxydiazine (sulfameter)	Kidney	0.02	not set	1	0	0	0
sulfamethoxypyridazine	Kidney	0.02	not set	1	0	0	0
sulfapyridine	Kidney	0.02	not set	1	0	0	0
sulfaquinoxaline	Kidney	0.02	not set	1	0	0	0
sulfathiazole	Kidney	0.02	not set	1	0	0	0
sulfatroxazole	Kidney	0.02	0.1	1	0	0	0
tetracycline	Kidney	0.01	not set	1	0	0	0
thiamphenicol	Muscle	0.001	not set	1	0	0	0
tilmicosin	Kidney	0.05	not set	1	0	0	0
trimethoprim	Kidney	0.01	0.05	1	0	0	0
tulathromycin	Kidney	0.1	not set	1	0	0	0
tylosin	Kidney	0.1	not set	1	0	0	0
virginiamycin	Kidney	0.005	not set	1	0	0	0

*In some instances, tetracycline may be present as an impurity in a chlortetracycline or oxytetracycline product and is not considered to be a violative residue.

Table 2: ANTICOCCIDIALS

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>LOR to $\leq \frac{1}{2}$ MRL	> $\frac{1}{2}$ MRL to \leq MRL	>MRL
amprolium	Liver	0.01	not set	1	0	0	0
decoquinatate	Liver	0.002	not set	1	0	0	0
diclazuril	Liver	0.01	not set	1	0	0	0
halofuginone	Liver	0.01	not set	1	0	0	0
lasalocid	Liver	0.01	0.7	1	0	0	0
maduramicin	Liver	0.002	not set	1	0	0	0
monensin	Liver	0.01	not set	1	0	0	0
narasin	Liver	0.01	not set	1	0	0	0
nicarbazin (4,4'-dinitrocarbanilide)	Liver	0.01	not set	1	0	0	0
salinomycin	Liver	0.002	not set	1	0	0	0
semduramycin	Liver	0.002	not set	1	0	0	0
toltrazuril	Liver	0.01	not set	1	0	0	0

Table 3: HORMONES

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>LOR to $\leq \frac{1}{2}$ MRL	> $\frac{1}{2}$ MRL to \leq MRL	>MRL
6-hydroxystanozolol	Urine	0.001	not defined	1	0	-	-
boldenone 17-alpha	Urine	0.001	not defined	1	0	-	-
boldenone 17-beta	Urine	0.001	not defined	1	0	-	-
dienoestrol	Liver	0.0002	not set	1	0	0	0
diethylstilboestrol	Liver	0.0002	not set	1	0	0	0
hexoestrol	Liver	0.0002	not set	1	0	0	0
methandriol	Urine	0.005	not defined	1	0	-	-
nortestosterone 17-alpha	Urine	0.001	not defined	1	0	-	-
nortestosterone 17-beta	Urine	0.001	not defined	1	0	-	-
stanozolol	Urine	0.001	not defined	1	0	-	-
trenbolone	Liver	0.0005	not set	1	0	0	0
zearanol (alpha-zearalanol)	Liver	0.002	not set	1	0	0	0

Table 4: MYCOTOXINS

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>LOR to $\leq \frac{1}{2}$ MRL	> $\frac{1}{2}$ MRL to \leq MRL	>MRL
taleranol (beta-zearalanol)	Liver	0.002	no limit	1	0	0	0
zearalanone	Liver	0.002	no limit	1	0	0	0
zearalenol alpha	Liver	0.002	no limit	1	0	0	0
zearalenol beta	Liver	0.002	no limit	1	0	0	0
zearalenone	Liver	0.002	no limit	1	0	0	0

Table 5: OTHER VETERINARY DRUGS

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>LOR to $\leq \frac{1}{2}$ MRL	> $\frac{1}{2}$ MRL to \leq MRL	>MRL
flunixin	Kidney	0.01	not set	1	0	0	0
ketoprofen	Kidney	0.01	not set	1	0	0	0
meloxicam	Kidney	0.005	not set	1	0	0	0
oxyphenbutazone	Kidney	0.005	not set	1	0	0	0
phenylbutazone	Kidney	0.005	not set	1	0	0	0
tolfenamic acid	Kidney	0.005	not set	1	0	0	0