



Donkey residue testing annual datasets 2020–21

National Residue Survey (NRS), Department of Agriculture, Water and the Environment

Dataset abbreviations

LOR Limit of reporting.

MRL Maximum Residue Limit.

no limit No Australian standard applicable for the contaminant. The ‘as low as reasonably achievable’ principle applies. Detections at low levels are allowable.

not defined Standards are not defined in inedible matrixes (urine, retina and faeces).

not set No Australian standard has been set for the chemical in the edible matrix and any detection is a contravention of the Australia New Zealand Food Standards Code.

Disclaimer

Although the Australian Government has exercised due care and skill in the preparation and compilation of this publication, it does not warrant its accuracy, completeness, currency or suitability for any purpose. To the maximum extent permitted by law, the Australian Government disclaims all liability, including liability in negligence for any loss, damage, cost or expense incurred by persons as a result of accessing, using or relying on any of the information or data set out in this publication. Before relying on the material in any matters, users should carefully evaluate its accuracy, currency, completeness and relevance for the purposes intended, and should obtain any appropriate professional advice relevant to their particular circumstances.

Table 1: Anthelmintics

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>LOR to ≤½MRL	>½MRL to ≤MRL	>MRL
fluensulfone	fat	0.01	0.01	1	0	0	0

Table 2: Contaminants

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>LOR to ≤½MRL	>½MRL to ≤MRL	>MRL
aldrin and dieldrin (HHDN+HEOD)	fat	0.02	0.2	1	0	0	0
arochlor 1254	fat	0.03	0.2	1	0	0	0
arochlor 1260	fat	0.03	0.2	1	0	0	0
chlordane	fat	0.02	0.2	1	0	0	0

Donkey residue testing annual datasets 2020-21

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>LOR to $\leq \frac{1}{2}$ MRL	> $\frac{1}{2}$ MRL to \leq MRL	>MRL
DDT	fat	0.05	5	1	0	0	0
endosulfan	fat	0.02	not set	1	0	0	0
endrin	fat	0.01	not set	1	0	0	0
HCB (hexachlorobenzene)	fat	0.02	1	1	0	0	0
HCH (BHC)	fat	0.02	0.3	1	0	0	0
heptachlor	fat	0.02	0.2	1	0	0	0
lindane (gamma-HCH)	fat	0.01	2	1	0	0	0
mirex	fat	0.02	not set	1	0	0	0
pentachlorobenzene	fat	0.02	not set	1	0	0	0

Table 3: Fungicides

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>LOR to $\leq \frac{1}{2}$ MRL	> $\frac{1}{2}$ MRL to \leq MRL	>MRL
amisulbrom	fat	0.01	0.01	1	0	0	0
azoxystrobin	fat	0.01	0.02	1	0	0	0
bixafen	fat	0.02	0.2	1	0	0	0
boscalid	fat	0.01	not set	1	0	0	0
carbendazim	fat	0.01	0.2	1	0	0	0
cyproconazole	fat	0.02	0.03	1	0	0	0
difenoconazole	fat	0.01	0.05	1	0	0	0
epoxiconazole	fat	0.01	0.01	1	0	0	0
fenpyrazamine	fat	0.01	0.01	1	0	0	0
fludioxonil	fat	0.01	0.05	1	0	0	0
fluopicolide	fat	0.01	0.01	1	0	0	0
fluopyram	fat	0.01	0.7	1	0	0	0
fluquinconazole	fat	0.01	0.5	1	0	0	0
flutriafol	fat	0.02	0.05	1	0	0	0
fluxapyroxad	fat	0.01	0.05	1	0	0	0
imazalil	fat	0.01	not set	1	0	0	0
isopyrazam	fat	0.01	0.005	1	0	0	0
mandestrobin	fat	0.01	0.02	1	0	0	0
procymidone	fat	0.02	0.2	1	0	0	0
propamocarb	fat	0.01	0.01	1	0	0	0
propiconazole	fat	0.02	0.1	1	0	0	0
prothioconazole	fat	0.02	0.02	1	0	0	0
pydiflumetofen	fat	0.01	not set	1	0	0	0
pyraclostrobin	fat	0.01	0.05	1	0	0	0

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>LOR to $\leq \frac{1}{2}$ MRL	> $\frac{1}{2}$ MRL to \leq MRL	>MRL
pyrimethanil	fat	0.01	0.05	1	0	0	0
pyriofenone	fat	0.01	0.01	1	0	0	0
quinoxifen	fat	0.01	0.1	1	0	0	0
quintozene	fat	0.02	0.2	1	0	0	0
spiroxamine	fat	0.01	0.05	1	0	0	0
tebuconazole	fat	0.01	0.1	1	0	0	0
trifloxystrobin	fat	0.01	0.05	1	0	0	0

Table 4: Herbicides

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>LOR to $\leq \frac{1}{2}$ MRL	> $\frac{1}{2}$ MRL to \leq MRL	>MRL
amicarbazone	fat	0.01	0.01	1	0	0	0
Cloquintocet-mexyl	fat	0.01	0.1	1	0	0	0
ethofumesate	fat	0.02	0.5	1	0	0	0
florpyrauxifen-benzyl	fat	0.01	0.02	1	0	0	0
indaziflam	fat	0.01	not set	1	0	0	0
metamitron	fat	0.01	0.05	1	0	0	0
metazachlor	fat	0.01	0.05	1	0	0	0
metolachlor	fat	0.02	0.05	1	0	0	0
propachlor	fat	0.02	0.02	1	0	0	0
pyrasulfotole	fat	0.01	0.01	1	0	0	0
pyroxsulam	fat	0.01	0.01	1	0	0	0
saflufenacil	fat	0.01	0.01	1	0	0	0
topramezone	fat	0.01	0.01	1	0	0	0

Table 5: Insecticides

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>LOR to $\leq \frac{1}{2}$ MRL	> $\frac{1}{2}$ MRL to \leq MRL	>MRL
acetamiprid	fat	0.01	0.01	1	0	0	0
afidopyropen	fat	0.012	0.1	1	0	0	0
bifenthrin	fat	0.02	2	1	0	0	0
bioresmethrin	fat	0.02	not set	1	0	0	0
carbaryl	fat	0.01	0.07	1	0	0	0
chlorantraniliprole	fat	0.01	0.02	1	0	0	0
chlorfenapyr	fat	0.02	0.05	1	0	0	0
chlorfenvinphos (sum of isomers)	fat	0.02	not set	1	0	0	0

Donkey residue testing annual datasets 2020-21

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>LOR to $\leq \frac{1}{2}$ MRL	> $\frac{1}{2}$ MRL to \leq MRL	>MRL
chlorpyrifos	fat	0.01	0.5	1	0	0	0
chlorpyrifos-methyl	fat	0.01	0.05	1	0	0	0
clothianidin	fat	0.01	0.02	1	0	0	0
coumaphos	fat	0.02	not set	1	0	0	0
cyantraniliprole	fat	0.01	0.01	1	0	0	0
cyclaniliprole	fat	0.01	0.01	1	0	0	0
cyfluthrin (sum of isomers)	fat	0.02	0.5	1	0	0	0
cyhalothrin (sum of isomers)	fat	0.02	0.5	1	0	0	0
cypermethrin (sum of isomers)	fat	0.02	0.01	1	0	0	0
deltamethrin	fat	0.02	not set	1	0	0	0
diafenthiuron	fat	0.01	0.02	1	0	0	0
diazinon	fat	0.02	0.7	1	0	0	0
dichlorvos	fat	0.02	0.01	1	0	0	0
dicofol	fat	0.01	not set	1	0	0	0
dimethoate	fat	0.02	0.05	1	0	0	0
dinotefuran	fat	0.03	0.02	1	0	0	0
esfenvalerate	fat	0.02	1	1	0	0	0
ethion	fat	0.02	not set	1	0	0	0
famphur	fat	0.02	not set	1	0	0	0
famphur oxygen nalogue	fat	0.02	not set	1	0	0	0
fenitrothion	fat	0.02	0.05	1	0	0	0
fenthion	fat	0.02	not set	1	0	0	0
fenvalerate (sum of isomers)	fat	0.02	1	1	0	0	0
fipronil	fat	0.01	0.1	1	0	0	0
flonicamid	fat	0.01	0.02	1	0	0	0
flubendiamide	fat	0.01	0.05	1	0	0	0
flumethrin	fat	0.02	not set	1	0	0	0
flupyradifurone	fat	0.01	not set	1	0	0	0
imidacloprid	fat	0.01	0.05	1	0	0	0
indoxacarb	fat	0.02	3	1	0	0	0
malathion (maldison)	fat	0.01	1	1	0	0	0
metaflumizone	fat	0.01	not set	1	0	0	0
methidathion	fat	0.02	not set	1	0	0	0
methoxychlor	fat	0.02	not set	1	0	0	0
mevinphos	fat	0.01	0.05	1	0	0	0
omethoate	fat	0.02	0.05	1	0	0	0
parathion-methyl	fat	0.02	not set	1	0	0	0

Donkey residue testing annual datasets 2020-21

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>LOR to $\leq \frac{1}{2}$ MRL	> $\frac{1}{2}$ MRL to \leq MRL	>MRL
permethrin (sum of isomers)	fat	0.02	1	1	0	0	0
phosmet	fat	0.02	not set	1	0	0	0
pirimiphos-methyl	fat	0.02	0.05	1	0	0	0
prothiofos	fat	0.01	not set	1	0	0	0
pyraclofos	fat	0.02	not set	1	0	0	0
spirotetramat	fat	0.01	0.02	1	0	0	0
sulfoxaflor	fat	0.01	0.2	1	0	0	0
tau-fluvalinate	fat	0.01	not set	1	0	0	0
temephos	fat	0.02	not set	1	0	0	0

Table 6: Metals

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>LOR to $\leq \frac{1}{2}$ MRL	> $\frac{1}{2}$ MRL to \leq MRL	>MRL
antimony	muscle	0.01	no limit	1	0	0	0
arsenic (total)	muscle	0.05	no limit	1	0	0	0
cadmium	muscle	0.01	no limit	1	0	0	0
lead	muscle	0.01	no limit	1	0	0	0
mercury (total)	muscle	0.01	no limit	1	0	0	0