



# Lentil residue testing annual datasets 2020–21

National Residue Survey, Department of Agriculture, Water and the Environment

## Dataset abbreviations

**LOR** Limit of reporting.

**MRL** Maximum residue limit.

**no limit** No Australian standard applicable for the contaminant. The ‘as low as reasonably achievable’ principle applies. Detections at low levels are allowable.

**not defined** Standards are not defined in inedible matrixes (urine and faeces).

**not set** No Australian standard has been set for the chemical in the edible matrix and any detection is a contravention of the Australia New Zealand Food Standards Code.

## Disclaimer

Although the Australian Government has exercised due care and skill in the preparation and compilation of this publication, it does not warrant its accuracy, completeness, currency or suitability for any purpose. To the maximum extent permitted by law, the Australian Government disclaims all liability, including liability in negligence for any loss, damage, cost or expense incurred by persons as a result of accessing, using or relying on any of the information or data set out in this publication. Before relying on the material in any matters, users should carefully evaluate its accuracy, currency, completeness and relevance for the purposes intended, and should obtain any appropriate professional advice relevant to their particular circumstances.

**Table 1 Fungicides**

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
azoxystrobin	whole	0.01	0.3	61	0	0
benalaxyd	whole	0.01	not set	61	-	0
bitertanol	whole	0.01	not set	61	-	0
bixafen	whole	0.01	0.01	61	0	0
boscalid	whole	0.01	3	61	0	0
bupirimate	whole	0.01	not set	61	-	0
captafol	whole	0.02	not set	61	-	0
captan	whole	0.01	0.1	61	0	0
carbendazim	whole	0.01	0.5	61	0	0
carboxin	whole	0.01	not set	61	-	0
chlorothalonil	whole	0.01	3	61	0	0

Lentil residue testing annual datasets 2020–21

<b>Chemical</b>	<b>Matrix</b>	<b>LOR (mg/kg)</b>	<b>MRL (mg/kg)</b>	<b>No. of samples tested</b>	<b>&gt; ½ MRL to ≤ MRL</b>	<b>&gt; MRL</b>
ciproconazole	whole	0.01	0.05	61	0	0
cyprodinil	whole	0.01	not set	61	-	0
difenoconazole	whole	0.01	not set	61	-	0
dimethomorph (sum of E and Z isomers)	whole	0.01	not set	61	-	0
dithianon	whole	0.01	not set	61	-	0
dodine	whole	0.01	not set	61	-	0
epoxiconazole	whole	0.01	not set	61	-	0
etridiazole	whole	0.01	0.2	61	0	0
fenarimol	whole	0.01	not set	61	-	0
fenbuconazole	whole	0.01	not set	61	-	0
fenhexamid	whole	0.01	not set	61	-	0
fluazinam	whole	0.01	not set	61	-	0
fludioxonil	whole	0.01	0.1	61	0	0
fluquinconazole	whole	0.01	not set	61	-	0
flusilazole	whole	0.01	not set	61	-	0
flutriafol	whole	0.01	0.05	61	0	0
fluxapyroxad	whole	0.01	0.01	61	0	1
hexaconazole	whole	0.01	not set	61	-	0
imazalil	whole	0.01	not set	61	-	0
ipconazole	whole	0.01	not set	61	-	0
iprodione	whole	0.01	not set	61	-	0
isoprothiolane	whole	0.01	not set	61	-	0
kresoxim-methyl	whole	0.01	not set	61	-	0
metalaxyll	whole	0.01	not set	61	-	0
myclobutanil	whole	0.01	not set	61	-	0
oxadixyl	whole	0.01	not set	61	-	0
penconazole	whole	0.01	not set	61	-	0
penflufen	whole	0.01	0.01	61	0	0
prochloraz	whole	0.01	not set	61	-	0
procymidone	whole	0.01	0.5	61	0	0
propiconazole	whole	0.01	not set	61	0	0
prothioconazole	whole	0.01	0.02	61	0	0
pyraclostrobin	whole	0.01	0.5	61	0	0
pyrimethanil	whole	0.01	not set	61	-	0
quinoxifen	whole	0.01	not set	61	-	0
sedaxane	whole	0.01	not set	61	-	0
spiroxamine	whole	0.01	not set	61	-	0
tebuconazole	whole	0.01	1	61	0	0
thiabendazole	whole	0.01	not set	61	-	0

<b>Chemical</b>	<b>Matrix</b>	<b>LOR (mg/kg)</b>	<b>MRL (mg/kg)</b>	<b>No. of samples tested</b>	<b>&gt; ½ MRL to ≤ MRL</b>	<b>&gt; MRL</b>
tolclofos methyl	whole	0.01	not set	61	–	0
triadimefon	whole	0.01	not set	61	–	0
triadimenol	whole	0.01	not set	61	–	0
trifloxystrobin	whole	0.01	0.01	61	0	0
triticonazole	whole	0.01	not set	61	–	0
vinclozolin	whole	0.01	not set	61	–	0

**Table 2 Herbicides**

<b>Chemical</b>	<b>Matrix</b>	<b>LOR (mg/kg)</b>	<b>Australian standard (mg/kg)</b>	<b>No. of samples tested</b>	<b>&gt; ½ MRL to ≤ MRL</b>	<b>&gt; MRL</b>
2,2-DPA (2,2-dichloropropionic acid)	whole	0.01	not set	61	–	0
2,4-D	whole	0.01	0.05	61	0	0
2,4-DB	whole	0.01	not set	61	–	0
acifluorfen	whole	0.01	0.1	39	0	0
ametryn	whole	0.01	not set	39	–	0
aminopyralid	whole	0.01	not set	61	–	0
amitrole	whole	0.01	0.01	12	0	0
atrazine	whole	0.01	not set	61	–	0
bentazone	whole	0.01	0.01	61	0	0
bicyclopyprome	whole	0.01	not set	39	–	0
bromacil	whole	0.01	not set	61	–	0
bromoxynil	whole	0.01	not set	61	–	0
butroxydim	whole	0.01	0.01	61	0	0
carfentrazone-ethyl	whole	0.01	not set	61	–	0
chlormequat	whole	0.01	not set	12	–	0
chlorpropham	whole	0.01	not set	61	–	0
chlorsulfuron	whole	0.01	not set	61	–	0
chlorthal-dimethyl	whole	0.01	not set	61	–	0
clethodim (parent only)	whole	0.01	0.1	61	0	0
clodinafop acid	whole	0.01	not set	39	–	0
clodinafop-propargyl	whole	0.01	not set	61	–	0
clomazone	whole	0.01	not set	39	–	0
clopyralid	whole	0.01	not set	61	–	0
cloquintocet-mexyl	whole	0.01	not set	39	–	0
cyanazine	whole	0.01	0.01	61	0	0
dicamba	whole	0.01	not set	61	–	0
dichlobenil	whole	0.01	not set	61	–	0
dichlorprop	whole	0.01	not set	12	–	0
diclofop-methyl	whole	0.01	not set	12	–	0

Lentil residue testing annual datasets 2020–21

<b>Chemical</b>	<b>Matrix</b>	<b>LOR (mg/kg)</b>	<b>Australian standard (mg/kg)</b>	<b>No. of samples tested</b>	<b>&gt; ½ MRL to ≤ MRL</b>	<b>&gt; MRL</b>
diflufenican	whole	0.01	0.05	61	0	0
dimethenamid	whole	0.01	0.02	39	0	0
diquat	whole	0.01	1	12	0	0
diuron	whole	0.01	0.05	61	0	0
EPTC	whole	0.01	0.04	39	0	0
ethofumesate	whole	0.01	not set	61	–	0
fenoxaprop-ethyl	whole	0.01	not set	61	–	0
flamprop-M-methyl	whole	0.01	not set	12	–	0
florasulam	whole	0.01	not set	39	–	0
fluazifop-p-butyl	whole	0.01	0.5	12	0	0
flumetsulam	whole	0.01	0.05	61	0	0
flumioxazin	whole	0.01	0.1	61	0	0
fluroxypyr	whole	0.01	not set	61	–	0
glufosinate	whole	0.01	not set	12	–	0
glyphosate	whole	0.01	5	12	0	0
halauxifen-methyl	whole	0.01	not set	39	–	0
halosulfuron-methyl	whole	0.01	not set	39	–	0
haloxyfop	whole	0.01	0.1	12	0	0
imazamox	whole	0.01	0.01	55	0	0
imazapic	whole	0.01	not set	55	–	0
imazapyr	whole	0.01	0.01	55	0	0
imazaquin	whole	0.01	not set	55	–	0
imazethapyr	whole	0.01	0.1	55	0	0
iodosulfuron-methyl	whole	0.01	not set	61	–	0
ioxynil	whole	0.01	not set	61	–	0
isoxaben	whole	0.01	not set	61	–	0
isoxaflutole	whole	0.01	not set	39	–	0
linuron	whole	0.01	not set	61	–	0
MCPA	whole	0.01	not set	61	–	0
MCPB	whole	0.01	0.02	39	0	0
mefenpyr-diethyl	whole	0.01	not set	39	–	0
metazachlor	whole	0.01	0.03	39	0	0
methabenzthiazuron	whole	0.01	not set	61	0	0
metolachlor	whole	0.01	0.01	61	0	0
metosulam	whole	0.01	not set	61	–	0
metribuzin	whole	0.01	0.01	61	0	0
metsulfuron-methyl	whole	0.01	not set	61	–	0
napropamide	whole	0.01	not set	61	–	0
norflurazon	whole	0.01	not set	61	–	0

<b>Chemical</b>	<b>Matrix</b>	<b>LOR (mg/kg)</b>	<b>Australian standard (mg/kg)</b>	<b>No. of samples tested</b>	<b>&gt; ½ MRL to ≤ MRL</b>	<b>&gt; MRL</b>
oryzalin	whole	0.01	not set	61	–	0
oxyfluorfen	whole	0.01	not set	61	–	0
paraquat	whole	0.01	1	12	0	0
pendimethalin	whole	0.01	0.05	61	0	0
picloram	whole	0.01	not set	61	–	0
picolinafen	whole	0.01	not set	39	–	0
pinoxaden (parent)	whole	0.01	not set	39	–	0
prometryn	whole	0.01	0.1	39	0	0
propachlor	whole	0.01	not set	61	–	0
propaquizafop	whole	0.01	0.05	12	0	0
propyzamide	whole	0.01	0.01	61	0	0
prosulfocarb	whole	0.01	0.01	39	0	0
pyraflufen-ethyl	whole	0.01	0.02	39	0	0
pyrasulfotole	whole	0.01	not set	39	–	0
pyroxasulfone	whole	0.01	0.01	39	0	0

**Table 3 Insecticides**

<b>Chemical</b>	<b>Matrix</b>	<b>LOR (mg/kg)</b>	<b>Australian standard (mg/kg)</b>	<b>No. of samples tested</b>	<b>&gt; ½ MRL to ≤ MRL</b>	<b>&gt; MRL</b>
acephate	whole	0.01	not set	61	–	0
acetamiprid	whole	0.01	0.1	61	0	0
aldicarb	whole	0.01	not set	61	–	0
amitraz	whole	0.01	not set	61	–	0
azamethiphos	whole	0.01	not set	61	–	0
azinphos-methyl	whole	0.01	not set	61	–	0
bifenazate	whole	0.01	not set	61	–	0
bifenthrin	whole	0.01	0.02	61	0	0
bioresmethrin	whole	0.01	not set	61	–	0
buprofezin	whole	0.01	0.01	61	0	0
cadusafos	whole	0.01	not set	61	–	0
carbaryl	whole	0.01	0.1	61	0	0
carbofuran	whole	0.01	not set	61	–	0
chlorantraniliprole	whole	0.01	0.07	61	0	0
chlorgfenapyr	whole	0.01	not set	61	–	0
chlorfenvinphos (sum of isomers)	whole	0.01	not set	61	–	0
chlorpyrifos	whole	0.01	not set	61	–	0
chlorpyrifos-methyl	whole	0.01	0.15	61	0	0
clofentezine	whole	0.01	not set	61	–	0
clothianidin	whole	0.01	0.1	61	0	0

Lentil residue testing annual datasets 2020–21

<b>Chemical</b>	<b>Matrix</b>	<b>LOR (mg/kg)</b>	<b>Australian standard (mg/kg)</b>	<b>No. of samples tested</b>	<b>&gt; ½ MRL to ≤ MRL</b>	<b>&gt; MRL</b>
cyantraniliprole	whole	0.01	0.05	39	0	0
cyfluthrin (sum of isomers)	whole	0.01	not set	61	–	0
cyhalothrin (sum of isomers)	whole	0.01	0.2	61	0	0
cypermethrin (sum of isomers)	whole	0.01	0.05	61	0	0
deltamethrin	whole	0.01	0.1	61	0	0
diafenthuron	whole	0.01	not set	61	–	0
diazinon	whole	0.01	0.7	61	0	0
dichlorvos	whole	0.01	0.01	61	0	0
dicofol	whole	0.01	not set	61	–	0
diflubenzuron	whole	0.01	not set	61	–	0
dimethoate	whole	0.01	0.7	61	0	0
disulfoton	whole	0.01	not set	61	–	0
esfenvalerate	whole	0.01	0.5	46	0	0
ethion	whole	0.01	not set	61	–	0
ethoprophos	whole	0.005	not set	61	–	0
etoxazole	whole	0.01	not set	61	–	0
fenamiphos	whole	0.01	not set	61	–	0
fenbutatin oxide	whole	0.01	not set	61	–	0
fenitrothion	whole	0.01	0.1	61	0	0
fenoxy carb	whole	0.01	not set	61	–	0
fenpyroximate	whole	0.01	not set	61	–	0
fenthion	whole	0.01	not set	61	–	0
fenvalerate (sum of isomers)	whole	0.01	0.5	61	0	0
fipronil	whole	0.002	not set	61	–	0
flonicamid	whole	0.01	not set	39	–	0
hexythiazox	whole	0.01	not set	61	–	0
imidacloprid	whole	0.01	0.2	61	0	0
indoxacarb	whole	0.01	0.2	61	0	0
malathion (maldison)	whole	0.01	8	61	0	0
methacrifos	whole	0.01	not set	61	–	0
methamidophos	whole	0.01	not set	61	–	0
methidathion	whole	0.01	not set	61	–	0
methiocarb	whole	0.01	not set	61	–	0
methomyl	whole	0.01	1	61	0	0
methoprene	whole	0.01	not set	61	–	0
methoxychlor	whole	0.01	not set	61	–	0
methoxyfenoxide	whole	0.01	not set	61	–	0
mevinphos	whole	0.01	not set	61	–	0

<b>Chemical</b>	<b>Matrix</b>	<b>LOR (mg/kg)</b>	<b>Australian standard (mg/kg)</b>	<b>No. of samples tested</b>	<b>&gt; ½ MRL to ≤ MRL</b>	<b>&gt; MRL</b>
monocrotophos	whole	0.01	not set	61	–	0
omethoate	whole	0.01	0.1	61	0	0
parathion	whole	0.01	not set	61	–	0
parathion-methyl	whole	0.01	not set	61	–	0
permethrin (sum of isomers)	whole	0.01	not set	61	–	0
phenothrin (sum of isomers)	whole	0.01	not set	61	–	0
phorate	whole	0.01	not set	61	–	0
phosmet	whole	0.01	not set	61	–	0
piperonyl butoxide	whole	0.01	8	61	0	0
pirimicarb	whole	0.01	0.02	61	0	0
pirimiphos-methyl	whole	0.01	not set	61	–	0
profenofos	whole	0.01	not set	61	–	0
propargite	whole	0.01	not set	61	–	0
prothiofos	whole	0.01	not set	61	–	0
pymetrozine	whole	0.01	not set	61	–	0
pyrethrins	whole	0.01	1	61	0	0
pyriproxyfen	whole	0.01	not set	61	–	0
spinetoram	whole	0.01	0.01	61	0	0
spinosad	whole	0.01	0.01	61	0	0
spirotetramat	whole	0.01	not set	61	–	0
sulfoxaflor	whole	0.01	not set	61	–	0
tau-fluvalinate	whole	0.01	not set	61	–	0
tebufenozide	whole	0.01	not set	61	–	0
tebufenpyrad	whole	0.01	not set	61	–	0
terbufos	whole	0.01	not set	61	–	0
tetradifon	whole	0.01	not set	61	–	0
thiacloprid	whole	0.01	not set	61	–	0
thiamethoxam	whole	0.01	0.5	61	0	0
thiodicarb	whole	0.01	0.1	61	0	0
triazofos	whole	0.01	not set	61	–	0
trichlorfon	whole	0.01	0.2	61	0	0
triflumuron	whole	0.01	not set	61	–	0
abamectin	whole	0.01	not set	61	–	0
emamectin	whole	0.01	0.01	61	0	0

**Table 4 Contaminants**

<b>Chemical</b>	<b>Matrix</b>	<b>LOR (mg/kg)</b>	<b>Australian standard (mg/kg)</b>	<b>No. of samples tested</b>	<b>&gt; ½ MRL to ≤ MRL</b>	<b>&gt; MRL</b>
aldrin and dieldrin (HHDN+HEOD)	whole	0.01	not set	61	–	0
chlordanne	whole	0.01	0.02	61	0	0
DDT	whole	0.01	1	61	0	0
endosulfan	whole	0.01	not set	61	–	0
endrin	whole	0.01	not set	61	–	0
HCB (hexachlorobenzene)	whole	0.01	not set	61	–	0
HCH (BHC)	whole	0.01	not set	61	–	0
heptachlor	whole	0.01	0.05	61	0	0
lindane (gamma-HCH)	whole	0.01	2	61	0	0
mirex	whole	0.01	not set	61	–	0

**Table 5 Physiological modifier**

<b>Chemical</b>	<b>Matrix</b>	<b>LOR (mg/kg)</b>	<b>Australian standard (mg/kg)</b>	<b>No. of samples tested</b>	<b>&gt; ½ MRL to ≤ MRL</b>	<b>&gt; MRL</b>
trinexapac-ethyl	whole	0.01	not set	39	0	0