



# Australian Government

## Department of Agriculture, Fisheries and Forestry

# Lupin Meal residue testing annual datasets 2023-24

National Residue Survey (NRS), Department of Agriculture, Fisheries and Forestry

### Dataset abbreviations

**LOR** Limit of reporting.

**MRL** Maximum Residue Limit.

**no limit** No Australian standard applicable for the contaminant. The 'as low as reasonably achievable' principle applies. Detections at low levels are allowable.

**not defined** Standards are not defined in inedible matrixes (urine, retina and faeces).

**not set** No Australian standard has been set for the chemical in the edible matrix and any detection is a contravention of the Australia New Zealand Food Standards Code.

### Disclaimer

Although the Australian Government has exercised due care and skill in the preparation and compilation of this publication, it does not warrant its accuracy, completeness, currency or suitability for any purpose. To the maximum extent permitted by law, the Australian Government disclaims all liability, including liability in negligence for any loss, damage, cost or expense incurred by persons as a result of accessing, using or relying on any of the information or data set out in this publication. Before relying on the material in any matters, users should carefully evaluate its accuracy, currency, completeness and relevance for the purposes intended, and should obtain any appropriate professional advice relevant to their particular circumstances.

**Table 1: CONTAMINANTS**

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
aldrin and dieldrin (HHDN+HEOD)	Whole	0.01	not set	3	-	-
chlordane	Whole	0.01	0.02	3	0	0
DDT	Whole	0.01	1	3	0	0
endosulfan	Whole	0.01	not set	3	-	-
endrin	Whole	0.01	not set	3	-	-
HCB (hexachlorobenzene)	Whole	0.01	not set	3	-	-
HCH (BHC)	Whole	0.01	not set	3	-	-
heptachlor	Whole	0.01	0.05	3	0	0
lindane (gamma-HCH)	Whole	0.01	2	3	0	0
mirex	Whole	0.01	not set	3	-	-

**Table 2: FUNGICIDES**

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
azoxystrobin	Whole	0.01	0.3	3	0	0
benalaxyl	Whole	0.01	not set	3	-	-
benzovindiflupyr	Whole	0.01	not set	3	-	-
bitertanol	Whole	0.01	not set	3	-	-
bixafen	Whole	0.01	not set	3	-	-
boscalid	Whole	0.01	3	3	0	0
bupirimate	Whole	0.01	not set	3	-	-
captafol	Whole	0.01	not set	3	-	-
captan	Whole	0.01	not set	3	-	-
carbendazim	Whole	0.01	0.5	3	0	0
carboxin	Whole	0.01	not set	3	-	-
carboxin sulfoxide	Whole	0.01	not set	3	-	-
chlorothalonil	Whole	0.01	3	3	0	0
cyproconazole	Whole	0.01	0.05	3	0	0
cyprodinil	Whole	0.01	not set	3	-	-
difenoconazole	Whole	0.01	not set	3	-	-
dimethomorph	Whole	0.01	not set	3	-	-
dithianon	Whole	0.01	not set	3	-	-
dodine	Whole	0.01	not set	3	-	-
epoxiconazole	Whole	0.01	not set	3	-	-
etridiazole	Whole	0.01	not set	3	-	-
fenarimol	Whole	0.01	not set	3	-	-
fenbuconazole	Whole	0.01	not set	3	-	-
fenhexamid	Whole	0.01	not set	3	-	-
fluazinam	Whole	0.01	not set	3	-	-
fludioxonil	Whole	0.01	0.1	3	0	0
fluopicolide	Whole	0.01	not set	3	-	-
fluopyram	Whole	0.01	not set	3	-	-
fluquinconazole	Whole	0.01	not set	3	-	-
flusilazole	Whole	0.01	not set	3	-	-
flutriafol	Whole	0.01	0.05	3	0	0
fluxapyroxad	Whole	0.01	0.1	3	0	0
hexaconazole	Whole	0.01	not set	3	-	-
imazalil	Whole	0.01	not set	3	-	-
ipconazole	Whole	0.01	not set	3	-	-
iprodione	Whole	0.01	0.1	3	0	0
isoprothiolane	Whole	0.01	not set	3	-	-
isopyrazam	Whole	0.01	not set	3	-	-
kresoxim-methyl	Whole	0.01	not set	3	-	-

metalaxyl	Whole	0.01	0.1	3	0	0
myclobutanil	Whole	0.01	not set	3	-	-
oxadixyl	Whole	0.01	not set	3	-	-
penconazole	Whole	0.01	not set	3	-	-
penflufen	Whole	0.01	0.01	3	0	0
prochloraz	Whole	0.01	not set	3	-	-
procymidone	Whole	0.01	0.01	3	0	0
propiconazole	Whole	0.01	0.3	3	0	0
prothioconazole	Whole	0.01	0.1	3	0	0
pydiflumetofen	Whole	0.01	not set	3	-	-
pyraclostrobin	Whole	0.01	not set	3	-	-
pyrimethanil	Whole	0.01	not set	3	-	-
quinoxifen	Whole	0.01	not set	3	-	-
quintozene	Whole	0.01	not set	3	-	-
sedaxane	Whole	0.01	not set	3	-	-
spiroxamine	Whole	0.01	not set	3	-	-
tebuconazole	Whole	0.01	1	3	0	0
thiabendazole	Whole	0.01	not set	3	-	-
tolclofos methyl	Whole	0.01	not set	3	-	-
triadimefon	Whole	0.01	not set	3	-	-
triadimenol	Whole	0.01	not set	3	-	-
trifloxystrobin	Whole	0.01	not set	3	-	-
triticonazole	Whole	0.01	not set	3	-	-
uniconazole-P	Whole	0.01	not set	3	-	-
vinclozolin	Whole	0.01	not set	3	-	-

**Table 3: HERBICIDES**

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
2,2-DPA (2,2-dichloropropionic acid)	Whole	0.01	0.1	3	0	0
2,4-D	Whole	0.01	0.05	3	0	0
2,4-DB	Whole	0.01	not set	3	-	-
acifluorfen	Whole	0.01	0.1	3	0	0
ametryn	Whole	0.01	not set	3	-	-
aminopyralid	Whole	0.01	not set	3	-	-
amitrole	Whole	0.01	not set	1	-	-
atrazine	Whole	0.01	not set	3	-	-
bentazone	Whole	0.01	0.01	3	0	0
bicyclopyrone	Whole	0.01	not set	3	-	-
bixlozone	Whole	0.01	not set	3	-	-

bromacil	Whole	0.01	not set	3	-	-
bromoxynil	Whole	0.01	not set	3	-	-
butafenacil	Whole	0.01	not set	3	-	-
butoxydim	Whole	0.01	0.01	3	0	0
carfentrazone-ethyl	Whole	0.01	not set	3	-	-
chlormequat	Whole	0.01	not set	1	-	-
chlorpropham	Whole	0.01	not set	3	-	-
chlorsulfuron	Whole	0.01	not set	3	-	-
chlorthal-dimethyl	Whole	0.01	5	3	0	0
cinmethylin	Whole	0.01	not set	3	-	-
clethodim	Whole	0.01	0.2	3	0	0
clodinafop acid	Whole	0.01	not set	3	-	-
clodinafop-propargyl	Whole	0.01	not set	3	-	-
clomazone	Whole	0.01	not set	3	-	-
clopyralid	Whole	0.01	not set	3	-	-
cloquintocet-mexyl	Whole	0.01	not set	3	-	-
cyanazine	Whole	0.01	0.01	3	0	0
dicamba	Whole	0.01	not set	3	-	-
dichlobenil	Whole	0.01	not set	3	-	-
dichlorprop-P	Whole	0.01	not set	1	-	-
diclofop-methyl	Whole	0.01	not set	1	-	-
diflufenican	Whole	0.01	0.05	3	0	0
dimethenamid-P	Whole	0.01	0.02	3	0	0
diquat	Whole	0.01	not set	1	-	-
diuron	Whole	0.01	0.05	3	0	0
EPTC	Whole	0.01	0.04	3	0	0
ethofumesate	Whole	0.01	not set	3	-	-
fenoxaprop-ethyl	Whole	0.01	not set	3	-	-
flamprop-M-methyl	Whole	0.01	not set	1	-	-
florasulam	Whole	0.01	not set	3	-	-
florpyrauxifen-benzyl	Whole		not set	3	-	-
fluazifop-p-butyl	Whole	0.01	not set	1	-	-
flumetsulam	Whole	0.01	0.05	3	0	0
flumioxazin	Whole	0.01	0.1	3	0	0
fluroxypyr	Whole	0.01	not set	3	-	-
fomesafen	Whole	0.01	not set	3	-	-
glufosinate	Whole	0.01	not set	1	-	-
glyphosate	Whole	0.01	not set	1	-	-
halauxifen-methyl	Whole	0.01	not set	3	-	-
halosulfuron-methyl	Whole	0.01	not set	3	-	-
haloxyfop	Whole	0.005	not set	1	-	-
iodosulfuron-methyl	Whole	0.01	not set	3	-	-

ioxynil	Whole	0.01	not set	3	-	-
isoxaben	Whole	0.01	not set	3	-	-
isoxaflutole	Whole	0.01	not set	3	-	-
linuron	Whole	0.01	0.05	3	0	0
MCPA	Whole	0.01	not set	3	-	-
MCPB	Whole	0.01	0.02	3	0	0
mefenpyr-diethyl	Whole	0.01	not set	3	-	-
mesotrione	Whole	0.01	not set	3	-	-
metamitron	Whole	0.01	not set	3	-	-
metazachlor	Whole	0.01	0.03	3	0	0
methabenzthiazuron	Whole	0.01	not set	3	-	-
metolachlor	Whole	0.01	0.01	3	0	0
metosulam	Whole	0.01	0.02	3	0	0
metribuzin	Whole	0.01	0.01	3	0	0
metsulfuron-methyl	Whole	0.01	not set	3	-	-
napropamide	Whole	0.01	not set	3	-	-
norflurazon	Whole	0.01	not set	3	-	-
oryzalin	Whole	0.01	not set	3	-	-
oxyfluorfen	Whole	0.01	not set	3	-	-
paraquat	Whole	0.01	not set	1	-	-
pendimethalin	Whole	0.01	0.05	3	0	0
picloram	Whole	0.01	not set	3	-	-
picolinafen	Whole	0.01	0.02	3	0	0
pinoxaden (parent)	Whole	0.01	not set	3	-	-
prometryn	Whole	0.01	0.1	3	0	0
propachlor	Whole	0.01	not set	3	-	-
propaquizafop	Whole	0.01	not set	1	-	-
propyzamide	Whole	0.01	0.01	3	0	0
prosulfocarb	Whole	0.01	0.01	3	0	0
pyraflufen-ethyl	Whole	0.01	0.02	3	0	0
pyrasulfotole	Whole	0.01	not set	3	-	-
pyroxasulfone	Whole	0.01	0.01	3	0	0
pyroxsulam	Whole	0.01	not set	3	-	-
quizalofop-ethyl	Whole	0.01	not set	1	-	-
quizalofop-P-tefuryl	Whole	0.01	not set	1	-	-
saflufenacil	Whole	0.01	0.2	3	0	0
sethoxydim	Whole	0.01	0.2	3	0	0
simazine	Whole	0.01	0.05	3	0	0
sulfosulfuron	Whole	0.01	not set	3	-	-
terbuthylazine	Whole	0.01	0.02	3	0	0
terbutryn	Whole	0.01	not set	3	-	-
tiafenacil	Whole	0.01	not set	3	-	-

topramezone	Whole	0.01	not set	3	-	-
tralkoxydim	Whole	0.01	not set	3	-	-
triallate	Whole	0.01	0.1	3	0	0
triasulfuron	Whole	0.01	not set	3	-	-
tribenuron-methyl	Whole	0.01	not set	3	-	-
triclopyr	Whole	0.01	not set	3	-	-
trifludimoxazin	Whole	0.01	not set	3	-	-
trifluralin	Whole	0.01	0.05	3	0	0

**Table 4: INSECTICIDES**

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
abamectin	Whole	0.01	not set	3	-	-
acephate	Whole	0.01	not set	3	-	-
acetamiprid	Whole	0.01	not set	3	-	-
aldicarb	Whole	0.01	not set	3	-	-
amitraz	Whole	0.01	not set	3	-	-
azamethiphos	Whole	0.01	not set	3	-	-
azinphos-methyl	Whole	0.01	not set	3	-	-
bifenazate	Whole	0.01	not set	3	-	-
bifenthrin	Whole	0.01	0.02	3	0	0
bioresmethrin	Whole	0.01	not set	3	-	-
buprofezin	Whole	0.01	0.01	3	0	0
cadusafos	Whole	0.01	not set	3	-	-
carbaryl	Whole	0.01	0.1	3	0	0
carbofuran	Whole	0.01	not set	3	-	-
chlorantraniliprole	Whole	0.01	0.07	3	0	0
chlorfenapyr	Whole	0.01	not set	3	-	-
chlorfenvinphos	Whole	0.01	not set	3	-	-
chlorpyrifos	Whole	0.01	0.01	3	0	0
chlorpyrifos-methyl	Whole	0.01	10	3	0	0
clofentezine	Whole	0.01	not set	3	-	-
clothianidin	Whole	0.01	0.02	3	0	0
cyantraniliprole	Whole	0.01	0.05	3	0	0
cyfluthrin	Whole	0.01	not set	3	-	-
cyhalothrin	Whole	0.01	0.2	3	0	0
cypermethrin	Whole	0.01	0.01	3	0	0
deltamethrin	Whole	0.01	0.1	3	0	0
diafenthiuron	Whole	0.01	not set	3	-	-
diazinon	Whole	0.01	0.7	3	0	0
dichlorvos	Whole	0.01	0.01	3	0	0

dicofol	Whole	0.01	5	3	0	0
diflubenzuron	Whole	0.01	not set	3	-	-
dimethoate	Whole	0.01	0.7	3	0	0
dinotefuran	Whole	0.01	not set	3	-	-
disulfoton	Whole	0.01	not set	3	-	-
emamectin	Whole	0.01	0.01	3	0	0
ethion	Whole	0.01	not set	3	-	-
ethoprophos	Whole	0.005	not set	3	-	-
etoxazole	Whole	0.01	not set	3	-	-
fenamiphos	Whole	0.01	not set	3	-	-
fenbutatin oxide	Whole	0.01	not set	3	-	-
fenitrothion	Whole	0.01	0.1	3	0	0
fenoxycarb	Whole	0.01	not set	3	-	-
fenpyroximate	Whole	0.01	not set	3	-	-
fenthion	Whole	0.01	not set	3	-	-
fenvalerate	Whole	0.01	0.5	3	0	0
fipronil	Whole	0.002	not set	3	-	-
flonicamid	Whole	0.01	not set	3	-	-
fluensulfone	Whole	0.01	not set	3	-	-
flupyradifurone	Whole	0.01	not set	3	-	-
hexythiazox	Whole	0.01	not set	3	-	-
imidacloprid	Whole	0.01	0.2	3	0	0
indoxacarb	Whole	0.01	0.2	3	0	0
malathion	Whole	0.01	2	3	0	0
methacrifos	Whole	0.01	not set	3	-	-
methamidophos	Whole	0.01	not set	3	-	-
methidathion	Whole	0.01	not set	3	-	-
methiocarb	Whole	0.01	0.1	3	0	0
methomyl	Whole	0.01	1	3	0	0
methoprene	Whole	0.01	not set	3	-	-
methoxychlor	Whole	0.01	not set	3	-	-
methoxyfenozide	Whole	0.01	not set	3	-	-
mevinphos	Whole	0.01	not set	3	-	-
monocrotophos	Whole	0.01	not set	3	-	-
omethoate	Whole	0.01	0.1	3	0	0
parathion	Whole	0.01	not set	3	-	-
parathion-methyl	Whole	0.01	not set	3	-	-
permethrin	Whole	0.01	not set	3	-	-
phenothrin	Whole	0.01	not set	3	-	-
phorate	Whole	0.01	not set	3	-	-
phosmet	Whole	0.01	not set	3	-	-
piperonyl butoxide	Whole	0.01	8	3	0	0

pirimicarb	Whole	0.01	0.02	3	0	0
pirimiphos-methyl	Whole	0.01	not set	3	-	-
profenofos	Whole	0.01	not set	3	-	-
propargite	Whole	0.01	3	3	0	0
prothiofos	Whole	0.01	not set	3	-	-
pymetrozine	Whole	0.01	0.02	3	0	0
pyrethrins	Whole	0.01	1	3	0	0
pyriproxyfen	Whole	0.01	not set	3	-	-
spinetoram	Whole	0.01	0.01	3	0	0
spinosad	Whole	0.01	0.01	3	0	0
spirotetramat	Whole	0.01	not set	3	-	-
sulfoxaflor	Whole	0.01	not set	3	-	-
tau-fluvalinate	Whole	0.01	not set	3	-	-
tebufenozide	Whole	0.01	not set	3	-	-
tebufenpyrad	Whole	0.01	not set	3	-	-
terbufos	Whole	0.01	not set	3	-	-
tetradifon	Whole	0.01	not set	3	-	-
thiacloprid	Whole	0.01	not set	3	-	-
thiamethoxam	Whole	0.01	0.02	3	0	0
thiodicarb	Whole	0.01	0.1	3	0	0
triazofos	Whole	0.01	not set	3	-	-
trichlorfon	Whole	0.01	0.2	3	0	0
triflumuron	Whole	0.01	not set	3	-	-

**Table 5: PHYSIOLOGICAL MODIFIER**

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
forchlorfenuron	Whole	0.01	not set	3	-	-
prohexadione-calcium	Whole	0.01	not set	3	-	-
trinexapac-ethyl	Whole	0.01	not set	3	-	-