



# Australian Government

## Department of Agriculture, Fisheries and Forestry

# Lupin residue testing annual datasets 2023-24

National Residue Survey (NRS), Department of Agriculture, Fisheries and Forestry

### Dataset abbreviations

**LOR** Limit of reporting.

**MRL** Maximum Residue Limit.

**no limit** No Australian standard applicable for the contaminant. The ‘as low as reasonably achievable’ principle applies. Detections at low levels are allowable.

**not defined** Standards are not defined in inedible matrixes (urine, retina and faeces).

**not set** No Australian standard has been set for the chemical in the edible matrix and any detection is a contravention of the Australia New Zealand Food Standards Code.

### Disclaimer

Although the Australian Government has exercised due care and skill in the preparation and compilation of this publication, it does not warrant its accuracy, completeness, currency or suitability for any purpose. To the maximum extent permitted by law, the Australian Government disclaims all liability, including liability in negligence for any loss, damage, cost or expense incurred by persons as a result of accessing, using or relying on any of the information or data set out in this publication. Before relying on the material in any matters, users should carefully evaluate its accuracy, currency, completeness and relevance for the purposes intended, and should obtain any appropriate professional advice relevant to their particular circumstances.

**Table 1: CONTAMINANTS**

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
aldrin and dieldrin (HHDN+HEOD)	Whole	0.01	not set	72	-	-
chlordane	Whole	0.01	0.02	72	0	0
DDT	Whole	0.01	1	72	0	0
endosulfan	Whole	0.01	not set	72	-	-
endrin	Whole	0.01	not set	72	-	-
HCB (hexachlorobenzene)	Whole	0.01	not set	72	-	-
HCH (BHC)	Whole	0.01	not set	72	-	-
heptachlor	Whole	0.01	0.05	72	0	0
lindane (gamma-HCH)	Whole	0.01	2	72	0	0
mirex	Whole	0.01	not set	72	-	-

**Table 2: FUNGICIDES**

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
azoxystrobin	Whole	0.01	0.3	72	0	0
benalaxyl	Whole	0.01	not set	72	-	-
benzovindiflupyr	Whole	0.01	not set	72	-	-
bitertanol	Whole	0.01	not set	72	-	-
bixafen	Whole	0.01	0.1	72	0	0
boscalid	Whole	0.01	0.5	72	0	0
bupirimate	Whole	0.01	not set	72	-	-
captafol	Whole	0.01	not set	72	-	-
captan	Whole	0.01	not set	72	-	-
carbendazim	Whole	0.01	0.5	72	0	0
carboxin	Whole	0.01	not set	72	-	-
carboxin sulfoxide	Whole	0.01	not set	72	-	-
chlorothalonil	Whole	0.01	3	72	0	0
cyproconazole	Whole	0.01	0.05	72	0	0
cyprodinil	Whole	0.01	not set	72	-	-
difenoconazole	Whole	0.01	not set	72	-	-
dimethomorph	Whole	0.01	not set	72	-	-
dithianon	Whole	0.01	not set	72	-	-
dodine	Whole	0.01	not set	72	-	-
epoxiconazole	Whole	0.01	not set	72	-	-
etridiazole	Whole	0.01	0.2	72	0	0
fenarimol	Whole	0.01	not set	72	-	-
fenbuconazole	Whole	0.01	not set	72	-	-
fenhexamid	Whole	0.01	not set	72	-	-
florylpicoxamid	Whole	0.01	not set	35	-	-
fluazinam	Whole	0.01	not set	72	-	-
fludioxonil	Whole	0.01	0.1	72	0	0
fluopicolide	Whole	0.01	0.01	72	0	0
fluopyram	Whole	0.01	0.03	72	0	0
fluquinconazole	Whole	0.01	not set	72	-	-
flusilazole	Whole	0.01	not set	72	-	-
flutriafol	Whole	0.01	0.05	72	0	0
fluxapyroxad	Whole	0.01	0.1	72	0	0
hexaconazole	Whole	0.01	not set	72	-	-
imazalil	Whole	0.01	not set	72	-	-
ipconazole	Whole	0.01	not set	72	-	-
iprodione	Whole	0.01	0.1	72	0	0
isoprothiolane	Whole	0.01	not set	72	-	-
isopyrazam	Whole	0.01	not set	72	-	-

kresoxim-methyl	Whole	0.01	not set	72	-	-
metalaxyl	Whole	0.01	not set	72	-	-
myclobutanil	Whole	0.01	not set	72	-	-
oxadixyl	Whole	0.01	not set	72	-	-
penconazole	Whole	0.01	not set	72	-	-
penflufen	Whole	0.01	0.01	72	0	0
prochloraz	Whole	0.01	not set	72	-	-
procymidone	Whole	0.01	0.01	72	0	0
propiconazole	Whole	0.01	0.3	72	0	0
prothioconazole	Whole	0.01	0.1	72	0	0
pydiflumetofen	Whole	0.01	0.4	72	0	0
pyraclostrobin	Whole	0.01	not set	72	-	-
pyrimethanil	Whole	0.01	not set	72	-	-
quinoxifen	Whole	0.01	not set	72	-	-
quintozene	Whole	0.01	not set	72	-	-
sedaxane	Whole	0.01	not set	72	-	-
spiroxamine	Whole	0.01	not set	72	-	-
tebuconazole	Whole	0.01	1	72	0	0
thiabendazole	Whole	0.01	not set	72	-	-
tolclofos methyl	Whole	0.01	not set	72	-	-
triadimefon	Whole	0.01	not set	72	-	-
triadimenol	Whole	0.01	not set	72	-	-
trifloxystrobin	Whole	0.01	not set	72	-	-
triticonazole	Whole	0.01	not set	72	-	-
uniconazole-P	Whole	0.01	not set	72	-	-
vinclozolin	Whole	0.01	not set	72	-	-

**Table 3: HERBICIDES**

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
2,2-DPA (2,2-dichloropropionic acid)	Whole	0.01	not set	72	-	-
2,4-D	Whole	0.01	not set	72	-	-
2,4-DB	Whole	0.01	not set	72	-	-
acifluorfen	Whole	0.01	0.1	72	0	0
aclonifen	Whole	0.01	not set	35	-	-
ametryn	Whole	0.01	not set	72	-	-
aminopyralid	Whole	0.01	not set	72	-	-
amitrole	Whole	0.01	0.01	5	0	0
atrazine	Whole	0.01	0.02	72	0	0
bentazone	Whole	0.01	0.01	72	0	0

bicyclopyrone	Whole	0.01	not set	72	-	-
bixlozone	Whole	0.01	not set	72	-	-
bromacil	Whole	0.01	not set	72	-	-
bromoxynil	Whole	0.01	not set	72	-	-
butafenacil	Whole	0.01	0.01	72	0	0
butoxydim	Whole	0.01	0.01	72	0	0
carfentrazone-ethyl	Whole	0.01	not set	72	-	-
chlormequat	Whole	0.01	not set	5	-	-
chlorpropham	Whole	0.01	not set	72	-	-
chlorsulfuron	Whole	0.01	not set	72	-	-
chlorthal-dimethyl	Whole	0.01	not set	72	-	-
cinmethylin	Whole	0.01	not set	72	-	-
clethodim	Whole	0.01	0.2	72	0	0
clodinafop acid	Whole	0.01	not set	72	-	-
clodinafop-propargyl	Whole	0.01	not set	72	-	-
clomazone	Whole	0.01	not set	72	-	-
clopyralid	Whole	0.01	not set	72	-	-
cloquintocet-mexyl	Whole	0.01	not set	72	-	-
cyanazine	Whole	0.01	0.01	72	0	0
dicamba	Whole	0.01	not set	72	-	-
dichlobenil	Whole	0.01	not set	72	-	-
dichlorprop-P	Whole	0.01	not set	5	-	-
diclofop-methyl	Whole	0.01	0.1	5	0	0
diflufenican	Whole	0.01	0.05	72	0	0
dimethenamid-P	Whole	0.01	0.02	72	0	0
diquat	Whole	0.01	1	5	0	0
diuron	Whole	0.01	0.05	72	0	0
EPTC	Whole	0.01	0.04	72	0	0
ethofumesate	Whole	0.01	not set	72	-	-
fenoxaprop-ethyl	Whole	0.01	not set	72	-	-
flamprop-M-methyl	Whole	0.01	not set	5	-	-
florasulam	Whole	0.01	not set	72	-	-
florpyrauxifen-benzyl	Whole		not set	72	-	-
fluazifop-p-butyl	Whole	0.01	0.1	5	0	0
flumetsulam	Whole	0.01	0.05	72	0	0
flumioxazin	Whole	0.01	0.1	72	0	0
fluroxypyr	Whole	0.01	not set	72	-	-
fomesafen	Whole	0.01	0.01	72	0	0
glufosinate	Whole	0.01	not set	5	-	-
glyphosate	Whole	0.01	5	5	0	0
halauxifen-methyl	Whole	0.01	not set	72	-	-
halosulfuron-methyl	Whole	0.01	not set	72	-	-

haloxyfop	Whole	0.005	0.1	5	0	0
iodosulfuron-methyl	Whole	0.01	not set	72	-	-
ioxynil	Whole	0.01	not set	72	-	-
isoxaben	Whole	0.01	not set	72	-	-
isoxaflutole	Whole	0.01	not set	72	-	-
linuron	Whole	0.01	not set	72	-	-
MCPA	Whole	0.01	not set	72	-	-
MCPB	Whole	0.01	0.02	72	0	0
mefenpyr-diethyl	Whole	0.01	not set	72	-	-
mesotrione	Whole	0.01	not set	72	-	-
metamitron	Whole	0.01	not set	72	-	-
metazachlor	Whole	0.01	0.03	72	0	0
methabenzthiazuron	Whole	0.01	not set	72	-	-
metolachlor	Whole	0.01	0.01	72	0	0
metosulam	Whole	0.01	0.02	72	0	0
metribuzin	Whole	0.01	0.01	72	0	0
metsulfuron-methyl	Whole	0.01	not set	72	-	-
napropamide	Whole	0.01	not set	72	-	-
norflurazon	Whole	0.01	not set	72	-	-
oryzalin	Whole	0.01	not set	72	-	-
oxyfluorfen	Whole	0.01	not set	72	-	-
paraquat	Whole	0.01	1	5	0	0
pendimethalin	Whole	0.01	0.05	72	0	0
picloram	Whole	0.01	not set	72	-	-
picolinafen	Whole	0.01	0.02	72	0	0
pinoxaden (parent)	Whole	0.01	not set	72	-	-
prometryn	Whole	0.01	0.1	72	0	0
propachlor	Whole	0.01	not set	72	-	-
propaquizafop	Whole	0.01	0.05	5	0	0
propyzamide	Whole	0.01	0.01	72	0	0
prosulfocarb	Whole	0.01	0.01	72	0	0
pyraflufen-ethyl	Whole	0.01	0.02	72	0	0
pyrasulfotole	Whole	0.01	not set	72	-	-
pyroxasulfone	Whole	0.01	0.01	72	0	0
pyroxsulam	Whole	0.01	not set	72	-	-
quizalofop-ethyl	Whole	0.01	0.2	5	0	0
quizalofop-P-tefuryl	Whole	0.01	0.2	5	0	0
saflufenacil	Whole	0.01	0.2	72	0	0
sethoxydim	Whole	0.01	0.2	72	0	0
simazine	Whole	0.01	0.05	72	0	0
sulfosulfuron	Whole	0.01	not set	72	-	-
terbuthylazine	Whole	0.01	0.02	72	0	0

terbutryn	Whole	0.01	not set	72	-	-
tiafenacil	Whole	0.01	0.01	72	0	0
topramezone	Whole	0.01	not set	72	-	-
tralkoxydim	Whole	0.01	not set	72	-	-
triallate	Whole	0.01	0.1	72	0	0
triasulfuron	Whole	0.01	not set	72	-	-
tribenuron-methyl	Whole	0.01	not set	72	-	-
triclopyr	Whole	0.01	not set	72	-	-
trifludimoxazin	Whole	0.01	not set	72	-	-
trifluralin	Whole	0.01	0.05	72	0	0

**Table 4: INSECTICIDES**

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
abamectin	Whole	0.01	not set	72	-	-
acephate	Whole	0.01	not set	72	-	-
acetamiprid	Whole	0.01	not set	72	-	-
aldicarb	Whole	0.01	not set	72	-	-
amitraz	Whole	0.01	not set	72	-	-
azamethiphos	Whole	0.01	not set	72	-	-
azinphos-methyl	Whole	0.01	not set	72	-	-
bifenazate	Whole	0.01	not set	72	-	-
bifenthrin	Whole	0.01	0.02	72	0	0
bioresmethrin	Whole	0.01	not set	72	-	-
buprofezin	Whole	0.01	0.01	72	0	0
cadusafos	Whole	0.01	not set	72	-	-
carbaryl	Whole	0.01	0.1	72	0	0
carbofuran	Whole	0.01	not set	72	-	-
chlorantraniliprole	Whole	0.01	0.07	72	0	0
chlorfenapyr	Whole	0.01	not set	72	-	-
chlorfenvinphos	Whole	0.01	not set	72	-	-
chlorpyrifos	Whole	0.01	not set	72	-	-
chlorpyrifos-methyl	Whole	0.01	0.15	72	0	0
clofentezine	Whole	0.01	not set	72	-	-
clothianidin	Whole	0.01	0.02	72	0	0
cyantraniliprole	Whole	0.01	0.05	72	0	0
cyfluthrin	Whole	0.01	not set	72	-	-
cyhalothrin	Whole	0.01	0.2	72	0	0
cypermethrin	Whole	0.01	0.01	72	0	0
deltamethrin	Whole	0.01	0.1	72	0	0
diafenthiuron	Whole	0.01	not set	72	-	-

diazinon	Whole	0.01	0.7	72	0	0
dichlorvos	Whole	0.01	0.01	72	0	0
dicofol	Whole	0.01	not set	72	-	-
diflubenzuron	Whole	0.01	not set	72	-	-
dimethoate	Whole	0.01	0.7	72	0	0
dinotefuran	Whole	0.01	not set	72	-	-
disulfoton	Whole	0.01	not set	72	-	-
emamectin	Whole	0.01	0.01	72	0	0
ethion	Whole	0.01	not set	72	-	-
ethoprophos	Whole	0.005	not set	72	-	-
etoxazole	Whole	0.01	not set	72	-	-
fenamiphos	Whole	0.01	not set	72	-	-
fenbutatin oxide	Whole	0.01	not set	72	-	-
fenitrothion	Whole	0.01	0.1	72	0	0
fenoxycarb	Whole	0.01	not set	72	-	-
fenpyroximate	Whole	0.01	not set	72	-	-
fenthion	Whole	0.01	not set	72	-	-
fenvalerate	Whole	0.01	0.5	72	0	0
fipronil	Whole	0.002	not set	72	-	-
flonicamid	Whole	0.01	not set	72	-	-
fluensulfone	Whole	0.01	0.05	72	0	0
flupyradifurone	Whole	0.01	0.2	72	0	0
hexythiazox	Whole	0.01	not set	72	-	-
imidacloprid	Whole	0.01	0.2	72	0	0
indoxacarb	Whole	0.01	0.2	72	0	0
malathion	Whole	0.01	2	72	0	0
methacrifos	Whole	0.01	not set	72	-	-
methamidophos	Whole	0.01	not set	72	-	-
methidathion	Whole	0.01	not set	72	-	-
methiocarb	Whole	0.01	not set	72	-	-
methomyl	Whole	0.01	1	72	0	0
methoprene	Whole	0.01	not set	72	-	-
methoxychlor	Whole	0.01	not set	72	-	-
methoxyfenozide	Whole	0.01	not set	72	-	-
mevinphos	Whole	0.01	not set	72	-	-
monocrotophos	Whole	0.01	not set	72	-	-
omethoate	Whole	0.01	0.1	72	0	0
parathion	Whole	0.01	not set	72	-	-
parathion-methyl	Whole	0.01	not set	72	-	-
permethrin	Whole	0.01	not set	72	-	-
phenothrin	Whole	0.01	not set	72	-	-
phorate	Whole	0.01	not set	72	-	-

phosmet	Whole	0.01	not set	72	-	-
piperonyl butoxide	Whole	0.01	8	72	0	0
pirimicarb	Whole	0.01	0.02	72	0	0
pirimiphos-methyl	Whole	0.01	not set	72	-	-
profenofos	Whole	0.01	not set	72	-	-
propargite	Whole	0.01	not set	72	-	-
prothiofos	Whole	0.01	not set	72	-	-
pymetrozine	Whole	0.01	0.02	72	0	0
pyrethrins	Whole	0.01	1	72	0	0
pyriproxyfen	Whole	0.01	not set	72	-	-
spinetoram	Whole	0.01	0.01	72	0	0
spinosad	Whole	0.01	0.01	72	0	0
spirotetramat	Whole	0.01	not set	72	-	-
sulfoxaflor	Whole	0.01	not set	72	-	-
tau-fluvalinate	Whole	0.01	not set	72	-	-
tebufenozide	Whole	0.01	not set	72	-	-
tebufenpyrad	Whole	0.01	not set	72	-	-
terbufos	Whole	0.01	not set	72	-	-
tetradifon	Whole	0.01	not set	72	-	-
tetraniliprole	Whole	0.01	not set	35	-	-
thiacloprid	Whole	0.01	not set	72	-	-
thiamethoxam	Whole	0.01	0.02	72	0	1
thiodicarb	Whole	0.01	0.1	72	0	0
triazofos	Whole	0.01	not set	72	-	-
trichlorfon	Whole	0.01	0.2	72	0	0
triflumuron	Whole	0.01	not set	72	-	-

**Table 5: PHYSIOLOGICAL MODIFIER**

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
forchlorfenuron	Whole	0.01	not set	72	-	-
prohexadione-calcium	Whole	0.01	not set	72	-	-
trinexapac-ethyl	Whole	0.01	not set	72	-	-