



Australian Government
Department of Agriculture,
Fisheries and Forestry

Mung bean residue testing annual datasets 2023-24

National Residue Survey (NRS), Department of Agriculture, Fisheries and Forestry

Dataset abbreviations

LOR Limit of reporting.

MRL Maximum Residue Limit.

no limit No Australian standard applicable for the contaminant. The 'as low as reasonably achievable' principle applies. Detections at low levels are allowable.

not defined Standards are not defined in inedible matrixes (urine, retina and faeces).

not set No Australian standard has been set for the chemical in the edible matrix and any detection is a contravention of the Australia New Zealand Food Standards Code.

Disclaimer

Although the Australian Government has exercised due care and skill in the preparation and compilation of this publication, it does not warrant its accuracy, completeness, currency or suitability for any purpose. To the maximum extent permitted by law, the Australian Government disclaims all liability, including liability in negligence for any loss, damage, cost or expense incurred by persons as a result of accessing, using or relying on any of the information or data set out in this publication. Before relying on the material in any matters, users should carefully evaluate its accuracy, currency, completeness and relevance for the purposes intended, and should obtain any appropriate professional advice relevant to their particular circumstances.

Table 1: CONTAMINANTS

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
aldrin and dieldrin (HHDN+HEOD)	Whole	0.01	not set	49	-	-
chlordanne	Whole	0.01	0.02	49	0	0
DDT	Whole	0.01	1	49	0	0
endosulfan	Whole	0.01	not set	49	-	-
endrin	Whole	0.01	not set	49	-	-
HCB (hexachlorobenzene)	Whole	0.01	not set	49	-	-
HCH (BHC)	Whole	0.01	not set	49	-	-
heptachlor	Whole	0.01	0.05	49	0	0
lindane (gamma-HCH)	Whole	0.01	2	49	0	0
mirex	Whole	0.01	not set	49	-	-

Table 2: FUNGICIDES

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
azoxystrobin	Whole	0.01	0.3	49	0	0
benalaxyl	Whole	0.01	not set	49	-	-
benzovindiflupyr	Whole	0.01	not set	49	-	-
bitertanol	Whole	0.01	not set	49	-	-
bixafen	Whole	0.01	0.01	49	0	0
boscalid	Whole	0.01	0.5	49	0	0
bupirimate	Whole	0.01	not set	49	-	-
captafol	Whole	0.01	not set	49	-	-
captan	Whole	0.01	not set	49	-	-
carbendazim	Whole	0.01	0.5	49	0	0
carboxin	Whole	0.01	not set	49	-	-
carboxin sulfoxide	Whole	0.01	not set	49	-	-
chlorothalonil	Whole	0.01	3	49	0	0
cyproconazole	Whole	0.01	0.05	49	0	0
cyprodinil	Whole	0.01	not set	49	-	-
difenoconazole	Whole	0.01	not set	49	-	-
dimethomorph	Whole	0.01	not set	49	-	-
dithianon	Whole	0.01	not set	49	-	-
dodine	Whole	0.01	not set	49	-	-
epoxiconazole	Whole	0.01	not set	49	-	-
etridiazole	Whole	0.01	0.2	49	0	0
fenarimol	Whole	0.01	not set	49	-	-
fenbuconazole	Whole	0.01	not set	49	-	-
fenchexamid	Whole	0.01	not set	49	-	-
florylpicoxamid	Whole	0.01	not set	24	-	-
fluazinam	Whole	0.01	not set	49	-	-
fludioxonil	Whole	0.01	0.1	49	0	0
fluopicolide	Whole	0.01	0.01	49	0	0
fluopyram	Whole	0.01	0.03	49	0	0
fluquinconazole	Whole	0.01	not set	49	-	-
flusilazole	Whole	0.01	not set	49	-	-
flutriafol	Whole	0.01	0.05	49	0	0
fluxapyroxad	Whole	0.01	0.1	49	0	0
hexaconazole	Whole	0.01	not set	49	-	-
imazalil	Whole	0.01	not set	49	-	-
ipconazole	Whole	0.01	not set	49	-	-
iprodione	Whole	0.01	not set	49	-	-
isoprothiolane	Whole	0.01	not set	49	-	-
isopyrazam	Whole	0.01	not set	49	-	-

kresoxim-methyl	Whole	0.01	not set	49	-	-
metalaxyl	Whole	0.01	not set	49	-	-
myclobutanil	Whole	0.01	not set	49	-	-
oxadixyl	Whole	0.01	not set	49	-	-
penconazole	Whole	0.01	not set	49	-	-
penflufen	Whole	0.01	not set	49	-	-
prochloraz	Whole	0.01	not set	49	-	-
procymidone	Whole	0.01	not set	49	-	-
propiconazole	Whole	0.01	0.3	49	0	0
prothioconazole	Whole	0.01	0.02	49	0	0
pydiflumetofen	Whole	0.01	0.4	49	0	0
pyraclostrobin	Whole	0.01	not set	49	-	-
pyrimethanil	Whole	0.01	not set	49	-	-
quinoxifen	Whole	0.01	not set	49	-	-
quintozene	Whole	0.01	not set	49	-	-
sedaxane	Whole	0.01	not set	49	-	-
spiroxamine	Whole	0.01	not set	49	-	-
tebuconazole	Whole	0.01	1	49	0	0
thiabendazole	Whole	0.01	not set	49	-	-
tolclofos methyl	Whole	0.01	not set	49	-	-
triadimefon	Whole	0.01	not set	49	-	-
triadimenol	Whole	0.01	not set	49	-	-
trifloxystrobin	Whole	0.01	not set	49	-	-
triticonazole	Whole	0.01	not set	49	-	-
uniconazole-P	Whole	0.01	not set	49	-	-
vinclozolin	Whole	0.01	not set	49	-	-

Table 3: HERBICIDES

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
2,2-DPA (2,2-dichloropropionic acid)	Whole	0.01	not set	49	-	-
2,4-D	Whole	0.01	0.05	49	0	0
2,4-DB	Whole	0.01	not set	49	-	-
acifluorfen	Whole	0.01	0.1	49	0	0
aconifen	Whole	0.01	not set	24	-	-
ametryn	Whole	0.01	not set	49	-	-
aminopyralid	Whole	0.01	not set	49	-	-
amitrole	Whole	0.01	0.01	12	0	0
atrazine	Whole	0.01	not set	49	-	-
bentazone	Whole	0.01	0.01	49	0	0

bicyclopyrone	Whole	0.01	not set	49	-	-
bixlozone	Whole	0.01	not set	49	-	-
bromacil	Whole	0.01	not set	49	-	-
bromoxynil	Whole	0.01	not set	49	-	-
butafenacil	Whole	0.01	0.01	49	0	0
butroxydim	Whole	0.01	0.01	49	0	0
carfentrazone-ethyl	Whole	0.01	not set	49	-	-
chlormequat	Whole	0.01	not set	12	-	-
chlorpropham	Whole	0.01	not set	49	-	-
chlorsulfuron	Whole	0.01	not set	49	-	-
chlorthal-dimethyl	Whole	0.01	not set	49	-	-
cinmethylin	Whole	0.01	not set	49	-	-
clethodim	Whole	0.01	0.1	49	0	0
clodinafop acid	Whole	0.01	not set	49	-	-
clodinafop-propargyl	Whole	0.01	not set	49	-	-
clomazone	Whole	0.01	not set	49	-	-
clopyralid	Whole	0.01	not set	49	-	-
cloquintocet-mexyl	Whole	0.01	not set	49	-	-
cyanazine	Whole	0.01	0.01	49	0	0
dicamba	Whole	0.01	not set	49	-	-
dichlobenil	Whole	0.01	not set	49	-	-
dichlorprop-P	Whole	0.01	not set	12	-	-
diclofop-methyl	Whole	0.01	not set	12	-	-
diflufenican	Whole	0.01	0.05	49	0	0
dimethenamid-P	Whole	0.01	0.02	49	0	0
diquat	Whole	0.01	1	12	0	0
diuron	Whole	0.01	0.05	49	0	0
EPTC	Whole	0.01	0.04	49	0	0
ethofumesate	Whole	0.01	not set	49	-	-
fenoxaprop-ethyl	Whole	0.01	not set	49	-	-
flamprop-M-methyl	Whole	0.01	not set	12	-	-
florasulam	Whole	0.01	not set	49	-	-
florpyrauxifen-benzyl	Whole		not set	49	-	-
fluazifop-p-butyl	Whole	0.01	0.5	12	0	0
flumetsulam	Whole	0.01	0.05	49	0	0
flumioxazin	Whole	0.01	0.1	49	0	0
fluroxypyr	Whole	0.01	not set	49	-	-
fomesafen	Whole	0.01	0.01	49	0	0
glufosinate	Whole	0.01	not set	12	-	-
glyphosate	Whole	0.01	10	12	1	1
halauxifen-methyl	Whole	0.01	not set	49	-	-
halosulfuron-methyl	Whole	0.01	not set	49	-	-

haloxyfop	Whole	0.005	0.1	12	2	4
iodosulfuron-methyl	Whole	0.01	not set	49	-	-
ioxynil	Whole	0.01	not set	49	-	-
isoxaben	Whole	0.01	not set	49	-	-
isoxaflutole	Whole	0.01	not set	49	-	-
linuron	Whole	0.01	not set	49	-	-
MCPA	Whole	0.01	not set	49	-	-
MCPB	Whole	0.01	0.02	49	0	0
mefenpyr-diethyl	Whole	0.01	not set	49	-	-
mesotrione	Whole	0.01	not set	49	-	-
metamitron	Whole	0.01	not set	49	-	-
metazachlor	Whole	0.01	0.03	49	0	0
methabenzthiazuron	Whole	0.01	not set	49	-	-
metolachlor	Whole	0.01	0.01	49	0	0
metosulam	Whole	0.01	not set	49	-	-
metribuzin	Whole	0.01	0.01	49	0	0
metsulfuron-methyl	Whole	0.01	0.2	49	0	0
napropamide	Whole	0.01	not set	49	-	-
norflurazon	Whole	0.01	not set	49	-	-
oryzalin	Whole	0.01	not set	49	-	-
oxyfluorfen	Whole	0.01	not set	49	-	-
paraquat	Whole	0.01	1	12	0	0
pendimethalin	Whole	0.01	0.05	49	0	0
picloram	Whole	0.01	not set	49	-	-
picolinafen	Whole	0.01	not set	49	-	-
pinoxaden (parent)	Whole	0.01	not set	49	-	-
prometryn	Whole	0.01	0.1	49	0	0
propachlor	Whole	0.01	not set	49	-	-
propaquazafop	Whole	0.01	0.05	12	0	0
propyzamide	Whole	0.01	0.01	49	0	0
prosulfocarb	Whole	0.01	0.01	49	0	0
pyraflufen-ethyl	Whole	0.01	0.02	49	0	0
pyrasulfotole	Whole	0.01	not set	49	-	-
pyroxasulfone	Whole	0.01	0.01	49	0	0
pyroxsulam	Whole	0.01	not set	49	-	-
quizalofop-ethyl	Whole	0.01	0.2	12	0	0
quizalofop-P-tefuryl	Whole	0.01	0.2	12	0	0
saflufenacil	Whole	0.01	0.2	49	0	0
sethoxydim	Whole	0.01	0.1	49	0	0
simazine	Whole	0.01	not set	49	-	-
sulfosulfuron	Whole	0.01	not set	49	-	-
terbuthylazine	Whole	0.01	0.02	49	0	0

terbutryn	Whole	0.01	not set	49	-	-
tiafenacil	Whole	0.01	0.01	49	0	0
topramezone	Whole	0.01	not set	49	-	-
tralkoxydim	Whole	0.01	not set	49	-	-
trallate	Whole	0.01	0.1	49	0	0
triasulfuron	Whole	0.01	not set	49	-	-
tribenuron-methyl	Whole	0.01	0.01	49	0	0
triclopyr	Whole	0.01	not set	49	-	-
trifludimoxazin	Whole	0.01	not set	49	-	-
trifluralin	Whole	0.01	0.05	49	0	0

Table 4: INSECTICIDES

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
abamectin	Whole	0.01	0.002	49	0	0
acephate	Whole	0.01	not set	49	-	-
acetamiprid	Whole	0.01	0.1	49	0	0
aldicarb	Whole	0.01	not set	49	-	-
amitraz	Whole	0.01	not set	49	-	-
azamethiphos	Whole	0.01	not set	49	-	-
azinphos-methyl	Whole	0.01	not set	49	-	-
bifenazate	Whole	0.01	not set	49	-	-
bifenthrin	Whole	0.01	0.2	49	0	0
bioresmethrin	Whole	0.01	not set	49	-	-
buprofezin	Whole	0.01	0.01	49	0	0
cadusafos	Whole	0.01	not set	49	-	-
carbaryl	Whole	0.01	0.1	49	0	0
carbofuran	Whole	0.01	not set	49	-	-
chlorantraniliprole	Whole	0.01	0.7	49	0	0
chlorfenapyr	Whole	0.01	not set	49	-	-
chlorfenvinphos	Whole	0.01	not set	49	-	-
chlorpyrifos	Whole	0.01	not set	49	-	-
chlorpyrifos-methyl	Whole	0.01	0.15	49	0	0
clofentezine	Whole	0.01	not set	49	-	-
clothianidin	Whole	0.01	0.1	49	0	0
cyantraniliprole	Whole	0.01	0.05	49	0	0
cyfluthrin	Whole	0.01	not set	49	-	-
cyhalothrin	Whole	0.01	0.2	49	0	0
cypermethrin	Whole	0.01	0.05	49	0	0
deltamethrin	Whole	0.01	0.1	49	0	0
diafenthuron	Whole	0.01	not set	49	-	-

diazinon	Whole	0.01	0.7	49	0	0
dichlorvos	Whole	0.01	0.01	49	0	0
dicofol	Whole	0.01	not set	49	-	-
diflubenzuron	Whole	0.01	not set	49	-	-
dimethoate	Whole	0.01	0.7	49	0	0
dinotefuran	Whole	0.01	0.3	49	0	0
disulfoton	Whole	0.01	not set	49	-	-
emamectin	Whole	0.01	0.01	49	0	0
ethion	Whole	0.01	not set	49	-	-
ethoprophos	Whole	0.005	not set	49	-	-
etoxazole	Whole	0.01	not set	49	-	-
fenamiphos	Whole	0.01	not set	49	-	-
fenbutatin oxide	Whole	0.01	not set	49	-	-
fenitrothion	Whole	0.01	0.1	49	0	0
fenoxy carb	Whole	0.01	not set	49	-	-
fenpyroximate	Whole	0.01	not set	49	-	-
fenthion	Whole	0.01	not set	49	-	-
fenvaletrate	Whole	0.01	0.5	49	0	0
fipronil	Whole	0.002	not set	49	-	-
flonicamid	Whole	0.01	not set	49	-	-
fluensulfone	Whole	0.01	0.05	49	0	0
flupyradifurone	Whole	0.01	0.2	49	0	0
hexythiazox	Whole	0.01	not set	49	-	-
imidacloprid	Whole	0.01	not set	49	-	-
indoxacarb	Whole	0.01	0.2	49	0	0
malathion	Whole	0.01	8	49	0	0
methacrifos	Whole	0.01	not set	49	-	-
methamidophos	Whole	0.01	not set	49	-	-
methidathion	Whole	0.01	not set	49	-	-
methiocarb	Whole	0.01	not set	49	-	-
methomyl	Whole	0.01	1	49	0	0
methoprene	Whole	0.01	not set	49	-	-
methoxychlor	Whole	0.01	not set	49	-	-
methoxyfenozide	Whole	0.01	0.5	49	0	0
mevinphos	Whole	0.01	not set	49	-	-
monocrotophos	Whole	0.01	not set	49	-	-
omethoate	Whole	0.01	0.1	49	0	0
parathion	Whole	0.01	not set	49	-	-
parathion-methyl	Whole	0.01	not set	49	-	-
permethrin	Whole	0.01	not set	49	-	-
phenothrin	Whole	0.01	not set	49	-	-
phorate	Whole	0.01	not set	49	-	-

phosmet	Whole	0.01	not set	49	-	-
piperonyl butoxide	Whole	0.01	8	49	0	0
pirimicarb	Whole	0.01	0.02	49	0	0
pirimiphos-methyl	Whole	0.01	not set	49	-	-
profenofos	Whole	0.01	not set	49	-	-
propargite	Whole	0.01	not set	49	-	-
prothiofos	Whole	0.01	not set	49	-	-
pymetrozine	Whole	0.01	not set	49	-	-
pyrethrins	Whole	0.01	1	49	0	0
pyriproxyfen	Whole	0.01	not set	49	-	-
spinetoram	Whole	0.01	0.01	49	0	0
spinosad	Whole	0.01	0.01	49	0	0
spirotetramat	Whole	0.01	not set	49	-	-
sulfoxaflor	Whole	0.01	0.7	49	0	0
tau-fluvalinate	Whole	0.01	not set	49	-	-
tebufenozide	Whole	0.01	not set	49	-	-
tebufenpyrad	Whole	0.01	not set	49	-	-
terbufos	Whole	0.01	not set	49	-	-
tetradifon	Whole	0.01	not set	49	-	-
tetraniliprole	Whole	0.01	not set	24	-	-
thiacloprid	Whole	0.01	not set	49	-	-
thiamethoxam	Whole	0.01	0.02	49	0	0
thiodicarb	Whole	0.01	0.1	49	0	0
triazofos	Whole	0.01	not set	49	-	-
trichlorfon	Whole	0.01	0.2	49	0	0
triflumuron	Whole	0.01	not set	49	-	-

Table 5: PHYSIOLOGICAL MODIFIER

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
forchlорfenuron	Whole	0.01	not set	49	-	-
prohexadione-calcium	Whole	0.01	not set	49	-	-
trinexapac-ethyl	Whole	0.01	not set	49	-	-