



# Faba/broad bean residue testing annual datasets 2021-22

National Residue Survey (NRS), Department of Agriculture, Fisheries and Forestry

## Dataset abbreviations

**LOR** Limit of reporting.

**MRL** Maximum Residue Limit.

**no limit** No Australian standard applicable for the contaminant. The 'as low as reasonably achievable' principle applies. Detections at low levels are allowable.

**not defined** Standards are not defined in inedible matrixes (urine, retina and faeces).

**not set** No Australian standard has been set for the chemical in the edible matrix and any detection is a contravention of the Australia New Zealand Food Standards Code.

## Disclaimer

Although the Australian Government has exercised due care and skill in the preparation and compilation of this publication, it does not warrant its accuracy, completeness, currency or suitability for any purpose. To the maximum extent permitted by law, the Australian Government disclaims all liability, including liability in negligence for any loss, damage, cost or expense incurred by persons as a result of accessing, using or relying on any of the information or data set out in this publication. Before relying on the material in any matters, users should carefully evaluate its accuracy, currency, completeness and relevance for the purposes intended, and should obtain any appropriate professional advice relevant to their particular circumstances.

**Table 1: CONTAMINANTS**

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
aldrin and dieldrin (HHDN+HEOD)	Whole	0.01	not set	286	-	-
chlordane	Whole	0.01	0.02	286	0	0
DDT	Whole	0.01	1	286	0	0
endosulfan	Whole	0.01	not set	286	-	-
endrin	Whole	0.01	not set	286	-	-
HCB	Whole	0.01	not set	286	-	-
HCH	Whole	0.01	not set	286	-	-
heptachlor	Whole	0.01	0.05	286	0	0
lindane (gamma-HCH)	Whole	0.01	2	286	0	0
mirex	Whole	0.01	not set	286	-	-

**Table 2: FUNGICIDES**

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
azoxystrobin	Whole	0.01	0.3	286	0	0



benalaxyl	Whole	0.01	not set	286	-	-
bitertanol	Whole	0.01	not set	286	-	-
bixafen	Whole	0.01	0.01	286	0	0
boscalid	Whole	0.01	0.5	286	0	0
bupirimate	Whole	0.01	not set	286	-	-
captafol	Whole	0.02	not set	286	-	-
captan	Whole	0.01	not set	286	-	-
carbendazim	Whole	0.01	0.5	286	0	0
carboxin	Whole	0.01	not set	286	-	-
chlorothalonil	Whole	0.01	3	286	0	0
cyproconazole	Whole	0.01	0.05	286	0	0
cyprodinil	Whole	0.01	0.2	286	0	0
difenoconazole	Whole	0.01	not set	286	-	-
dimethomorph	Whole	0.01	not set	286	-	-
dithianon	Whole	0.01	not set	286	-	-
dodine	Whole	0.01	not set	286	-	-
epoxiconazole	Whole	0.01	not set	286	-	-
etridiazole	Whole	0.01	0.2	286	0	0
fenarimol	Whole	0.01	not set	286	-	-
fenbuconazole	Whole	0.01	not set	286	-	-
fenhexamid	Whole	0.01	not set	286	-	-
fluzinam	Whole	0.01	not set	286	-	-
fludioxonil	Whole	0.01	0.1	286	0	0
fluquinconazole	Whole	0.01	not set	286	-	-
flusilazole	Whole	0.01	not set	286	-	-
flutriafol	Whole	0.01	0.05	286	1	0
fluxapyroxad	Whole	0.01	0.1	286	0	0
hexaconazole	Whole	0.01	not set	286	-	-
imazalil	Whole	0.01	not set	286	-	-
ipconazole	Whole	0.01	not set	286	-	-
iprodione	Whole	0.01	not set	286	-	-
isoprothiolane	Whole	0.01	not set	286	-	-
kresoxim-methyl	Whole	0.01	not set	286	-	-
metalaxyl	Whole	0.01	not set	286	-	-
myclobutanil	Whole	0.01	not set	286	-	-
oxadixyl	Whole	0.01	not set	286	-	-
penconazole	Whole	0.01	not set	286	-	-
penflufen	Whole	0.01	not set	286	-	-
prochloraz	Whole	0.01	not set	286	-	-



procymidone	Whole	0.01	10	286	0	0
propiconazole	Whole	0.01	0.3	286	0	1
prothioconazole	Whole	0.01	0.02	286	0	0
pyraclostrobin	Whole	0.01	not set	286	-	-
pyrimethanil	Whole	0.01	not set	286	-	-
quinoxifen	Whole	0.01	not set	286	-	-
sedaxane	Whole	0.01	not set	286	-	-
spiroxamine	Whole	0.01	not set	286	-	-
tebuconazole	Whole	0.01	1	286	0	0
thiabendazole	Whole	0.01	not set	286	-	-
tolclofos methyl	Whole	0.01	not set	286	-	-
triadimefon	Whole	0.01	not set	286	-	-
triadimenol	Whole	0.01	not set	286	-	-
trifloxystrobin	Whole	0.01	not set	286	-	-
triticonazole	Whole	0.01	not set	286	-	-
vinclozolin	Whole	0.01	not set	286	-	-

**Table 3: HERBICIDES**

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
2,2-DPA (2,2-dichloropropionic acid)	Whole	0.01	not set	286	-	-
2,4-D	Whole	0.01	0.05	286	0	0
2,4-DB	Whole	0.01	not set	286	-	-
acifluorfen	Whole	0.01	0.1	286	0	0
ametryn	Whole	0.01	not set	286	-	-
aminopyralid	Whole	0.01	not set	286	-	-
amitrole	Whole	0.01	0.01	55	0	0
atrazine	Whole	0.01	not set	286	-	-
bentazone	Whole	0.01	0.01	286	0	0
bicyclopyrone	Whole	0.01	not set	286	-	-
bromacil	Whole	0.01	not set	286	-	-
bromoxynil	Whole	0.01	not set	286	-	-
butoxydim	Whole	0.01	0.01	286	0	0
carfentrazone-ethyl	Whole	0.01	not set	286	-	-
chlormequat	Whole	0.01	not set	55	-	-
chlorpropham	Whole	0.01	not set	286	-	-
chlorsulfuron	Whole	0.01	not set	286	-	-
chlorthal-dimethyl	Whole	0.01	not set	286	-	-
clethodim	Whole	0.01	0.1	286	0	0



clodinafop acid	Whole	0.01	not set	286	-	-
clodinafop-propargyl	Whole	0.01	not set	286	-	-
clomazone	Whole	0.01	not set	286	-	-
clopyralid	Whole	0.01	not set	286	-	-
cloquintocet-mexyl	Whole	0.01	not set	286	-	-
cyanazine	Whole	0.01	0.01	286	0	0
dicamba	Whole	0.01	not set	286	-	-
dichlobenil	Whole	0.01	not set	286	-	-
dichlorprop-P	Whole	0.01	not set	55	-	-
diclofop-methyl	Whole	0.01	not set	55	-	-
diflufenican	Whole	0.01	0.05	286	0	0
dimethenamid-P	Whole	0.01	0.02	286	0	0
diquat	Whole	0.01	1	55	0	0
diuron	Whole	0.01	0.05	286	0	0
EPTC	Whole	0.01	0.04	286	0	0
ethofumesate	Whole	0.01	not set	286	-	-
fenoxaprop-ethyl	Whole	0.01	not set	286	-	-
flamprop-M-methyl	Whole	0.01	not set	55	-	-
florasulam	Whole	0.01	not set	286	-	-
fluazifop-p-butyl	Whole	0.01	0.5	55	0	0
flumetsulam	Whole	0.01	0.05	286	0	0
flumioxazin	Whole	0.01	0.1	286	0	0
fluroxypyr	Whole	0.01	not set	286	-	-
glufosinate	Whole	0.01	not set	55	-	-
glyphosate	Whole	0.01	5	55	0	0
halauxifen-methyl	Whole	0.01	not set	286	-	-
halosulfuron-methyl	Whole	0.01	not set	286	-	-
haloxyfop	Whole	0.01	0.1	55	5	0
imazamox	Whole	0.01	0.01	52	0	0
imazapic	Whole	0.01	not set	52	-	-
imazapyr	Whole	0.01	0.07	52	0	0
imazaquin	Whole	0.01	not set	52	-	-
imazethapyr	Whole	0.01	0.1	52	0	0
iodosulfuron-methyl	Whole	0.01	not set	286	-	-
ioxynil	Whole	0.01	not set	286	-	-
isoxaben	Whole	0.01	not set	286	-	-
isoxaflutole	Whole	0.01	not set	286	-	-
linuron	Whole	0.01	not set	286	-	-
MCPA	Whole	0.01	not set	286	-	-



MCPB	Whole	0.01	0.02	286	0	0
mefenpyr-diethyl	Whole	0.01	not set	286	-	-
metazachlor	Whole	0.01	0.03	286	0	0
methabenzthiazuron	Whole	0.01	not set	286	-	-
metolachlor	Whole	0.01	0.01	286	0	0
metosulam	Whole	0.01	not set	286	-	-
metribuzin	Whole	0.01	0.01	286	0	0
metsulfuron-methyl	Whole	0.01	not set	286	-	-
napropamide	Whole	0.01	not set	286	-	-
norflurazon	Whole	0.01	not set	286	-	-
oryzalin	Whole	0.01	not set	286	-	-
oxyfluorfen	Whole	0.01	not set	286	-	-
paraquat	Whole	0.01	1	55	0	0
pendimethalin	Whole	0.01	0.05	286	0	0
picloram	Whole	0.01	not set	286	-	-
picolinafen	Whole	0.01	not set	286	-	-
pinoxaden (parent)	Whole	0.01	not set	286	-	-
prometryn	Whole	0.01	0.1	286	0	0
propachlor	Whole	0.01	not set	286	-	-
propaquizafop	Whole	0.01	0.05	55	0	0
propyzamide	Whole	0.01	0.01	286	0	0
prosulfocarb	Whole	0.01	0.01	286	0	0
pyraflufen-ethyl	Whole	0.01	0.02	286	0	0
pyrasulfotole	Whole	0.01	not set	286	-	-
pyroxasulfone	Whole	0.01	0.01	286	0	0
pyroxulam	Whole	0.01	not set	286	-	-
quizalofop-ethyl	Whole	0.01	0.2	55	0	0
quizalofop-P-tefuryl	Whole	0.01	0.2	55	0	0
saflufenacil	Whole	0.01	0.2	286	0	0
sethoxydim	Whole	0.01	0.1	286	0	0
simazine	Whole	0.01	0.01	286	0	0
sulfosulfuron	Whole	0.01	not set	286	-	-
terbuthylazine	Whole	0.01	0.02	286	0	0
terbutryn	Whole	0.01	not set	286	-	-
tralkoxydim	Whole	0.01	not set	286	-	-
triallate	Whole	0.01	0.1	286	0	0
triasulfuron	Whole	0.01	not set	286	-	-
tribenuron-methyl	Whole	0.01	not set	286	-	-
triclopyr	Whole	0.01	not set	286	-	-



trifluralin	Whole	0.01	0.05	286	0	0
-------------	-------	------	------	-----	---	---

**Table 4: INSECTICIDES**

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
abamectin	Whole	0.01	0.002	286	0	0
acephate	Whole	0.01	not set	286	-	-
acetamiprid	Whole	0.01	0.1	286	0	0
aldicarb	Whole	0.01	not set	286	-	-
amitraz	Whole	0.01	not set	286	-	-
azamethiphos	Whole	0.01	not set	286	-	-
azinphos-methyl	Whole	0.01	not set	286	-	-
bifenazate	Whole	0.01	not set	286	-	-
bifenthrin	Whole	0.01	0.02	286	0	0
bioresmethrin	Whole	0.01	not set	286	-	-
buprofezin	Whole	0.01	0.01	286	0	0
cadusafos	Whole	0.01	not set	286	-	-
carbaryl	Whole	0.01	0.1	286	0	0
carbofuran	Whole	0.01	not set	286	-	-
chlorantraniliprole	Whole	0.01	0.07	286	0	0
chlorfenapyr	Whole	0.01	not set	286	-	-
chlorfenvinphos	Whole	0.01	not set	286	-	-
chlorpyrifos	Whole	0.01	not set	286	-	-
chlorpyrifos-methyl	Whole	0.01	0.15	286	0	0
clofentezine	Whole	0.01	not set	286	-	-
clothianidin	Whole	0.01	0.1	286	0	0
cyantraniliprole	Whole	0.01	0.05	286	0	0
cyfluthrin	Whole	0.01	not set	286	-	-
cyhalothrin	Whole	0.01	0.2	286	0	0
cypermethrin	Whole	0.01	0.05	286	0	0
deltamethrin	Whole	0.01	0.1	286	0	0
diafenthiuron	Whole	0.01	not set	286	-	-
diazinon	Whole	0.01	0.7	286	0	0
dichlorvos	Whole	0.01	0.01	286	0	0
dicofol	Whole	0.01	not set	286	-	-
diflubenzuron	Whole	0.01	not set	286	-	-
dimethoate	Whole	0.01	0.7	286	0	0
disulfoton	Whole	0.01	not set	286	-	-
emamectin	Whole	0.01	0.01	286	0	0



ethion	Whole	0.01	not set	286	-	-
ethoprophos	Whole	0.005	not set	286	-	-
etoxazole	Whole	0.01	not set	286	-	-
fenamiphos	Whole	0.01	not set	286	-	-
fenbutatin oxide	Whole	0.01	not set	286	-	-
fenitrothion	Whole	0.01	0.1	286	0	0
fenoxycarb	Whole	0.01	not set	286	-	-
fenpyroximate	Whole	0.01	not set	286	-	-
fenthion	Whole	0.01	not set	286	-	-
fenvalerate	Whole	0.01	0.5	286	0	0
fipronil	Whole	0.002	not set	286	-	-
flonicamid	Whole	0.01	not set	286	-	-
hexythiazox	Whole	0.01	not set	286	-	-
imidacloprid	Whole	0.01	0.05	286	2	0
indoxacarb	Whole	0.01	0.2	286	0	0
malathion	Whole	0.01	2	286	0	0
methacrifos	Whole	0.01	not set	286	-	-
methamidophos	Whole	0.01	not set	286	-	-
methidathion	Whole	0.01	not set	286	-	-
methiocarb	Whole	0.01	not set	286	-	-
methomyl	Whole	0.01	1	286	0	0
methoprene	Whole	0.01	not set	286	-	-
methoxychlor	Whole	0.01	not set	286	-	-
methoxyfenozone	Whole	0.01	not set	286	-	-
mevinphos	Whole	0.01	not set	286	-	-
monocrotophos	Whole	0.01	not set	286	-	-
omethoate	Whole	0.01	0.1	286	0	0
parathion	Whole	0.01	not set	286	-	-
parathion-methyl	Whole	0.01	not set	286	-	-
permethrin	Whole	0.01	not set	286	-	-
phenothrin	Whole	0.01	not set	286	-	-
phorate	Whole	0.01	not set	286	-	-
phosmet	Whole	0.01	not set	286	-	-
piperonyl butoxide	Whole	0.01	8	286	0	0
pirimicarb	Whole	0.01	0.02	286	0	0
pirimiphos-methyl	Whole	0.01	not set	286	-	-
profenofos	Whole	0.01	not set	286	-	-
propargite	Whole	0.01	not set	286	-	-
prothiofos	Whole	0.01	not set	286	-	-



pymetrozine	Whole	0.01	0.02	286	0	0
pyrethrins	Whole	0.01	1	286	0	0
pyriproxyfen	Whole	0.01	not set	286	-	-
spinetoram	Whole	0.01	0.01	286	0	0
spinosad	Whole	0.01	0.01	286	0	0
spirotetramat	Whole	0.01	not set	286	-	-
sulfoxaflor	Whole	0.01	not set	286	-	-
tau-fluvalinate	Whole	0.01	not set	286	-	-
tebufenozide	Whole	0.01	not set	286	-	-
tebufenpyrad	Whole	0.01	not set	286	-	-
terbufos	Whole	0.01	not set	286	-	-
tetradifon	Whole	0.01	not set	286	-	-
thiacloprid	Whole	0.01	not set	286	-	-
thiamethoxam	Whole	0.01	0.5	286	0	0
thiodicarb	Whole	0.01	0.1	286	0	0
triazofos	Whole	0.01	not set	286	-	-
trichlorfon	Whole	0.01	0.2	286	0	0
triflumuron	Whole	0.01	not set	286	-	-

**Table 5: PHYSIOLOGICAL MODIFIER**

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
trinexapac-ethyl	Whole	0.01	not set	286	-	-