



Australian Government

Department of Agriculture,
Fisheries and Forestry

Lupin residue testing annual datasets 2022-23

National Residue Survey (NRS), Department of Agriculture, Fisheries and Forestry

Dataset abbreviations

LOR Limit of reporting.

MRL Maximum Residue Limit.

no limit No Australian standard applicable for the contaminant. The 'as low as reasonably achievable' principle applies. Detections at low levels are allowable.

not defined Standards are not defined in inedible matrixes (urine, retina and faeces).

not set No Australian standard has been set for the chemical in the edible matrix and any detection is a contravention of the Australia New Zealand Food Standards Code.

Disclaimer

Although the Australian Government has exercised due care and skill in the preparation and compilation of this publication, it does not warrant its accuracy, completeness, currency or suitability for any purpose. To the maximum extent permitted by law, the Australian Government disclaims all liability, including liability in negligence for any loss, damage, cost or expense incurred by persons as a result of accessing, using or relying on any of the information or data set out in this publication. Before relying on the material in any matters, users should carefully evaluate its accuracy, currency, completeness and relevance for the purposes intended, and should obtain any appropriate professional advice relevant to their particular circumstances.

Table 1: CONTAMINANTS

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
aldrin and dieldrin (HHDN+HEOD)	Whole	0.01	not set	74	-	-
chlordanne	Whole	0.01	0.02	74	0	0
DDT	Whole	0.01	1	74	0	0
endosulfan	Whole	0.01	not set	74	-	-
endrin	Whole	0.01	not set	74	-	-
HCB (hexachlorobenzene)	Whole	0.01	not set	74	-	-
HCH (BHC)	Whole	0.01	not set	74	-	-
heptachlor	Whole	0.01	0.05	74	0	0
lindane (gamma-HCH)	Whole	0.01	2	74	0	0
mirex	Whole	0.01	not set	74	-	-

Table 2: FUNGICIDES

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
azoxystrobin	Whole	0.01	0.3	74	0	0
benalaxyl	Whole	0.01	not set	74	-	-
benzovindiflupyr	Whole	0.01	not set	74	-	-
bitertanol	Whole	0.01	not set	74	-	-
bixafen	Whole	0.01	0.1	74	0	0
boscalid	Whole	0.01	0.5	74	0	0
bupirimate	Whole	0.01	not set	74	-	-
captafol	Whole	0.01	not set	74	-	-
captan	Whole	0.01	not set	74	-	-
carbendazim	Whole	0.01	0.5	74	0	0
carboxin	Whole	0.01	not set	74	-	-
chlorothalonil	Whole	0.01	3	74	0	0
cyproconazole	Whole	0.01	0.05	74	0	0
cyprodinil	Whole	0.01	not set	74	-	-
difenoconazole	Whole	0.01	not set	74	-	-
dimethomorph	Whole	0.01	not set	74	-	-
dithianon	Whole	0.01	not set	74	-	-
dodine	Whole	0.01	not set	74	-	-
epoxiconazole	Whole	0.01	not set	74	-	-
etridiazole	Whole	0.01	0.2	74	0	0
fenarimol	Whole	0.01	not set	74	-	-
fenbuconazole	Whole	0.01	not set	74	-	-
fenhexamid	Whole	0.01	not set	74	-	-
fluazinam	Whole	0.01	not set	74	-	-
fludioxonil	Whole	0.01	0.1	74	0	0
fluopicolide	Whole	0.01	0.01	74	0	0
fluopyram	Whole	0.01	0.03	74	0	0
fluquinconazole	Whole	0.01	not set	74	-	-
flusilazole	Whole	0.01	not set	74	-	-
flutriafol	Whole	0.01	0.05	74	0	0
fluxapyroxad	Whole	0.01	0.1	74	0	0
hexaconazole	Whole	0.01	not set	74	-	-
imazalil	Whole	0.01	not set	74	-	-
ipconazole	Whole	0.01	not set	74	-	-
iprodione	Whole	0.01	0.1	74	0	0
isoprothiolane	Whole	0.01	not set	74	-	-
isopyrazam	Whole	0.01	not set	74	-	-
kresoxim-methyl	Whole	0.01	not set	74	-	-
metalaxyl	Whole	0.01	not set	74	-	-

myclobutanil	Whole	0.01	not set	74	-	-
oxadixyl	Whole	0.01	not set	74	-	-
penconazole	Whole	0.01	not set	74	-	-
penflufen	Whole	0.01	0.01	74	0	0
prochloraz	Whole	0.01	not set	74	-	-
procymidone	Whole	0.01	0.01	74	0	0
propiconazole	Whole	0.01	0.3	74	0	0
prothioconazole	Whole	0.01	0.1	74	0	0
pydiflumetofen	Whole	0.01	0.4	74	0	0
pyraclostrobin	Whole	0.01	not set	74	-	-
pyrimethanil	Whole	0.01	not set	74	-	-
quinoxyfen	Whole	0.01	not set	74	-	-
quintozene	Whole	0.01	not set	74	-	-
sedaxane	Whole	0.01	not set	74	-	-
spiroxamine	Whole	0.01	not set	74	-	-
tebuconazole	Whole	0.01	1	74	0	0
thiabendazole	Whole	0.01	not set	74	-	-
tolclofos methyl	Whole	0.01	not set	74	-	-
triadimefon	Whole	0.01	not set	74	-	-
triadimenol	Whole	0.01	not set	74	-	-
trifloystrobin	Whole	0.01	not set	74	-	-
triticonazole	Whole	0.01	not set	74	-	-
uniconazole-P	Whole	0.01	not set	35	-	-
vinclozolin	Whole	0.01	not set	74	-	-

Table 3: HERBICIDES

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
2,2-DPA (2,2-dichloropropionic acid)	Whole	0.01	not set	74	-	-
2,4-D	Whole	0.01	not set	74	-	-
2,4-DB	Whole	0.01	not set	74	-	-
acifluorfen	Whole	0.01	0.1	74	0	0
ametryn	Whole	0.01	not set	74	-	-
aminopyralid	Whole	0.01	not set	74	-	-
amitrole	Whole	0.01	0.01	12	0	0
atrazine	Whole	0.01	0.02	74	0	0
bentazone	Whole	0.01	0.01	74	0	0
bicyclopyrone	Whole	0.01	not set	74	-	-
bixlozone	Whole	0.01	not set	74	-	-
bromacil	Whole	0.01	not set	74	-	-

bromoxynil	Whole	0.01	not set	74	-	-
butafenacil	Whole	0.01	0.01	74	0	0
butroxydim	Whole	0.01	0.01	74	0	0
carfentrazone-ethyl	Whole	0.01	not set	74	-	-
chlormequat	Whole	0.01	not set	12	-	-
chlorpropham	Whole	0.01	not set	74	-	-
chlorsulfuron	Whole	0.01	not set	74	-	-
chlorthal-dimethyl	Whole	0.01	not set	74	-	-
cinmethylin	Whole	0.01	not set	74	-	-
clethodim	Whole	0.01	0.2	74	0	0
clodinafop acid	Whole	0.01	not set	74	-	-
clodinafop-propargyl	Whole	0.01	not set	74	-	-
clomazone	Whole	0.01	not set	74	-	-
clopyralid	Whole	0.01	not set	74	-	-
cloquintocet-mexyl	Whole	0.01	not set	74	-	-
cyanazine	Whole	0.01	0.01	74	0	0
dicamba	Whole	0.01	not set	74	-	-
dichlobenil	Whole	0.01	not set	74	-	-
dichlorprop-P	Whole	0.01	not set	12	-	-
diclofop-methyl	Whole	0.01	0.1	12	0	0
diflufenican	Whole	0.01	0.05	74	0	0
dimethenamid-P	Whole	0.01	0.02	74	0	0
diquat	Whole	0.01	1	12	0	0
diuron	Whole	0.01	0.05	74	0	0
EPTC	Whole	0.01	0.04	74	0	0
ethofumesate	Whole	0.01	not set	74	-	-
fenoxaprop-ethyl	Whole	0.01	not set	74	-	-
flamprop-M-methyl	Whole	0.01	not set	12	-	-
florasulam	Whole	0.01	not set	74	-	-
florpyrauxifen-benzyl	Whole		not set	74	-	-
fluazifop-p-butyl	Whole	0.01	0.1	12	0	0
flumetsulam	Whole	0.01	0.05	74	0	0
flumioxazin	Whole	0.01	0.1	74	0	0
fluroxypyr	Whole	0.01	not set	74	-	-
fomesafen	Whole	0.01	0.01	74	0	0
glufosinate	Whole	0.01	not set	12	-	-
glyphosate	Whole	0.01	5	12	0	0
halauxifen-methyl	Whole	0.01	not set	74	-	-
halosulfuron-methyl	Whole	0.01	not set	74	-	-
haloxyfop	Whole	0.005	0.1	12	0	0
iodosulfuron-methyl	Whole	0.01	not set	74	-	-
ioxynil	Whole	0.01	not set	74	-	-

isoxaben	Whole	0.01	not set	74	-	-
isoxaflutole	Whole	0.01	not set	74	-	-
linuron	Whole	0.01	not set	74	-	-
MCPA	Whole	0.01	not set	74	-	-
MCPB	Whole	0.01	0.02	74	0	0
mefenpyr-diethyl	Whole	0.01	not set	74	-	-
mesotrione	Whole	0.01	not set	74	-	-
metamitron	Whole	0.01	not set	74	-	-
metazachlor	Whole	0.01	0.03	74	0	0
methabenzthiazuron	Whole	0.01	not set	74	-	-
metolachlor	Whole	0.01	0.01	74	0	0
metosulam	Whole	0.01	0.02	74	0	0
metribuzin	Whole	0.01	0.01	74	0	0
metsulfuron-methyl	Whole	0.01	not set	74	-	-
napropamide	Whole	0.01	not set	74	-	-
norflurazon	Whole	0.01	not set	74	-	-
oryzalin	Whole	0.01	not set	74	-	-
oxyfluorfen	Whole	0.01	not set	74	-	-
paraquat	Whole	0.01	1	12	0	0
pendimethalin	Whole	0.01	0.05	74	0	0
picloram	Whole	0.01	not set	74	-	-
picolinafen	Whole	0.01	0.02	74	0	0
pinoxaden (parent)	Whole	0.01	not set	74	-	-
prometryn	Whole	0.01	0.1	74	0	0
propachlor	Whole	0.01	not set	74	-	-
propaquizafop	Whole	0.01	0.05	12	0	0
propyzamide	Whole	0.01	0.01	74	0	0
prosulfocarb	Whole	0.01	0.01	74	0	0
pyraflufen-ethyl	Whole	0.01	0.02	74	0	0
pyrasulfotole	Whole	0.01	not set	74	-	-
pyroxasulfone	Whole	0.01	0.01	74	0	0
pyroxsulam	Whole	0.01	not set	74	-	-
quizalofop-ethyl	Whole	0.01	0.2	12	0	0
quizalofop-P-tefuryl	Whole	0.01	0.2	12	0	0
saflufenacil	Whole	0.01	0.2	74	0	0
sethoxydim	Whole	0.01	0.2	74	0	0
simazine	Whole	0.01	0.05	74	0	0
sulfosulfuron	Whole	0.01	not set	74	-	-
terbutylazine	Whole	0.01	0.02	74	0	0
terbutryn	Whole	0.01	not set	74	-	-
tiafenacil	Whole	0.01	0.01	74	0	0
topramezone	Whole	0.01	not set	74	-	-

tralkoxydim	Whole	0.01	not set	74	-	-
triallate	Whole	0.01	0.1	74	0	0
triasulfuron	Whole	0.01	not set	74	-	-
tribenuron-methyl	Whole	0.01	not set	74	-	-
triclopyr	Whole	0.01	not set	74	-	-
trifludimoxazin	Whole	0.01	not set	74	-	-
trifluralin	Whole	0.01	0.05	74	0	0

Table 4: INSECTICIDES

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
abamectin	Whole	0.01	not set	74	-	-
acephate	Whole	0.01	not set	74	-	-
acetamiprid	Whole	0.01	not set	74	-	-
aldicarb	Whole	0.01	not set	74	-	-
amitraz	Whole	0.01	not set	74	-	-
azamethiphos	Whole	0.01	not set	74	-	-
azinphos-methyl	Whole	0.01	not set	74	-	-
bifenazate	Whole	0.01	not set	74	-	-
bifenthrin	Whole	0.01	0.02	74	0	0
bioresmethrin	Whole	0.01	not set	74	-	-
buprofezin	Whole	0.01	0.01	74	0	0
cadusafos	Whole	0.01	not set	74	-	-
carbaryl	Whole	0.01	0.1	74	0	0
carbofuran	Whole	0.01	not set	74	-	-
chlorantraniliprole	Whole	0.01	0.07	74	0	0
chlorfenapyr	Whole	0.01	not set	74	-	-
chlorfenvinphos	Whole	0.01	not set	74	-	-
chlorpyrifos	Whole	0.01	not set	74	-	-
chlorpyrifos-methyl	Whole	0.01	0.15	74	0	0
clofentezine	Whole	0.01	not set	74	-	-
clothianidin	Whole	0.01	0.1	74	0	0
cyantraniliprole	Whole	0.01	0.05	74	0	0
cyfluthrin	Whole	0.01	not set	74	-	-
cyhalothrin	Whole	0.01	0.2	74	0	0
cypermethrin	Whole	0.01	0.01	74	0	0
deltamethrin	Whole	0.01	0.1	74	0	0
diafenthuron	Whole	0.01	not set	74	-	-
diazinon	Whole	0.01	0.7	74	0	0
dichlorvos	Whole	0.01	0.01	74	0	0
dicofol	Whole	0.01	not set	74	-	-

diflubenzuron	Whole	0.01	not set	74	-	-
dimethoate	Whole	0.01	0.7	74	0	0
dinotefuran	Whole	0.01	not set	74	-	-
disulfoton	Whole	0.01	not set	74	-	-
emamectin	Whole	0.01	0.01	74	0	0
ethion	Whole	0.01	not set	74	-	-
ethoprophos	Whole	0.005	not set	74	-	-
etoxazole	Whole	0.01	not set	74	-	-
fenamiphos	Whole	0.01	not set	74	-	-
fenbutatin oxide	Whole	0.01	not set	74	-	-
fenitrothion	Whole	0.01	0.1	74	0	0
fenoxy carb	Whole	0.01	not set	74	-	-
fenpyroximate	Whole	0.01	not set	74	-	-
fenthion	Whole	0.01	not set	74	-	-
fenvaletrate	Whole	0.01	0.5	74	0	0
fipronil	Whole	0.002	not set	74	-	-
flonicamid	Whole	0.01	not set	74	-	-
fluensulfone	Whole	0.01	0.05	74	0	0
flupyradifurone	Whole	0.01	0.2	74	0	0
hexythiazox	Whole	0.01	not set	74	-	-
imidacloprid	Whole	0.01	0.2	74	0	0
indoxacarb	Whole	0.01	0.2	74	0	0
malathion	Whole	0.01	2	74	0	0
methacrifos	Whole	0.01	not set	74	-	-
methamidophos	Whole	0.01	not set	74	-	-
methidathion	Whole	0.01	not set	74	-	-
methiocarb	Whole	0.01	not set	74	-	-
methomyl	Whole	0.01	1	74	0	0
methoprene	Whole	0.01	not set	74	-	-
methoxychlor	Whole	0.01	not set	74	-	-
methoxyfenozide	Whole	0.01	not set	74	-	-
mevinphos	Whole	0.01	not set	74	-	-
monocrotophos	Whole	0.01	not set	74	-	-
omethoate	Whole	0.01	0.1	74	0	0
parathion	Whole	0.01	not set	74	-	-
parathion-methyl	Whole	0.01	not set	74	-	-
permethrin	Whole	0.01	not set	74	-	-
phenothrin	Whole	0.01	not set	74	-	-
phorate	Whole	0.01	not set	74	-	-
phosmet	Whole	0.01	not set	74	-	-
piperonyl butoxide	Whole	0.01	8	74	0	0
pirimicarb	Whole	0.01	0.02	74	0	0

pirimiphos-methyl	Whole	0.01	not set	74	-	-
profenofos	Whole	0.01	not set	74	-	-
propargite	Whole	0.01	not set	74	-	-
prothiofos	Whole	0.01	not set	74	-	-
pymetrozine	Whole	0.01	0.02	74	0	0
pyrethrins	Whole	0.01	1	74	0	0
pyriproxyfen	Whole	0.01	not set	74	-	-
spinetoram	Whole	0.01	0.01	74	0	0
spinosad	Whole	0.01	0.01	74	0	0
spirotetramat	Whole	0.01	not set	74	-	-
sulfoxaflor	Whole	0.01	not set	74	-	-
tau-fluvalinate	Whole	0.01	not set	74	-	-
tebufenozide	Whole	0.01	not set	74	-	-
tebufenpyrad	Whole	0.01	not set	74	-	-
terbufos	Whole	0.01	not set	74	-	-
tetradifon	Whole	0.01	not set	74	-	-
thiacloprid	Whole	0.01	not set	74	-	-
thiamethoxam	Whole	0.01	0.5	74	0	0
thiodicarb	Whole	0.01	0.1	74	0	0
triazofos	Whole	0.01	not set	74	-	-
trichlorfon	Whole	0.01	0.2	74	0	0
triflumuron	Whole	0.01	not set	74	-	-

Table 5: PHYSIOLOGICAL MODIFIER

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
forchlorfenuron	Whole	0.01	not set	74	-	-
prohexadione-calcium	Whole	0.01	not set	74	-	-
trinexapac-ethyl	Whole	0.01	not set	74	-	-