



# Australian Government

## Department of Agriculture, Fisheries and Forestry

# Mung bean residue testing annual datasets 2022-23

National Residue Survey (NRS), Department of Agriculture, Fisheries and Forestry

### Dataset abbreviations

**LOR** Limit of reporting.

**MRL** Maximum Residue Limit.

**no limit** No Australian standard applicable for the contaminant. The ‘as low as reasonably achievable’ principle applies. Detections at low levels are allowable.

**not defined** Standards are not defined in inedible matrixes (urine, retina and faeces).

**not set** No Australian standard has been set for the chemical in the edible matrix and any detection is a contravention of the Australia New Zealand Food Standards Code.

### Disclaimer

Although the Australian Government has exercised due care and skill in the preparation and compilation of this publication, it does not warrant its accuracy, completeness, currency or suitability for any purpose. To the maximum extent permitted by law, the Australian Government disclaims all liability, including liability in negligence for any loss, damage, cost or expense incurred by persons as a result of accessing, using or relying on any of the information or data set out in this publication. Before relying on the material in any matters, users should carefully evaluate its accuracy, currency, completeness and relevance for the purposes intended, and should obtain any appropriate professional advice relevant to their particular circumstances.

**Table 1: CONTAMINANTS**

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
aldrin and dieldrin (HHDN+HEOD)	Whole	0.01	not set	113	-	-
chlordan	Whole	0.01	0.02	113	0	0
DDT	Whole	0.01	1	113	0	0
endosulfan	Whole	0.01	not set	113	-	-
endrin	Whole	0.01	not set	113	-	-
HCB (hexachlorobenzene)	Whole	0.01	not set	113	-	-
HCH (BHC)	Whole	0.01	not set	113	-	-
heptachlor	Whole	0.01	0.05	113	0	0
lindane (gamma-HCH)	Whole	0.01	2	113	0	0
mirex	Whole	0.01	not set	113	-	-

**Table 2: FUNGICIDES**

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
azoxystrobin	Whole	0.01	0.3	113	0	0
benalaxyl	Whole	0.01	not set	113	-	-
benzovindiflupyr	Whole	0.01	not set	113	-	-
bitertanol	Whole	0.01	not set	113	-	-
bixafen	Whole	0.01	0.01	113	0	0
boscalid	Whole	0.01	0.5	113	0	0
bupirimate	Whole	0.01	not set	113	-	-
captafol	Whole	0.01	not set	113	-	-
captan	Whole	0.01	not set	113	-	-
carbendazim	Whole	0.01	0.5	113	0	0
carboxin	Whole	0.01	not set	113	-	-
chlorothalonil	Whole	0.01	3	113	0	0
cyproconazole	Whole	0.01	0.05	113	0	0
cyprodinil	Whole	0.01	not set	113	-	-
difenoconazole	Whole	0.01	not set	113	-	-
dimethomorph	Whole	0.01	not set	113	-	-
dithianon	Whole	0.01	not set	113	-	-
dodine	Whole	0.01	not set	113	-	-
epoxiconazole	Whole	0.01	not set	113	-	-
etridiazole	Whole	0.01	0.2	113	0	0
fenarimol	Whole	0.01	not set	113	-	-
fenbuconazole	Whole	0.01	not set	113	-	-
fenhexamid	Whole	0.01	not set	113	-	-
fluazinam	Whole	0.01	not set	113	-	-
fludioxonil	Whole	0.01	0.1	113	0	0
fluopicolide	Whole	0.01	0.01	113	0	0
fluopyram	Whole	0.01	0.03	113	0	0
fluquinconazole	Whole	0.01	not set	113	-	-
flusilazole	Whole	0.01	not set	113	-	-
flutriafol	Whole	0.01	0.05	113	0	0
fluxapyroxad	Whole	0.01	0.1	113	0	0
hexaconazole	Whole	0.01	not set	113	-	-
imazalil	Whole	0.01	not set	113	-	-
ipconazole	Whole	0.01	not set	113	-	-
iprodione	Whole	0.01	not set	113	-	-
isoprothiolane	Whole	0.01	not set	113	-	-
isopyrazam	Whole	0.01	not set	113	-	-
kresoxim-methyl	Whole	0.01	not set	113	-	-
metalaxyl	Whole	0.01	not set	113	-	-

myclobutanil	Whole	0.01	not set	113	-	-
oxadixyl	Whole	0.01	not set	113	-	-
penconazole	Whole	0.01	not set	113	-	-
penflufen	Whole	0.01	not set	113	-	-
prochloraz	Whole	0.01	not set	113	-	-
procymidone	Whole	0.01	not set	113	-	-
propiconazole	Whole	0.01	0.3	113	0	0
prothioconazole	Whole	0.01	0.02	113	0	0
pydiflumetofen	Whole	0.01	0.4	113	0	0
pyraclostrobin	Whole	0.01	not set	113	-	-
pyrimethanil	Whole	0.01	not set	113	-	-
quinoxifen	Whole	0.01	not set	113	-	-
quintozene	Whole	0.01	not set	113	-	-
sedaxane	Whole	0.01	not set	113	-	-
spiroxamine	Whole	0.01	not set	113	-	-
tebuconazole	Whole	0.01	1	113	0	0
thiabendazole	Whole	0.01	not set	113	-	-
tolclofos methyl	Whole	0.01	not set	113	-	-
triadimefon	Whole	0.01	not set	113	-	-
triadimenol	Whole	0.01	not set	113	-	-
trifloxystrobin	Whole	0.01	not set	113	-	-
triticonazole	Whole	0.01	not set	113	-	-
uniconazole-P	Whole	0.01	not set	69	-	-
vinclozolin	Whole	0.01	not set	113	-	-

**Table 3: HERBICIDES**

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
2,2-DPA (2,2-dichloropropionic acid)	Whole	0.01	not set	113	-	-
2,4-D	Whole	0.01	0.05	113	0	0
2,4-DB	Whole	0.01	not set	113	-	-
acifluorfen	Whole	0.01	0.1	113	0	0
ametryn	Whole	0.01	not set	113	-	-
aminopyralid	Whole	0.01	not set	113	-	-
amitrole	Whole	0.01	0.01	23	0	0
atrazine	Whole	0.01	not set	113	-	-
bentazone	Whole	0.01	0.01	113	0	0
bicyclopyrone	Whole	0.01	not set	113	-	-
bixlozone	Whole	0.01	not set	113	-	-
bromacil	Whole	0.01	not set	113	-	-

bromoxynil	Whole	0.01	not set	113	-	-
butafenacil	Whole	0.01	0.01	113	0	0
butoxydim	Whole	0.01	0.01	113	0	0
carfentrazone-ethyl	Whole	0.01	not set	113	-	-
chlormequat	Whole	0.01	not set	23	-	-
chlorpropham	Whole	0.01	not set	113	-	-
chlorsulfuron	Whole	0.01	not set	113	-	-
chlorthal-dimethyl	Whole	0.01	not set	113	-	-
cinmethylin	Whole	0.01	not set	113	-	-
clethodim	Whole	0.01	0.1	113	0	0
clodinafop acid	Whole	0.01	not set	113	-	-
clodinafop-propargyl	Whole	0.01	not set	113	-	-
clomazone	Whole	0.01	not set	113	-	-
clopyralid	Whole	0.01	not set	113	-	-
cloquintocet-mexyl	Whole	0.01	not set	113	-	-
cyanazine	Whole	0.01	0.01	113	0	0
dicamba	Whole	0.01	not set	113	-	-
dichlobenil	Whole	0.01	not set	113	-	-
dichlorprop-P	Whole	0.01	not set	23	-	-
diclofop-methyl	Whole	0.01	not set	23	-	-
diflufenican	Whole	0.01	0.05	113	0	0
dimethenamid-P	Whole	0.01	0.02	113	0	0
diquat	Whole	0.01	1	23	0	0
diuron	Whole	0.01	0.05	113	0	0
EPTC	Whole	0.01	0.04	113	0	0
ethofumesate	Whole	0.01	not set	113	-	-
fenoxaprop-ethyl	Whole	0.01	not set	113	-	-
flamprop-M-methyl	Whole	0.01	not set	23	-	-
florasulam	Whole	0.01	not set	113	-	-
florpyrauxifen-benzyl	Whole		not set	113	-	-
fluazifop-p-butyl	Whole	0.01	0.5	23	0	0
flumetsulam	Whole	0.01	0.05	113	0	0
flumioxazin	Whole	0.01	0.1	113	0	0
fluroxypyr	Whole	0.01	not set	113	-	-
fomesafen	Whole	0.01	0.01	113	0	0
glufosinate	Whole	0.01	not set	23	-	-
glyphosate	Whole	0.01	10	23	3	0
halauxifen-methyl	Whole	0.01	not set	113	-	-
halosulfuron-methyl	Whole	0.01	not set	113	-	-
haloxyfop	Whole	0.005	0.1	23	1	6
iodosulfuron-methyl	Whole	0.01	not set	113	-	-
ioxynil	Whole	0.01	not set	113	-	-

isoxaben	Whole	0.01	not set	113	-	-
isoxaflutole	Whole	0.01	not set	113	-	-
linuron	Whole	0.01	not set	113	-	-
MCPA	Whole	0.01	not set	113	-	-
MCPB	Whole	0.01	0.02	113	0	0
mefenpyr-diethyl	Whole	0.01	not set	113	-	-
mesotrione	Whole	0.01	not set	113	-	-
metamitron	Whole	0.01	not set	113	-	-
metazachlor	Whole	0.01	0.03	113	0	0
methabenzthiazuron	Whole	0.01	not set	113	-	-
metolachlor	Whole	0.01	0.01	113	0	0
metosulam	Whole	0.01	not set	113	-	-
metribuzin	Whole	0.01	0.01	113	0	0
metsulfuron-methyl	Whole	0.01	0.2	113	0	0
napropamide	Whole	0.01	not set	113	-	-
norflurazon	Whole	0.01	not set	113	-	-
oryzalin	Whole	0.01	not set	113	-	-
oxyfluorfen	Whole	0.01	not set	113	-	-
paraquat	Whole	0.01	1	23	0	0
pendimethalin	Whole	0.01	0.05	113	0	0
picloram	Whole	0.01	not set	113	-	-
picolinafen	Whole	0.01	not set	113	-	-
pinoxaden (parent)	Whole	0.01	not set	113	-	-
prometryn	Whole	0.01	0.1	113	0	0
propachlor	Whole	0.01	not set	113	-	-
propaquizafop	Whole	0.01	0.05	23	0	0
propyzamide	Whole	0.01	0.01	113	0	0
prosulfocarb	Whole	0.01	0.01	113	0	0
pyraflufen-ethyl	Whole	0.01	0.02	113	0	0
pyrasulfotole	Whole	0.01	not set	113	-	-
pyroxasulfone	Whole	0.01	0.01	113	0	0
pyroxulam	Whole	0.01	not set	113	-	-
quizalofop-ethyl	Whole	0.01	0.2	23	0	0
quizalofop-P-tefuryl	Whole	0.01	0.2	23	0	0
saflufenacil	Whole	0.01	0.2	113	0	0
sethoxydim	Whole	0.01	0.1	113	0	0
simazine	Whole	0.01	not set	113	-	-
sulfosulfuron	Whole	0.01	not set	113	-	-
terbuthylazine	Whole	0.01	0.02	113	0	0
terbutryn	Whole	0.01	not set	113	-	-
tiafenacil	Whole	0.01	0.01	113	0	0
topramezone	Whole	0.01	not set	113	-	-

tralkoxydim	Whole	0.01	not set	113	-	-
triallate	Whole	0.01	0.1	113	0	0
triasulfuron	Whole	0.01	not set	113	-	-
tribenuron-methyl	Whole	0.01	0.01	113	0	0
triclopyr	Whole	0.01	not set	113	-	-
trifludimoxazin	Whole	0.01	not set	113	-	-
trifluralin	Whole	0.01	0.05	113	0	0

**Table 4: INSECTICIDES**

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
abamectin	Whole	0.01	0.002	113	0	0
acephate	Whole	0.01	not set	113	-	-
acetamiprid	Whole	0.01	0.1	113	0	0
aldicarb	Whole	0.01	not set	113	-	-
amitraz	Whole	0.01	not set	113	-	-
azamethiphos	Whole	0.01	not set	113	-	-
azinphos-methyl	Whole	0.01	not set	113	-	-
bifenazate	Whole	0.01	not set	113	-	-
bifenthrin	Whole	0.01	0.2	113	0	0
bioresmethrin	Whole	0.01	not set	113	-	-
buprofezin	Whole	0.01	0.01	113	0	0
cadusafos	Whole	0.01	not set	113	-	-
carbaryl	Whole	0.01	0.1	113	0	0
carbofuran	Whole	0.01	not set	113	-	-
chlorantraniliprole	Whole	0.01	0.7	113	0	0
chlorfenapyr	Whole	0.01	not set	113	-	-
chlorfenvinphos	Whole	0.01	not set	113	-	-
chlorpyrifos	Whole	0.01	not set	113	-	-
chlorpyrifos-methyl	Whole	0.01	0.15	113	0	0
clofentezine	Whole	0.01	not set	113	-	-
clothianidin	Whole	0.01	0.1	113	0	0
cyantraniliprole	Whole	0.01	0.05	113	0	0
cyfluthrin	Whole	0.01	not set	113	-	-
cyhalothrin	Whole	0.01	0.2	113	0	0
cypermethrin	Whole	0.01	0.05	113	1	0
deltamethrin	Whole	0.01	0.1	113	0	0
diafenthiuron	Whole	0.01	not set	113	-	-
diazinon	Whole	0.01	0.7	113	0	0
dichlorvos	Whole	0.01	0.01	113	0	0
dicofol	Whole	0.01	not set	113	-	-

diflubenzuron	Whole	0.01	not set	113	-	-
dimethoate	Whole	0.01	0.7	113	0	0
dinotefuran	Whole	0.01	0.3	113	0	0
disulfoton	Whole	0.01	not set	113	-	-
emamectin	Whole	0.01	0.01	113	0	0
ethion	Whole	0.01	not set	113	-	-
ethoprophos	Whole	0.005	not set	113	-	-
etoxazole	Whole	0.01	not set	113	-	-
fenamiphos	Whole	0.01	not set	113	-	-
fenbutatin oxide	Whole	0.01	not set	113	-	-
fenitrothion	Whole	0.01	0.1	113	0	0
fenoxycarb	Whole	0.01	not set	113	-	-
fenpyroximate	Whole	0.01	not set	113	-	-
fenthion	Whole	0.01	not set	113	-	-
fenvalerate	Whole	0.01	0.5	113	0	0
fipronil	Whole	0.002	not set	113	-	-
flonicamid	Whole	0.01	not set	113	-	-
fluensulfone	Whole	0.01	0.05	113	0	0
flupyradifurone	Whole	0.01	0.2	113	0	0
hexythiazox	Whole	0.01	not set	113	-	-
imidacloprid	Whole	0.01	not set	113	-	-
indoxacarb	Whole	0.01	0.2	113	0	0
malathion	Whole	0.01	8	113	0	0
methacrifos	Whole	0.01	not set	113	-	-
methamidophos	Whole	0.01	not set	113	-	-
methidathion	Whole	0.01	not set	113	-	-
methiocarb	Whole	0.01	not set	113	-	-
methomyl	Whole	0.01	1	113	0	0
methoprene	Whole	0.01	not set	113	-	-
methoxychlor	Whole	0.01	not set	113	-	-
methoxyfenozide	Whole	0.01	0.5	113	0	0
mevinphos	Whole	0.01	not set	113	-	-
monocrotophos	Whole	0.01	not set	113	-	-
omethoate	Whole	0.01	0.1	113	0	0
parathion	Whole	0.01	not set	113	-	-
parathion-methyl	Whole	0.01	not set	113	-	-
permethrin	Whole	0.01	not set	113	-	-
phenothrin	Whole	0.01	not set	113	-	-
phorate	Whole	0.01	not set	113	-	-
phosmet	Whole	0.01	not set	113	-	-
piperonyl butoxide	Whole	0.01	8	113	0	0
pirimicarb	Whole	0.01	0.02	113	0	0

pirimiphos-methyl	Whole	0.01	not set	113	-	-
profenofos	Whole	0.01	not set	113	-	-
propargite	Whole	0.01	not set	113	-	-
prothiofos	Whole	0.01	not set	113	-	-
pymetrozine	Whole	0.01	not set	113	-	-
pyrethrins	Whole	0.01	1	113	0	0
pyriproxyfen	Whole	0.01	not set	113	-	-
spinetoram	Whole	0.01	0.01	113	0	0
spinosad	Whole	0.01	0.01	113	0	0
spirotetramat	Whole	0.01	not set	113	-	-
sulfoxaflor	Whole	0.01	0.7	113	0	0
tau-fluvalinate	Whole	0.01	not set	113	-	-
tebufenozide	Whole	0.01	not set	113	-	-
tebufenpyrad	Whole	0.01	not set	113	-	-
terbufos	Whole	0.01	not set	113	-	-
tetradifon	Whole	0.01	not set	113	-	-
thiacloprid	Whole	0.01	not set	113	-	-
thiamethoxam	Whole	0.01	0.1	113	0	0
thiodicarb	Whole	0.01	0.1	113	0	0
triazofos	Whole	0.01	not set	113	-	-
trichlorfon	Whole	0.01	0.2	113	0	0
triflumuron	Whole	0.01	not set	113	-	-

**Table 5: PHYSIOLOGICAL MODIFIER**

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
forchlorfenuron	Whole	0.01	not set	113	-	-
prohexadione-calcium	Whole	0.01	not set	113	-	-
trinexapac-ethyl	Whole	0.01	not set	113	-	-