



Australian Government

Department of Agriculture, Fisheries and Forestry

Wheat (Durum) residue testing annual datasets 2022-23

National Residue Survey (NRS), Department of Agriculture, Fisheries and Forestry

Dataset abbreviations

LOR Limit of reporting.

MRL Maximum Residue Limit.

no limit No Australian standard applicable for the contaminant. The 'as low as reasonably achievable' principle applies. Detections at low levels are allowable.

not defined Standards are not defined in inedible matrixes (urine, retina and faeces).

not set No Australian standard has been set for the chemical in the edible matrix and any detection is a contravention of the Australia New Zealand Food Standards Code.

Disclaimer

Although the Australian Government has exercised due care and skill in the preparation and compilation of this publication, it does not warrant its accuracy, completeness, currency or suitability for any purpose. To the maximum extent permitted by law, the Australian Government disclaims all liability, including liability in negligence for any loss, damage, cost or expense incurred by persons as a result of accessing, using or relying on any of the information or data set out in this publication. Before relying on the material in any matters, users should carefully evaluate its accuracy, currency, completeness and relevance for the purposes intended, and should obtain any appropriate professional advice relevant to their particular circumstances.

Table 1: CONTAMINANTS

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
aldrin and dieldrin (HHDN+HEOD)	Whole	0.01	0.02	38	0	0
chlordane	Whole	0.01	0.02	38	0	0
DDT	Whole	0.01	0.1	38	0	0
endosulfan	Whole	0.01	not set	38	-	-
endrin	Whole	0.01	not set	38	-	-
HCB (hexachlorobenzene)	Whole	0.01	0.05	38	0	0
HCH (BHC)	Whole	0.01	0.1	38	0	0
heptachlor	Whole	0.01	0.02	38	0	0
lindane (gamma-HCH)	Whole	0.01	0.5	38	0	0
mirex	Whole	0.01	not set	38	-	-

Table 2: FUNGICIDES

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
azoxystrobin	Whole	0.01	0.02	38	0	0
benalaxyl	Whole	0.01	not set	38	-	-
benzovindiflupyr	Whole	0.01	0.01	38	0	0
bitertanol	Whole	0.01	not set	38	-	-
bixafen	Whole	0.01	0.01	38	0	0
boscalid	Whole	0.01	0.5	38	0	0
bupirimate	Whole	0.01	not set	38	-	-
captafol	Whole	0.01	not set	38	-	-
captan	Whole	0.01	not set	38	-	-
carbendazim	Whole	0.01	not set	38	-	-
carboxin	Whole	0.01	0.1	38	0	0
chlorothalonil	Whole	0.01	not set	38	-	-
cyproconazole	Whole	0.01	0.02	38	0	0
cyprodinil	Whole	0.01	not set	38	-	-
difenoconazole	Whole	0.01	0.01	38	0	0
dimethomorph	Whole	0.01	not set	38	-	-
dithianon	Whole	0.01	not set	38	-	-
dodine	Whole	0.01	not set	38	-	-
epoxiconazole	Whole	0.01	0.05	38	0	0
etridiazole	Whole	0.01	not set	38	-	-
fenarimol	Whole	0.01	not set	38	-	-
fenbuconazole	Whole	0.01	0.01	38	0	0
fenhexamid	Whole	0.01	not set	38	-	-
fluazinam	Whole	0.01	not set	38	-	-
fludioxonil	Whole	0.01	not set	38	-	-
fluopicolide	Whole	0.01	0.01	38	0	0
fluopyram	Whole	0.01	0.03	38	0	0
fluquinconazole	Whole	0.01	0.02	38	0	0
flusilazole	Whole	0.01	not set	38	-	-
flutriafol	Whole	0.01	0.1	38	0	0
fluxapyroxad	Whole	0.01	0.1	38	0	0
hexaconazole	Whole	0.01	not set	38	-	-
imazalil	Whole	0.01	not set	38	-	-
ipconazole	Whole	0.01	0.01	38	0	0
iprodione	Whole	0.01	not set	38	-	-
isoprothiolane	Whole	0.01	not set	38	-	-
isopyrazam	Whole	0.01	not set	38	-	-
kresoxim-methyl	Whole	0.01	not set	38	-	-
metalaxyl	Whole	0.01	0.01	38	0	0

myclobutanil	Whole	0.01	not set	38	-	-
oxadixyl	Whole	0.01	not set	38	-	-
penconazole	Whole	0.01	not set	38	-	-
penflufen	Whole	0.01	0.01	38	0	0
prochloraz	Whole	0.01	not set	38	-	-
procymidone	Whole	0.01	not set	38	-	-
propiconazole	Whole	0.01	0.05	38	0	0
prothioconazole	Whole	0.01	0.3	38	0	0
pydiflumetofen	Whole	0.01	3	38	0	0
pyraclostrobin	Whole	0.01	0.01	38	0	0
pyrimethanil	Whole	0.01	not set	38	-	-
quinoxifen	Whole	0.01	not set	38	-	-
quintozene	Whole	0.01	not set	38	-	-
sedaxane	Whole	0.01	0.01	38	0	0
spiroxamine	Whole	0.01	not set	38	-	-
tebuconazole	Whole	0.01	0.2	38	0	0
thiabendazole	Whole	0.01	not set	38	-	-
tolclofos methyl	Whole	0.01	not set	38	-	-
triadimefon	Whole	0.01	0.5	38	0	0
triadimenol	Whole	0.01	0.01	38	0	0
trifloxystrobin	Whole	0.01	not set	38	-	-
triticonazole	Whole	0.01	0.05	38	0	0
uniconazole-P	Whole	0.01	not set	22	-	-
vinclozolin	Whole	0.01	not set	38	-	-

Table 3: HERBICIDES

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
2,2-DPA (2,2-dichloropropionic acid)	Whole	0.01	0.1	38	0	0
2,4-D	Whole	0.01	0.2	38	0	0
2,4-DB	Whole	0.01	0.02	38	0	0
acifluorfen	Whole	0.01	not set	38	-	-
ametryn	Whole	0.01	not set	38	-	-
aminopyralid	Whole	0.01	0.1	38	0	0
amitrole	Whole	0.01	0.01	4	0	0
atrazine	Whole	0.01	not set	38	-	-
bentazone	Whole	0.01	not set	38	-	-
bicyclopyrone	Whole	0.01	0.02	38	0	0
bixlozone	Whole	0.01	0.01	38	0	0
bromacil	Whole	0.01	not set	38	-	-

bromoxynil	Whole	0.01	0.2	38	0	0
butafenacil	Whole	0.01	0.02	38	0	0
butroxydim	Whole	0.01	not set	38	-	-
carfentrazone-ethyl	Whole	0.01	0.05	38	0	0
chlormequat	Whole	0.01	5	4	0	0
chlorpropham	Whole	0.01	not set	38	-	-
chlorsulfuron	Whole	0.01	0.05	38	0	0
chlorthal-dimethyl	Whole	0.01	not set	38	-	-
cinmethylin	Whole	0.01	0.01	38	0	0
clethodim	Whole	0.01	0.1	38	0	0
clodinafop acid	Whole	0.01	0.1	38	0	0
clodinafop-propargyl	Whole	0.01	0.05	38	0	0
clomazone	Whole	0.01	not set	38	-	-
clopyralid	Whole	0.01	2	38	0	0
cloquintocet-mexyl	Whole	0.01	0.1	38	0	0
cyanazine	Whole	0.01	0.01	38	0	0
dicamba	Whole	0.01	0.05	38	0	0
dichlobenil	Whole	0.01	not set	38	-	-
dichlorprop-P	Whole	0.01	not set	4	-	-
diclofop-methyl	Whole	0.01	0.1	4	0	0
diflufenican	Whole	0.01	0.02	38	0	0
dimethenamid-P	Whole	0.01	not set	38	-	-
diquat	Whole	0.01	2	4	0	0
diuron	Whole	0.01	0.1	38	0	0
EPTC	Whole	0.01	0.04	38	0	0
ethofumesate	Whole	0.01	not set	38	-	-
fenoxaprop-ethyl	Whole	0.01	0.01	38	0	0
flamprop-M-methyl	Whole	0.01	0.05	4	0	0
florasulam	Whole	0.01	0.01	38	0	0
florpyrauxifen-benzyl	Whole		not set	38	-	-
fluazifop-p-butyl	Whole	0.01	not set	4	-	-
flumetsulam	Whole	0.01	0.05	38	0	0
flumioxazin	Whole	0.01	0.05	38	0	0
fluroxypyr	Whole	0.01	0.2	38	0	0
fomesafen	Whole	0.01	not set	38	-	-
glufosinate	Whole	0.01	not set	4	-	-
glyphosate	Whole	0.01	5	4	0	0
halauxifen-methyl	Whole	0.01	0.01	38	0	0
halosulfuron-methyl	Whole	0.01	not set	38	-	-
haloxyfop	Whole	0.005	not set	4	-	-
iodosulfuron-methyl	Whole	0.01	0.01	38	0	0
ioxynil	Whole	0.01	not set	38	-	-

isoxaben	Whole	0.01	0.01	38	0	0
isoxaflutole	Whole	0.01	0.02	38	0	0
linuron	Whole	0.01	0.05	38	0	0
MCPA	Whole	0.01	0.02	38	0	0
MCPB	Whole	0.01	0.02	38	0	0
mefenpyr-diethyl	Whole	0.01	0.01	38	0	0
mesotrione	Whole	0.01	0.01	38	0	0
metamitron	Whole	0.01	not set	38	-	-
metazachlor	Whole	0.01	0.03	38	0	0
methabenzthiazuron	Whole	0.01	not set	38	-	-
metolachlor	Whole	0.01	0.02	38	0	0
metosulam	Whole	0.01	0.02	38	0	0
metribuzin	Whole	0.01	0.05	38	0	0
metsulfuron-methyl	Whole	0.01	0.02	38	0	0
napropamide	Whole	0.01	not set	38	-	-
norflurazon	Whole	0.01	not set	38	-	-
oryzalin	Whole	0.01	0.01	38	0	0
oxyfluorfen	Whole	0.01	0.05	38	0	0
paraquat	Whole	0.01	0.05	4	0	0
pendimethalin	Whole	0.01	0.05	38	0	0
picloram	Whole	0.01	0.2	38	0	0
picolinafen	Whole	0.01	0.02	38	0	0
pinoxaden (parent)	Whole	0.01	0.1	38	0	0
prometryn	Whole	0.01	0.1	38	0	0
propachlor	Whole	0.01	0.05	38	0	0
propaquizafop	Whole	0.01	not set	4	-	-
propyzamide	Whole	0.01	not set	38	-	-
prosulfocarb	Whole	0.01	0.01	38	0	0
pyraflufen-ethyl	Whole	0.01	0.02	38	0	0
pyrasulfotole	Whole	0.01	0.02	38	0	0
pyroxasulfone	Whole	0.01	0.01	38	0	0
pyroxsulam	Whole	0.01	0.01	38	0	0
quizalofop-ethyl	Whole	0.01	not set	4	-	-
quizalofop-P-tefuryl	Whole	0.01	not set	4	-	-
saflufenacil	Whole	0.01	0.2	38	0	0
sethoxydim	Whole	0.01	0.1	38	0	0
simazine	Whole	0.01	not set	38	-	-
sulfosulfuron	Whole	0.01	0.01	38	0	0
terbuthylazine	Whole	0.01	0.01	38	0	0
terbutryn	Whole	0.01	0.1	38	0	0
tiafenacil	Whole	0.01	0.01	38	0	0
topramezone	Whole	0.01	0.01	38	0	0

tralkoxydim	Whole	0.01	0.02	38	0	0
triallate	Whole	0.01	0.05	38	0	0
triasulfuron	Whole	0.01	0.02	38	0	0
tribenuron-methyl	Whole	0.01	0.01	38	0	0
triclopyr	Whole	0.01	not set	38	-	-
trifludimoxazin	Whole	0.01	0.01	38	0	0
trifluralin	Whole	0.01	0.05	38	0	0

Table 4: INSECTICIDES

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
abamectin	Whole	0.01	not set	38	-	-
acephate	Whole	0.01	not set	38	-	-
acetamiprid	Whole	0.01	not set	38	-	-
aldicarb	Whole	0.01	not set	38	-	-
amitraz	Whole	0.01	not set	38	-	-
azamethiphos	Whole	0.01	0.1	38	0	0
azinphos-methyl	Whole	0.01	not set	38	-	-
bifenazate	Whole	0.01	not set	38	-	-
bifenthrin	Whole	0.01	0.02	38	0	0
bioresmethrin	Whole	0.01	not set	38	-	-
buprofezin	Whole	0.01	0.01	38	0	0
cadusafos	Whole	0.01	not set	38	-	-
carbaryl	Whole	0.01	5	38	0	0
carbofuran	Whole	0.01	not set	38	-	-
chlorantraniliprole	Whole	0.01	0.1	38	0	0
chlorfenapyr	Whole	0.01	not set	38	-	-
chlorfenvinphos	Whole	0.01	0.05	38	0	0
chlorpyrifos	Whole	0.01	0.1	38	0	0
chlorpyrifos-methyl	Whole	0.01	10	38	0	0
clofentezine	Whole	0.01	not set	38	-	-
clothianidin	Whole	0.01	0.02	38	0	0
cyantraniliprole	Whole	0.01	0.05	38	0	0
cyfluthrin	Whole	0.01	not set	38	-	-
cyhalothrin	Whole	0.01	0.05	38	0	0
cypermethrin	Whole	0.01	0.2	38	0	0
deltamethrin	Whole	0.01	2	38	0	0
diafenthiuron	Whole	0.01	not set	38	-	-
diazinon	Whole	0.01	0.1	38	0	0
dichlorvos	Whole	0.01	0.01	38	0	0
dicofol	Whole	0.01	not set	38	-	-

diflubenzuron	Whole	0.01	not set	38	-	-
dimethoate	Whole	0.01	0.5	38	0	0
dinotefuran	Whole	0.01	not set	38	-	-
disulfoton	Whole	0.01	not set	38	-	-
emamectin	Whole	0.01	0.01	38	0	0
ethion	Whole	0.01	not set	38	-	-
ethoprophos	Whole	0.005	not set	38	-	-
etoxazole	Whole	0.01	not set	38	-	-
fenamiphos	Whole	0.01	not set	38	-	-
fenbutatin oxide	Whole	0.01	not set	38	-	-
fenitrothion	Whole	0.01	10	38	0	0
fenoxycarb	Whole	0.01	not set	38	-	-
fenpyroximate	Whole	0.01	not set	38	-	-
fenthion	Whole	0.01	not set	38	-	-
fenvalerate	Whole	0.01	2	38	0	0
fipronil	Whole	0.002	not set	38	-	-
flonicamid	Whole	0.01	not set	38	-	-
fluensulfone	Whole	0.01	0.05	38	0	0
flupyradifurone	Whole	0.01	0.2	38	0	0
hexythiazox	Whole	0.01	not set	38	-	-
imidacloprid	Whole	0.01	0.05	38	0	0
indoxacarb	Whole	0.01	not set	38	-	-
malathion	Whole	0.01	8	38	0	0
methacrifos	Whole	0.01	not set	38	-	-
methamidophos	Whole	0.01	not set	38	-	-
methidathion	Whole	0.01	not set	38	-	-
methiocarb	Whole	0.01	not set	38	-	-
methomyl	Whole	0.01	0.1	38	0	0
methoprene	Whole	0.01	2	38	0	0
methoxychlor	Whole	0.01	not set	38	-	-
methoxyfenozide	Whole	0.01	not set	38	-	-
mevinphos	Whole	0.01	not set	38	-	-
monocrotophos	Whole	0.01	not set	38	-	-
omethoate	Whole	0.01	0.05	38	0	0
parathion	Whole	0.01	not set	38	-	-
parathion-methyl	Whole	0.01	not set	38	-	-
permethrin	Whole	0.01	2	38	0	0
phenothrin	Whole	0.01	2	38	0	0
phorate	Whole	0.01	not set	38	-	-
phosmet	Whole	0.01	0.05	38	0	0
piperonyl butoxide	Whole	0.01	20	38	0	0
pirimicarb	Whole	0.01	0.02	38	0	0

pirimiphos-methyl	Whole	0.01	10	38	0	0
profenofos	Whole	0.01	not set	38	-	-
propargite	Whole	0.01	not set	38	-	-
prothiofos	Whole	0.01	not set	38	-	-
pymetrozine	Whole	0.01	not set	38	-	-
pyrethrins	Whole	0.01	3	38	0	0
pyriproxyfen	Whole	0.01	not set	38	-	-
spinetoram	Whole	0.01	not set	38	-	-
spinosad	Whole	0.01	1	38	0	0
spirotetramat	Whole	0.01	not set	38	-	-
sulfoxaflor	Whole	0.01	0.05	38	0	0
tau-fluvalinate	Whole	0.01	not set	38	-	-
tebufenozide	Whole	0.01	not set	38	-	-
tebufenpyrad	Whole	0.01	not set	38	-	-
terbufos	Whole	0.01	0.01	38	0	0
tetradifon	Whole	0.01	not set	38	-	-
thiacloprid	Whole	0.01	not set	38	-	-
thiamethoxam	Whole	0.01	0.01	38	0	0
thiodicarb	Whole	0.01	not set	38	-	-
triazofos	Whole	0.01	not set	38	-	-
trichlorfon	Whole	0.01	0.1	38	0	0
triflumuron	Whole	0.01	0.05	38	0	0

Table 5: PHYSIOLOGICAL MODIFIER

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
forchlorfenuron	Whole	0.01	not set	38	-	-
prohexadione-calcium	Whole	0.01	not set	38	-	-
trinexapac-ethyl	Whole	0.01	0.2	38	0	0