



Australian Government

Department of Agriculture,
Fisheries and Forestry

Oat residue testing annual datasets 2022-23

National Residue Survey (NRS), Department of Agriculture, Fisheries and Forestry

Dataset abbreviations

LOR Limit of reporting.

MRL Maximum Residue Limit.

no limit No Australian standard applicable for the contaminant. The 'as low as reasonably achievable' principle applies. Detections at low levels are allowable.

not defined Standards are not defined in inedible matrixes (urine, retina and faeces).

not set No Australian standard has been set for the chemical in the edible matrix and any detection is a contravention of the Australia New Zealand Food Standards Code.

Disclaimer

Although the Australian Government has exercised due care and skill in the preparation and compilation of this publication, it does not warrant its accuracy, completeness, currency or suitability for any purpose. To the maximum extent permitted by law, the Australian Government disclaims all liability, including liability in negligence for any loss, damage, cost or expense incurred by persons as a result of accessing, using or relying on any of the information or data set out in this publication. Before relying on the material in any matters, users should carefully evaluate its accuracy, currency, completeness and relevance for the purposes intended, and should obtain any appropriate professional advice relevant to their particular circumstances.

Table 1: CONTAMINANTS

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
aldrin and dieldrin (HHDN+HEOD)	Whole	0.01	0.02	230	0	0
chlordan	Whole	0.01	0.02	230	0	0
DDT	Whole	0.01	0.1	230	0	0
endosulfan	Whole	0.01	not set	230	-	-
endrin	Whole	0.01	not set	230	-	-
HCB (hexachlorobenzene)	Whole	0.01	0.05	230	0	0
HCH (BHC)	Whole	0.01	0.1	230	0	0
heptachlor	Whole	0.01	0.02	230	0	0
lindane (gamma-HCH)	Whole	0.01	0.5	230	0	0
mirex	Whole	0.01	not set	230	-	-

Table 2: FUNGICIDES

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
azoxystrobin	Whole	0.01	0.1	230	0	0
benalaxyl	Whole	0.01	not set	230	-	-
benzovindiflupyr	Whole	0.01	not set	230	-	-
bitertanol	Whole	0.01	not set	230	-	-
bixafen	Whole	0.01	0.01	230	0	0
boscalid	Whole	0.01	0.5	230	0	0
bupirimate	Whole	0.01	not set	230	-	-
captafol	Whole	0.01	not set	230	-	-
captan	Whole	0.01	not set	230	-	-
carbendazim	Whole	0.01	not set	230	-	-
carboxin	Whole	0.01	0.1	230	0	0
chlorothalonil	Whole	0.01	not set	230	-	-
cyproconazole	Whole	0.01	0.05	230	0	0
cyprodinil	Whole	0.01	not set	230	-	-
difenconazole	Whole	0.01	0.01	230	0	0
dimethomorph	Whole	0.01	not set	230	-	-
dithianon	Whole	0.01	not set	230	-	-
dodine	Whole	0.01	not set	230	-	-
epoxiconazole	Whole	0.01	0.05	230	0	0
etridiazole	Whole	0.01	not set	230	-	-
fenarimol	Whole	0.01	not set	230	-	-
fenbuconazole	Whole	0.01	not set	230	-	-
fenhexamid	Whole	0.01	not set	230	-	-
fluazinam	Whole	0.01	not set	230	-	-
fludioxonil	Whole	0.01	not set	230	-	-
fluopicolide	Whole	0.01	0.01	230	0	0
fluopyram	Whole	0.01	0.03	230	0	0
fluquinconazole	Whole	0.01	not set	230	-	-
flusilazole	Whole	0.01	not set	230	-	-
flutriafol	Whole	0.01	0.1	230	0	0
fluxapyroxad	Whole	0.01	0.2	230	0	0
hexaconazole	Whole	0.01	not set	230	-	-
imazalil	Whole	0.01	not set	230	-	-
ipconazole	Whole	0.01	0.01	230	0	0
iprodione	Whole	0.01	not set	230	-	-
isoprothiolane	Whole	0.01	not set	230	-	-
isopyrazam	Whole	0.01	not set	230	-	-
kresoxim-methyl	Whole	0.01	not set	230	-	-
metalaxyl	Whole	0.01	0.01	230	0	0

myclobutanil	Whole	0.01	not set	230	-	-
oxadixyl	Whole	0.01	not set	230	-	-
penconazole	Whole	0.01	not set	230	-	-
penflufen	Whole	0.01	0.01	230	0	0
prochloraz	Whole	0.01	not set	230	-	-
procymidone	Whole	0.01	not set	230	-	-
propiconazole	Whole	0.01	0.05	230	0	0
prothioconazole	Whole	0.01	0.3	230	0	0
pydiflumetofen	Whole	0.01	3	230	0	0
pyraclostrobin	Whole	0.01	0.01	230	0	0
pyrimethanil	Whole	0.01	not set	230	-	-
quinoxyfen	Whole	0.01	not set	230	-	-
quintozene	Whole	0.01	not set	230	-	-
sedaxane	Whole	0.01	0.01	230	0	0
spiroxamine	Whole	0.01	not set	230	-	-
tebuconazole	Whole	0.01	0.2	230	0	0
thiabendazole	Whole	0.01	not set	230	-	-
tolclofos methyl	Whole	0.01	not set	230	-	-
triadimefon	Whole	0.01	0.5	230	0	0
triadimenol	Whole	0.01	0.01	230	0	0
trifloystrobin	Whole	0.01	not set	230	-	-
triticonazole	Whole	0.01	0.05	230	0	0
uniconazole-P	Whole	0.01	not set	88	-	-
vinclozolin	Whole	0.01	not set	230	-	-

Table 3: HERBICIDES

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
2,2-DPA (2,2-dichloropropionic acid)	Whole	0.01	0.1	230	0	0
2,4-D	Whole	0.01	0.2	230	0	0
2,4-DB	Whole	0.01	0.02	230	0	0
acifluorfen	Whole	0.01	not set	230	-	-
ametryn	Whole	0.01	not set	230	-	-
aminopyralid	Whole	0.01	0.1	230	0	0
amitrole	Whole	0.01	0.01	97	0	0
atrazine	Whole	0.01	not set	230	-	-
bentazone	Whole	0.01	not set	230	-	-
bicyclopyrone	Whole	0.01	not set	230	-	-
bixlozone	Whole	0.01	not set	230	-	-
bromacil	Whole	0.01	not set	230	-	-
bromoxynil	Whole	0.01	0.2	230	0	0

butafenacil	Whole	0.01	0.02	230	0	0
butoxydim	Whole	0.01	not set	230	-	-
carfentrazone-ethyl	Whole	0.01	0.05	230	0	0
chlormequat	Whole	0.01	not set	97	-	-
chlorpropham	Whole	0.01	not set	230	-	-
chlorsulfuron	Whole	0.01	0.05	230	0	0
chlorthal-dimethyl	Whole	0.01	not set	230	-	-
cinmethylin	Whole	0.01	not set	230	-	-
clethodim	Whole	0.01	not set	230	-	-
clodinafop acid	Whole	0.01	not set	230	-	-
clodinafop-propargyl	Whole	0.01	not set	230	-	-
clomazone	Whole	0.01	not set	230	-	-
clopyralid	Whole	0.01	2	230	0	0
cloquintocet-mexyl	Whole	0.01	0.1	230	0	0
cyanazine	Whole	0.01	0.01	230	0	0
dicamba	Whole	0.01	0.05	230	0	0
dichlobenil	Whole	0.01	not set	230	-	-
dichlorprop-P	Whole	0.01	not set	97	-	-
diclofop-methyl	Whole	0.01	0.1	97	0	0
diflufenican	Whole	0.01	0.05	230	0	0
dimethenamid-P	Whole	0.01	not set	230	-	-
diquat	Whole	0.01	5	97	0	0
diuron	Whole	0.01	0.1	230	0	0
EPTC	Whole	0.01	0.04	230	0	0
ethofumesate	Whole	0.01	not set	230	-	-
fenoxyprop-ethyl	Whole	0.01	not set	230	-	-
flamprop-M-methyl	Whole	0.01	not set	97	-	-
florasulam	Whole	0.01	0.01	230	0	0
florpyrauxifen-benzyl	Whole		not set	230	-	-
fluazifop-p-butyl	Whole	0.01	not set	97	-	-
flumetsulam	Whole	0.01	0.05	230	0	0
flumioxazin	Whole	0.01	0.05	230	0	0
fluroxypyr	Whole	0.01	0.2	230	0	0
fomesafen	Whole	0.01	not set	230	-	-
glufosinate	Whole	0.01	not set	97	-	-
glyphosate	Whole	0.01	0.1	97	2	5
halauxifen-methyl	Whole	0.01	0.01	230	0	0
halosulfuron-methyl	Whole	0.01	not set	230	-	-
haloxyfop	Whole	0.005	not set	97	-	-
imazamox	Whole	0.01	not set	66	-	-
imazapic	Whole	0.01	0.05	66	0	0
imazapyr	Whole	0.01	0.1	66	0	0

imazaquin	Whole	0.01	not set	66	-	-
imazethapyr	Whole	0.01	not set	66	-	-
iodosulfuron-methyl	Whole	0.01	not set	230	-	-
ioxynil	Whole	0.01	not set	230	-	-
isoxaben	Whole	0.01	not set	230	-	-
isoxaflutole	Whole	0.01	0.02	230	0	0
linuron	Whole	0.01	0.05	230	0	0
MCPA	Whole	0.01	0.02	230	0	0
MCPB	Whole	0.01	0.02	230	0	0
mefenpyr-diethyl	Whole	0.01	0.01	230	0	0
mesotrione	Whole	0.01	0.01	230	0	0
metamitron	Whole	0.01	not set	230	-	-
metazachlor	Whole	0.01	0.03	230	0	0
methabenzthiazuron	Whole	0.01	not set	230	-	-
metolachlor	Whole	0.01	0.02	230	0	0
metosulam	Whole	0.01	0.02	230	0	0
metribuzin	Whole	0.01	0.05	230	0	0
metsulfuron-methyl	Whole	0.01	0.02	230	0	0
napropamide	Whole	0.01	not set	230	-	-
norflurazon	Whole	0.01	not set	230	-	-
oryzalin	Whole	0.01	0.01	230	0	0
oxyfluorfen	Whole	0.01	0.05	230	0	0
paraquat	Whole	0.01	0.05	97	0	0
pendimethalin	Whole	0.01	0.05	230	0	0
picloram	Whole	0.01	0.2	230	0	0
picolinafen	Whole	0.01	0.02	230	0	0
pinoxaden (parent)	Whole	0.01	not set	230	-	-
prometryn	Whole	0.01	0.1	230	0	0
propachlor	Whole	0.01	0.05	230	0	0
propaquizafop	Whole	0.01	not set	97	-	-
propyzamide	Whole	0.01	not set	230	-	-
prosulfocarb	Whole	0.01	0.01	230	0	0
pyraflufen-ethyl	Whole	0.01	0.02	230	0	0
pyrasulfotole	Whole	0.01	0.02	230	0	0
pyroxasulfone	Whole	0.01	0.01	230	0	0
pyroxsulam	Whole	0.01	not set	230	-	-
quizalofop-ethyl	Whole	0.01	not set	97	-	-
quizalofop-P-tefuryl	Whole	0.01	not set	97	-	-
saflufenacil	Whole	0.01	0.2	230	0	0
sethoxydim	Whole	0.01	not set	230	-	-
simazine	Whole	0.01	not set	230	-	-
sulfosulfuron	Whole	0.01	not set	230	-	-

terbutylazine	Whole	0.01	0.01	230	0	0
terbutryn	Whole	0.01	0.1	230	0	0
tiafenacil	Whole	0.01	0.01	230	0	0
topramezone	Whole	0.01	not set	230	-	-
tralkoxydim	Whole	0.01	0.02	230	0	0
trallate	Whole	0.01	0.05	230	0	0
triasulfuron	Whole	0.01	0.02	230	0	0
tribenuron-methyl	Whole	0.01	0.01	230	0	0
triclopyr	Whole	0.01	not set	230	-	-
trifludimoxazin	Whole	0.01	0.01	230	0	0
trifluralin	Whole	0.01	0.05	230	0	0

Table 4: INSECTICIDES

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
abamectin	Whole	0.01	not set	230	-	-
acephate	Whole	0.01	not set	230	-	-
acetamiprid	Whole	0.01	not set	230	-	-
aldicarb	Whole	0.01	not set	230	-	-
amitraz	Whole	0.01	not set	230	-	-
azamethiphos	Whole	0.01	0.1	230	0	0
azinphos-methyl	Whole	0.01	not set	230	-	-
bifenazate	Whole	0.01	not set	230	-	-
bifenthrin	Whole	0.01	0.02	230	0	0
bioresmethrin	Whole	0.01	not set	230	-	-
buprofezin	Whole	0.01	0.01	230	0	0
cadusafos	Whole	0.01	not set	230	-	-
carbaryl	Whole	0.01	5	230	0	0
carbofuran	Whole	0.01	not set	230	-	-
chlorantraniliprole	Whole	0.01	0.1	230	0	0
chlorfenapyr	Whole	0.01	not set	230	-	-
chlorgenvinphos	Whole	0.01	not set	230	-	-
chlorpyrifos	Whole	0.01	0.1	230	0	0
chlorpyrifos-methyl	Whole	0.01	10	230	0	0
clofentezine	Whole	0.01	not set	230	-	-
clothianidin	Whole	0.01	0.02	230	0	0
cyantraniliprole	Whole	0.01	0.05	230	0	0
cyfluthrin	Whole	0.01	not set	230	-	-
cyhalothrin	Whole	0.01	0.01	230	0	0
cypermethrin	Whole	0.01	1	230	0	0
deltamethrin	Whole	0.01	2	230	1	0

diafenthiuron	Whole	0.01	not set	230	-	-
diazinon	Whole	0.01	0.1	230	0	0
dichlorvos	Whole	0.01	0.01	230	0	0
dicofol	Whole	0.01	not set	230	-	-
diflubenzuron	Whole	0.01	not set	230	-	-
dimethoate	Whole	0.01	0.5	230	0	0
dinotefuran	Whole	0.01	not set	230	-	-
disulfoton	Whole	0.01	not set	230	-	-
emamectin	Whole	0.01	not set	230	-	-
ethion	Whole	0.01	not set	230	-	-
ethoprophos	Whole	0.005	not set	230	-	-
etoxazole	Whole	0.01	not set	230	-	-
fenamiphos	Whole	0.01	not set	230	-	-
fenbutatin oxide	Whole	0.01	not set	230	-	-
fenitrothion	Whole	0.01	10	230	0	0
fenoxy carb	Whole	0.01	not set	230	-	-
fenpyroximate	Whole	0.01	not set	230	-	-
fenthion	Whole	0.01	not set	230	-	-
fenvvalerate	Whole	0.01	2	230	0	0
fipronil	Whole	0.002	not set	230	-	-
flonicamid	Whole	0.01	not set	230	-	-
fluensulfone	Whole	0.01	0.05	230	0	0
flupyradifurone	Whole	0.01	0.2	230	0	0
hexythiazox	Whole	0.01	not set	230	-	-
imidaclorpid	Whole	0.01	0.05	230	0	0
indoxacarb	Whole	0.01	not set	230	-	-
malathion	Whole	0.01	8	230	0	0
methacrifos	Whole	0.01	not set	230	-	-
methamidophos	Whole	0.01	not set	230	-	-
methidathion	Whole	0.01	not set	230	-	-
methiocarb	Whole	0.01	not set	230	-	-
methomyl	Whole	0.01	0.1	230	0	0
methoprene	Whole	0.01	2	230	0	0
methoxychlor	Whole	0.01	not set	230	-	-
methoxyfenozide	Whole	0.01	not set	230	-	-
mevinphos	Whole	0.01	not set	230	-	-
monocrotophos	Whole	0.01	not set	230	-	-
omethoate	Whole	0.01	0.05	230	0	0
parathion	Whole	0.01	not set	230	-	-
parathion-methyl	Whole	0.01	not set	230	-	-
permethrin	Whole	0.01	2	230	0	0
phenothrin	Whole	0.01	not set	230	-	-

phorate	Whole	0.01	not set	230	-	-
phosmet	Whole	0.01	0.05	230	0	0
piperonyl butoxide	Whole	0.01	20	230	0	0
pirimicarb	Whole	0.01	0.02	230	0	0
pirimiphos-methyl	Whole	0.01	7	230	0	0
profenofos	Whole	0.01	not set	230	-	-
propargite	Whole	0.01	not set	230	-	-
prothiofos	Whole	0.01	not set	230	-	-
pymetrozine	Whole	0.01	not set	230	-	-
pyrethrins	Whole	0.01	3	230	0	0
pyriproxyfen	Whole	0.01	not set	230	-	-
spinetoram	Whole	0.01	not set	230	-	-
spinosad	Whole	0.01	1	230	0	0
spirotetramat	Whole	0.01	not set	230	-	-
sulfoxaflor	Whole	0.01	0.01	230	0	0
tau-fluvalinate	Whole	0.01	not set	230	-	-
tebufenozide	Whole	0.01	not set	230	-	-
tebufenpyrad	Whole	0.01	not set	230	-	-
terbufos	Whole	0.01	0.01	230	0	0
tetradifon	Whole	0.01	not set	230	-	-
thiacloprid	Whole	0.01	not set	230	-	-
thiamethoxam	Whole	0.01	0.01	230	0	0
thiodicarb	Whole	0.01	not set	230	-	-
triazofos	Whole	0.01	not set	230	-	-
trichlorfon	Whole	0.01	0.1	230	0	0
triflumuron	Whole	0.01	0.05	230	0	0

Table 5: PHYSIOLOGICAL MODIFIER

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
forchlorfenuron	Whole	0.01	not set	230	-	-
prohexadione-calcium	Whole	0.01	not set	230	-	-
trinexapac-ethyl	Whole	0.01	0.2	230	0	0