



# Pear residue testing annual datasets 2018–19

National Residue Survey, Department of Agriculture

## Dataset abbreviations

**LOR** Limit of reporting.

**MRL** Maximum residue limit.

**no limit** No Australian standard applicable for the contaminant. The ‘as low as reasonably achievable’ principle applies. Detections at low levels are allowable.

**not defined** Standards are not defined in inedible matrixes (urine and faeces).

**not set** No Australian standard has been set for the chemical in the edible matrix and any detection is a contravention of the Australia New Zealand Food Standards Code.

## Disclaimer

Although the Australian Government has exercised due care and skill in the preparation and compilation of this publication, it does not warrant its accuracy, completeness, currency or suitability for any purpose. To the maximum extent permitted by law, the Australian Government disclaims all liability, including liability in negligence for any loss, damage, cost or expense incurred by persons as a result of accessing, using or relying on any of the information or data set out in this publication. Before relying on the material in any matters, users should carefully evaluate its accuracy, currency, completeness and relevance for the purposes intended, and should obtain any appropriate professional advice relevant to their particular circumstances.

**Table 1 Fungicides**

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
2-phenylphenol	whole	0.05	not set	76	–	0
azoxystrobin	whole	0.01	not set	76	–	0
benalaxyl	whole	0.01	not set	76	–	0
bitertanol	whole	0.01	not set	76	–	0
boscalid	whole	0.01	2	76	0	0
bupirimate	whole	0.01	not set	76	–	0
captafol	whole	0.05	not set	76	–	0
captan	whole	0.05	10	76	0	0
carbendazim	whole	0.01	not set	76	–	1
chlorothalonil	whole	0.01	not set	76	–	0
cyproconazole	whole	0.01	not set	76	–	0
cyprodinil	whole	0.01	0.05	76	0	0

Pear residue testing annual datasets 2018–19

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
difenoconazole	whole	0.01	0.3	76	0	0
dimethomorph (sum of E and Z isomers)	whole	0.01	not set	76	–	0
dithianon	whole	0.01	2	76	0	0
dithiocarbamates	whole	0.2	3	76	2	0
dodine	whole	0.01	5	76	0	0
epoxiconazole	whole	0.01	not set	76	–	0
etridiazole	whole	0.01	not set	76	–	0
fenarimol	whole	0.01	not set	76	–	0
fenbuconazole	whole	0.01	not set	76	–	0
fenhexamid	whole	0.01	not set	76	–	0
fluazinam	whole	0.01	0.01	76	0	0
fludioxonil	whole	0.01	5	76	0	0
fluopyram	whole	0.01	1	76	0	0
fluquinconazole	whole	0.01	0.3	76	0	0
flusilazole	whole	0.01	0.2	76	0	0
flutriafol	whole	0.01	0.5	76	0	0
hexaconazole	whole	0.01	0.1	76	0	0
imazalil	whole	0.01	5	76	1	0
iprodione	whole	0.05	3	76	1	0
kresoxim-methyl	whole	0.01	0.1	76	0	0
mandestrobin	whole	0.01	not set	76	–	0
metalaxyl	whole	0.01	0.2	76	0	0
metrafenone	whole	0.01	not set	76	–	0
myclobutanil	whole	0.01	0.5	76	0	0
oxadixyl	whole	0.01	not set	76	–	0
paclobutrazol	whole	0.01	1	76	0	0
penconazole	whole	0.01	0.1	76	0	0
penthiopyrad	whole	0.01	0.5	76	0	0
prochloraz	whole	0.01	not set	76	–	0
procymidone	whole	0.01	1	76	0	0
propiconazole	whole	0.01	not set	76	–	0
prothioconazole	whole	0.05	not set	76	–	0
pyraclostrobin	whole	0.01	1	76	0	0
pyrimethanil	whole	0.01	15	76	0	0
tebuconazole	whole	0.01	0.01	76	0	0
thiabendazole-P	whole	0.01	10	76	0	0
tolclofos methyl	whole	0.01	not set	76	–	0
triadimefon	whole	0.01	not set	76	–	0

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
triadimenol	whole	0.01	not set	76	–	0
trifloxystrobin	whole	0.01	0.7	76	1	0
triforine	whole	0.01	1	76	0	0
triticonazole	whole	0.01	not set	76	–	0
vinclozolin	whole	0.01	not set	76	–	0

**Table 2 Herbicides**

Chemical	Matrix	LOR (mg/kg)	Australian standard (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
2,2-DPA (2,2-dichloropropionic acid)	whole	0.05	0.1	76	0	0
2,4-D	whole	0.01	0.05	76	0	0
atrazine	whole	0.01	not set	76	–	0
bromacil	whole	0.01	not set	76	–	0
bromoxynil	whole	0.01	not set	76	–	0
carfentrazone-ethyl	whole	0.01	0.05	76	0	0
chlorpropham	whole	0.05	not set	76	–	0
chlorsulfuron	whole	0.01	not set	76	–	0
chlorthal-dimethyl	whole	0.01	not set	76	–	0
clethodim (parent only)	whole	0.01	not set	76	–	0
clodinafop-propargyl	whole	0.01	not set	76	–	0
clopyralid	whole	0.05	not set	76	–	0
cyanazine	whole	0.01	not set	76	–	0
dicamba	whole	0.01	not set	76	–	0
dichlobenil	whole	0.01	0.1	76	0	0
dichlorprop-P	whole	0.01	not set	76	–	0
diflufenican	whole	0.01	not set	76	–	0
diuron	whole	0.01	not set	76	–	0
ethofumesate	whole	0.01	not set	76	–	0
flumioxazin	whole	0.02	0.02	76	0	0
iodosulfuron-methyl	whole	0.01	not set	76	–	0
ioxynil	whole	0.01	not set	76	–	0
isoxaben	whole	0.01	0.01	76	0	0
linuron	whole	0.05	not set	76	–	0
MCPA	whole	0.01	not set	76	–	0
methabenzthiazuron	whole	0.01	not set	76	–	0
metolachlor	whole	0.01	not set	76	–	0
metosulam	whole	0.01	not set	76	–	0
metribuzin	whole	0.01	not set	76	–	0

Pear residue testing annual datasets 2018–19

Chemical	Matrix	LOR (mg/kg)	Australian standard (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
metsulfuron-methyl	whole	0.01	not set	76	–	0
napropamide	whole	0.01	not set	76	–	0
norflurazon	whole	0.01	0.2	76	0	0
oryzalin	whole	0.01	0.1	76	0	0
oxyfluorfen	whole	0.01	0.05	76	0	0
pendimethalin	whole	0.01	0.05	76	0	0
picloram	whole	0.01	not set	76	–	0
propachlor	whole	0.01	not set	76	–	0
propyzamide	whole	0.01	not set	76	–	0
quizalofop-ethyl	whole	0.01	not set	76	–	0
quizalofop-P-tefuryl	whole	0.01	not set	76	–	0
saflufenacil	whole	0.01	0.03	76	0	0
sethoxydim	whole	0.01	not set	76	–	0
simazine	whole	0.01	0.1	76	0	0
tralkoxydim	whole	0.01	not set	76	–	0
triasulfuron	whole	0.01	not set	76	–	0
triclopyr	whole	0.01	not set	76	–	0
trifluralin	whole	0.01	0.05	76	0	0

**Table 3 Insecticides**

Chemical	Matrix	LOR (mg/kg)	Australian standard (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
abamectin	whole	0.01	0.01	76	0	0
acephate	whole	0.05	not set	76	–	0
acetamiprid-P	whole	0.01	0.3	76	0	0
aldicarb	whole	0.01	not set	76	–	0
amitraz	whole	0.01	not set	76	–	0
azamethiphos	whole	0.01	not set	76	–	0
azinphos-methyl	whole	0.01	1	76	0	0
bifenazate	whole	0.01	2	76	0	0
bifenthrin	whole	0.01	0.5	76	0	0
bioresmethrin	whole	0.01	not set	76	–	0
buprofezin	whole	0.01	0.2	76	0	0
cadusafos	whole	0.005	not set	76	–	0
carbaryl	whole	0.01	0.2	76	0	0
carbofuran	whole	0.005	not set	76	–	0
chlorantraniliprole	whole	0.01	0.3	76	1	0
chlorfenapyr	whole	0.01	0.5	76	0	0

Pear residue testing annual datasets 2018–19

Chemical	Matrix	LOR (mg/kg)	Australian standard (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
chlorfenvinphos (sum of isomers)	whole	0.01	not set	76	–	0
chlorpyrifos	whole	0.01	0.5	76	0	0
chlorpyrifos-methyl	whole	0.01	not set	76	–	0
clofentezine	whole	0.01	0.1	76	0	0
clothianidin	whole	0.01	2	76	0	0
cyantraniliprole	whole	0.01	0.05	76	0	0
cyfluthrin (sum of isomers)	whole	0.01	not set	76	–	0
cyhalothrin (sum of isomers)	whole	0.01	not set	76	–	0
cypermethrin (sum of isomers)	whole	0.01	1	76	0	0
deltamethrin	whole	0.01	not set	76	–	0
diazinon	whole	0.01	0.5	76	0	0
dichlorvos	whole	0.01	0.1	76	0	0
dicofol	whole	0.01	5	76	0	0
diflubenzuron	whole	0.01	not set	76	–	0
dimethoate	whole	0.01	not set	76	–	0
disulfoton	whole	0.01	not set	76	–	0
emamectin	whole	0.005	not set	76	–	0
esfenvalerate	whole	0.01	not set	76	–	0
ethion	whole	0.01	1	76	0	0
ethoprophos	whole	0.005	not set	76	–	0
etoxazole	whole	0.01	0.2	76	0	0
fenamiphos	whole	0.01	not set	76	–	0
fenbutatin oxide	whole	0.01	3	76	0	0
fenitrothion	whole	0.01	not set	76	–	0
fenoxycarb	whole	0.01	2	76	0	0
fenpyroximate	whole	0.01	0.3	76	0	0
fenthion	whole	0.01	not set	76	–	0
fenvalerate (sum of isomers)	whole	0.01	not set	76	–	0
fipronil	whole	0.01	not set	76	–	0
flonicamid	whole	0.01	0.7	76	0	0
hexythiazox	whole	0.01	1	76	0	0
imidacloprid	whole	0.01	not set	76	–	0
indoxacarb	whole	0.01	2	76	0	0
malathion (maldison)	whole	0.01	2	76	0	0
metaldehyde	whole	0.05	1	76	0	0
methacrifos	whole	0.01	not set	76	–	0

Pear residue testing annual datasets 2018–19

Chemical	Matrix	LOR (mg/kg)	Australian standard (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
methamidophos	whole	0.01	not set	76	–	0
methidathion	whole	0.01	0.2	76	0	0
methiocarb	whole	0.01	0.1	76	0	0
methomyl	whole	0.01	3	76	0	0
methoprene	whole	0.01	not set	76	–	0
methoxychlor	whole	0.01	not set	76	–	0
methoxyfenozide	whole	0.01	0.5	76	0	0
mevinphos	whole	0.01	not set	76	–	0
monocrotophos	whole	0.01	not set	76	–	0
novaluron	whole	0.01	0.3	76	1	0
omethoate	whole	0.01	2	76	0	0
parathion	whole	0.01	not set	76	–	0
parathion-methyl	whole	0.01	not set	76	–	0
permethrin (sum of isomers)	whole	0.01	not set	76	–	0
phenothrin (sum of isomers)	whole	0.01	not set	76	–	0
phorate	whole	0.01	not set	76	–	0
phosmet	whole	0.01	not set	76	–	0
piperonyl butoxide	whole	0.01	8	76	0	0
pirimicarb	whole	0.01	0.5	76	0	0
pirimiphos-methyl	whole	0.01	not set	76	–	0
profenofos	whole	0.01	not set	76	–	0
propargite	whole	0.01	3	76	0	0
prothiofos	whole	0.01	0.05	76	0	0
pymetrozine	whole	0.01	not set	76	–	0
pyrethrins	whole	0.05	1	76	0	0
pyridaben	whole	0.02	0.5	76	0	0
pyriproxyfen	whole	0.01	not set	76	–	0
spinetoram	whole	0.01	0.1	76	0	0
spinosad	whole	0.01	0.5	76	0	0
spirotetramat	whole	0.01	0.5	76	0	0
sulfoxaflor	whole	0.01	0.5	76	0	0
tau-fluvalinate	whole	0.01	not set	76	–	0
tebufenozide	whole	0.01	1	76	0	0
tebufenpyrad	whole	0.01	1	76	0	0
terbufos	whole	0.01	not set	76	–	0
tetradifon	whole	0.01	not set	76	–	0
thiacloprid	whole	0.01	1	76	1	0
thiamethoxam	whole	0.01	not set	76	–	0

Chemical	Matrix	LOR (mg/kg)	Australian standard (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
thiodicarb	whole	0.01	not set	76	–	0
triazofos	whole	0.01	not set	76	–	0
trichlorfon	whole	0.01	0.1	76	0	0
triflumuron	whole	0.01	not set	76	–	0

**Table 4 Contaminants**

Chemical	Matrix	LOR (mg/kg)	Australian standard (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
aldrin and dieldrin (HHDN+HEOD)	whole	0.01	0.05	76	0	0
chlordane	whole	0.01	0.02	76	0	0
DDT	whole	0.01	1	76	0	0
endosulfan	whole	0.01	not set	76	–	0
endrin	whole	0.01	not set	76	–	0
HCB (hexachlorobenzene)	whole	0.01	not set	76	–	0
HCH (BHC)	whole	0.01	not set	76	–	0
heptachlor	whole	0.01	not set	76	–	0
lindane (gamma-HCH)	whole	0.01	0.5	76	0	0
mirex	whole	0.01	not set	76	–	0

**Table 5 Physiological modifier**

Chemical	Matrix	LOR (mg/kg)	Australian standard (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
diphenylamine	whole	0.01	7	76	2	0