



# Wheat (durum) residue testing annual datasets 2019–20

National Residue Survey, Department of Agriculture, Water and the Environment

## Dataset abbreviations

**LOR** Limit of reporting.

**MRL** Maximum residue limit.

**no limit** No Australian standard applicable for the contaminant. The ‘as low as reasonably achievable’ principle applies. Detections at low levels are allowable.

**not defined** Standards are not defined in inedible matrixes (urine and faeces).

**Not Set** No Australian standard has been set for the chemical in the edible matrix and any detection is a contravention of the Australia New Zealand Food Standards Code.

## Disclaimer

Although the Australian Government has exercised due care and skill in the preparation and compilation of this publication, it does not warrant its accuracy, completeness, currency or suitability for any purpose. To the maximum extent permitted by law, the Australian Government disclaims all liability, including liability in negligence for any loss, damage, cost or expense incurred by persons as a result of accessing, using or relying on any of the information or data set out in this publication. Before relying on the material in any matters, users should carefully evaluate its accuracy, currency, completeness and relevance for the purposes intended, and should obtain any appropriate professional advice relevant to their particular circumstances.

**Table 1 Fungicides**

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
azoxystrobin	whole	0.01	0.02	44	0	0
benalaxyl	whole	0.01	not set	44	–	0
bitertanol	whole	0.01	not set	44	–	0
bixafen	whole	0.01	0.01	44	0	0
boscalid	whole	0.01	0.5	44	0	0
bupirimate	whole	0.01	not set	44	–	0
captafol	whole	0.02	not set	44	–	0
captan	whole	0.01	not set	44	–	0
carbendazim	whole	0.01	not set	44	–	0
carboxin	whole	0.01	0.1	44	0	0

## Wheat durum residue testing annual datasets 2019–20

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
chlorothalonil	whole	0.01	not set	44	–	0
cyproconazole	whole	0.01	0.02	44	0	0
cyprodinil	whole	0.01	not set	44	–	0
difenoconazole	whole	0.01	0.01	44	0	0
dimethomorph (sum of E and Z isomers)	whole	0.01	not set	44	–	0
dithianon	whole	0.01	not set	44	–	0
dodine	whole	0.01	not set	44	–	0
epoxiconazole	whole	0.01	0.05	44	0	0
etridiazole	whole	0.01	not set	44	–	0
fenarimol	whole	0.01	not set	44	–	0
fenbuconazole	whole	0.01	0.01	44	0	0
fenhexamid	whole	0.01	not set	44	–	0
fluazinam	whole	0.01	not set	44	–	0
fludioxonil	whole	0.01	not set	44	–	0
fluquinconazole	whole	0.01	0.02	44	0	0
flusilazole	whole	0.01	not set	44	–	0
flutriafol	whole	0.01	0.1	44	0	0
fluxapyroxad	whole	0.01	0.1	44	0	0
hexaconazole	whole	0.01	not set	44	–	0
imazalil	whole	0.01	not set	44	–	0
ipconazole	whole	0.01	0.01	44	0	0
iprodione	whole	0.01	not set	44	–	0
isoprothiolane	whole	0.01	not set	44	–	0
kresoxim-methyl	whole	0.01	not set	44	–	0
metalaxyl	whole	0.01	0.01	44	0	0
myclobutanil	whole	0.01	not set	44	–	0
oxadixyl	whole	0.01	not set	44	–	0
penconazole	whole	0.01	not set	44	–	0
penflufen	whole	0.01	0.01	44	0	0
prochloraz	whole	0.01	not set	44	–	0
procymidone	whole	0.01	not set	44	–	0
propiconazole	whole	0.01	0.05	44	0	0
prothioconazole	whole	0.01	0.3	44	0	0
pyraclostrobin	whole	0.01	0.01	44	0	0
pyrimethanil	whole	0.01	not set	44	–	0
quinoxifen	whole	0.01	not set	44	–	0
sedaxane	whole	0.01	0.01	44	0	0
spiroxamine	whole	0.01	not set	44	–	0
tebuconazole	whole	0.01	0.2	44	0	0

## Wheat durum residue testing annual datasets 2019–20

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
thiabendazole	whole	0.01	not set	44	–	0
tolclofos methyl	whole	0.01	not set	44	–	0
triadimefon	whole	0.01	0.5	44	0	0
triadimenol	whole	0.01	0.01	44	0	0
trifloxystrobin	whole	0.01	not set	44	–	0
triticonazole	whole	0.01	0.05	44	0	0
vinclozolin	whole	0.01	not set	44	–	0

**Table 2 Herbicides**

Chemical	Matrix	LOR (mg/kg)	Australian standard (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
2,2-DPA (2,2-dichloropropionic acid)	whole	0.01	0.1	44	0	0
2,4-D	whole	0.01	0.2	44	0	0
2,4-DB	whole	0.01	0.02	44	0	0
aminopyralid	whole	0.01	0.1	44	0	0
amitrole	whole	0.01	0.01	2	0	0
atrazine	whole	0.01	not set	44	–	0
bentazone	whole	0.01	not set	44	–	0
bromacil	whole	0.01	not set	44	–	0
bromoxynil	whole	0.01	0.2	44	0	0
butoxydim	whole	0.01	not set	44	–	0
carfentrazone-ethyl	whole	0.01	0.05	44	0	0
chlormequat	whole	0.01	5	2	0	0
chlorpropham	whole	0.01	not set	44	–	0
chlorsulfuron	whole	0.01	0.05	44	0	0
chlorthal-dimethyl	whole	0.01	not set	44	–	0
clethodim (parent only)	whole	0.01	0.1	44	0	0
clodinafop-propargyl	whole	0.01	0.05	44	0	0
clopyralid	whole	0.01	2	44	0	0
cyanazine	whole	0.01	0.01	44	0	0
dicamba	whole	0.01	0.05	44	0	0
dichlobenil	whole	0.01	not set	44	–	0
dichlorprop-P	whole	0.01	not set	2	–	0
diclofop-methyl	whole	0.01	0.1	2	0	0
diflufenican	whole	0.01	0.02	44	0	0
diquat	whole	0.01	2	2	0	0
diuron	whole	0.01	0.1	44	0	0
ethofumesate	whole	0.01	not set	44	–	0
fenoxaprop-ethyl	whole	0.01	0.01	44	0	0

## Wheat durum residue testing annual datasets 2019–20

Chemical	Matrix	LOR (mg/kg)	Australian standard (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
flamprop-M-methyl	whole	0.01	0.05	2	0	0
fluazifop-p-butyl	whole	0.01	not set	2	–	0
flumetsulam	whole	0.01	0.05	44	0	0
flumioxazin	whole	0.01	0.05	44	0	0
fluroxypyr	whole	0.01	0.2	44	0	0
glufosinate	whole	0.01	not set	2	–	0
glyphosate	whole	0.01	5	2	0	0
haloxyfop	whole	0.01	not set	2	–	0
imazamox	whole	0.01	0.05	44	0	0
imazapic	whole	0.01	0.05	44	0	0
imazapyr	whole	0.01	0.05	44	0	0
imazaquin	whole	0.01	not set	44	–	0
imazethapyr	whole	0.01	not set	44	–	0
iodosulfuron-methyl	whole	0.01	0.01	44	0	0
ioxynil	whole	0.01	not set	44	–	0
isoxaben	whole	0.01	0.01	44	0	0
linuron	whole	0.01	0.05	44	0	0
MCPA	whole	0.01	0.02	44	0	0
methabenzthiazuron	whole	0.01	not set	44	–	0
metolachlor	whole	0.01	0.02	44	0	0
metosulam	whole	0.01	0.02	44	0	0
metribuzin	whole	0.01	0.05	44	0	0
metsulfuron-methyl	whole	0.01	0.02	44	0	0
napropamide	whole	0.01	not set	44	–	0
norflurazon	whole	0.01	not set	44	–	0
oryzalin	whole	0.01	0.01	44	0	0
oxyfluorfen	whole	0.01	0.05	44	0	0
paraquat	whole	0.01	0.05	2	0	0
pendimethalin	whole	0.01	0.05	44	0	0
picloram	whole	0.01	0.2	44	0	0
propachlor	whole	0.01	0.05	44	0	0
propaquizafop	whole	0.01	not set	2	–	0
propyzamide	whole	0.01	not set	44	–	0
quizalofop-ethyl	whole	0.01	not set	2	–	0
quizalofop-P-tefuryl	whole	0.01	not set	2	–	0
saflufenacil	whole	0.01	0.2	44	0	0
sethoxydim	whole	0.01	0.1	44	0	0
simazine	whole	0.01	not set	44	–	0
terbutryn	whole	0.01	0.1	44	0	0

## Wheat durum residue testing annual datasets 2019–20

Chemical	Matrix	LOR (mg/kg)	Australian standard (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
tralkoxydim	whole	0.01	0.02	44	0	0
triallate	whole	0.01	0.05	44	0	0
triasulfuron	whole	0.01	0.02	44	0	0
triclopyr	whole	0.01	not set	44	–	0
trifluralin	whole	0.01	0.05	44	0	0

**Table 3 Insecticides**

Chemical	Matrix	LOR (mg/kg)	Australian standard (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
abamectin	whole	0.01	not set	44	–	0
acephate	whole	0.01	not set	44	–	0
acetamiprid	whole	0.01	not set	44	–	0
aldicarb	whole	0.01	not set	44	–	0
amitraz	whole	0.01	not set	44	–	0
azamethiphos	whole	0.01	0.1	44	0	0
azinphos-methyl	whole	0.01	not set	44	–	0
bifenazate	whole	0.01	not set	44	–	0
bifenthrin	whole	0.01	0.02	44	0	0
bioresmethrin	whole	0.01	not set	44	–	0
buprofezin	whole	0.01	not set	44	–	0
cadusafos	whole	0.01	not set	44	–	0
carbaryl	whole	0.01	5	44	0	0
carbofuran	whole	0.01	0.2	44	0	0
chlorantraniliprole	whole	0.01	0.1	44	0	0
chlorfenapyr	whole	0.01	not set	44	–	0
chlorfenvinphos (sum of isomers)	whole	0.01	0.05	44	0	0
chlorpyrifos	whole	0.01	0.1	44	0	0
chlorpyrifos-methyl	whole	0.01	10	44	0	0
clofentezine	whole	0.01	not set	44	–	0
clothianidin	whole	0.01	0.02	44	0	0
cyfluthrin (sum of isomers)	whole	0.01	2	44	0	0
cyhalothrin (sum of isomers)	whole	0.01	0.05	44	0	0
cypermethrin (sum of isomers)	whole	0.01	0.2	44	0	0
deltamethrin	whole	0.01	2	44	0	0
diafenthiuron	whole	0.01	not set	44	–	0
diazinon	whole	0.01	0.1	44	0	0
dichlorvos	whole	0.01	0.01	44	0	0

## Wheat durum residue testing annual datasets 2019–20

Chemical	Matrix	LOR (mg/kg)	Australian standard (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
dicofol	whole	0.01	not set	44	–	0
diflubenzuron	whole	0.01	not set	44	–	0
dimethoate	whole	0.01	0.05	44	0	0
disulfoton	whole	0.01	not set	44	–	0
emamectin	whole	0.01	0.01	44	0	0
esfenvalerate	whole	0.01	2	44	0	0
ethion	whole	0.01	not set	44	–	0
ethoprophos	whole	0.005	0.005	44	0	0
etoxazole	whole	0.01	not set	44	–	0
fenamiphos	whole	0.01	not set	44	–	0
fenbutatin oxide	whole	0.01	not set	44	–	0
fenitrothion	whole	0.01	10	44	0	0
fenoxycarb	whole	0.01	not set	44	–	0
fenpyroximate	whole	0.01	not set	44	–	0
fenthion	whole	0.01	not set	44	–	0
fenvalerate (sum of isomers)	whole	0.01	2	44	0	0
fipronil	whole	0.002	not set	44	–	0
hexythiazox	whole	0.01	not set	44	–	0
imidacloprid	whole	0.01	0.05	44	0	0
indoxacarb	whole	0.01	not set	44	–	0
malathion (maldison)	whole	0.01	8	44	0	0
methacrifos	whole	0.01	not set	44	–	0
methamidophos	whole	0.01	not set	44	–	0
methidathion	whole	0.01	0.01	44	0	0
methiocarb	whole	0.01	not set	44	–	0
methomyl	whole	0.01	0.1	44	0	0
methoprene	whole	0.01	2	44	0	0
methoxychlor	whole	0.01	not set	44	–	0
methoxyfenozide	whole	0.01	not set	44	–	0
mevinphos	whole	0.01	not set	44	–	0
monocrotophos	whole	0.01	not set	44	–	0
omethoate	whole	0.01	0.05	44	0	0
parathion	whole	0.01	not set	44	–	0
parathion-methyl	whole	0.01	not set	44	–	0
permethrin (sum of isomers)	whole	0.01	2	44	0	0
phenothrin (sum of isomers)	whole	0.01	2	44	0	0
phorate	whole	0.01	not set	44	–	0
phosmet	whole	0.01	0.05	44	0	0

## Wheat durum residue testing annual datasets 2019–20

Chemical	Matrix	LOR (mg/kg)	Australian standard (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
piperonyl butoxide	whole	0.01	20	44	0	0
pirimicarb	whole	0.01	0.02	44	0	0
pirimiphos-methyl	whole	0.01	10	44	0	0
profenofos	whole	0.01	not set	44	–	0
propargite	whole	0.01	not set	44	–	0
prothiofos	whole	0.01	not set	44	–	0
pymetrozine	whole	0.01	not set	44	–	0
pyrethrins	whole	0.01	3	44	0	0
pyriproxyfen	whole	0.01	not set	44	–	0
spinetoram	whole	0.01	not set	44	–	0
spinosad	whole	0.01	1	44	0	0
spirotetramat	whole	0.01	not set	44	–	0
sulfoxaflor	whole	0.01	0.01	44	0	0
tau-fluvalinate	whole	0.01	not set	44	–	0
tebufenozide	whole	0.01	not set	44	–	0
tebufenpyrad	whole	0.01	not set	44	–	0
terbufos	whole	0.01	0.01	44	0	0
tetradifon	whole	0.01	not set	44	–	0
thiacloprid	whole	0.01	not set	44	–	0
thiamethoxam	whole	0.01	0.01	44	0	0
thiodicarb	whole	0.01	not set	44	–	0
triazofos	whole	0.01	not set	44	–	0
trichlorfon	whole	0.01	0.1	44	0	0
triflumuron	whole	0.01	0.05	44	0	0

**Table 4 Contaminants**

Chemical	Matrix	LOR (mg/kg)	Australian standard (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
aldrin and dieldrin (HHDN+HEOD)	whole	0.01	0.02	44	0	0
chlordane	whole	0.01	0.02	44	0	0
DDT	whole	0.01	0.1	44	0	0
endosulfan	whole	0.01	not set	44	–	0
endrin	whole	0.01	not set	44	–	0
HCB (hexachlorobenzene)	whole	0.01	0.05	44	0	0
HCH (BHC)	whole	0.01	0.1	44	0	0
heptachlor	whole	0.01	0.02	44	0	0
lindane (gamma-HCH)	whole	0.01	0.5	44	0	0
mirex	whole	0.01	not set	44	–	0