



# Canola residue testing annual datasets

## 2017–18

National Residue Survey, Department of Agriculture and Water Resources

### Dataset abbreviations

**LOR** Limit of reporting.

**MRL** Maximum residue limit.

**no limit** No Australian standard applicable for the contaminant. The ‘as low as reasonably achievable’ principle applies. Detections at low levels are allowable.

**not defined** Standards are not defined in inedible matrixes (urine and faeces).

**not set** No Australian standard has been set for the chemical in the edible matrix and any detection is a contravention of the Australia New Zealand Food Standards Code.

### Disclaimer

Although the Australian Government has exercised due care and skill in the preparation and compilation of this publication, it does not warrant its accuracy, completeness, currency or suitability for any purpose. To the maximum extent permitted by law, the Australian Government disclaims all liability, including liability in negligence for any loss, damage, cost or expense incurred by persons as a result of accessing, using or relying on any of the information or data set out in this publication. Before relying on the material in any matters, users should carefully evaluate its accuracy, currency, completeness and relevance for the purposes intended, and should obtain any appropriate professional advice relevant to their particular circumstances.

**Table 1 Fungicides**

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
azoxystrobin	whole	0.01	0.01	513	0	0
benalaxyl	whole	0.01	not set	513	-	0
bitertanol	whole	0.01	not set	513	-	0
boscalid	whole	0.01	0.5	513	0	0
bupirimate	whole	0.01	not set	513	-	0
captafol	whole	0.02	not set	513	-	0
captan	whole	0.01	not set	513	-	0
carbendazim	whole	0.01	not set	513	-	1
chlorothalonil	whole	0.01	not set	513	-	0
ciproconazole	whole	0.01	0.02	513	0	0
ciprodinil	whole	0.01	not set	513	-	0
difenoconazole	whole	0.01	not set	513	-	0

Canola residue testing annual datasets 2017–18

<b>Chemical</b>	<b>Matrix</b>	<b>LOR (mg/kg)</b>	<b>MRL (mg/kg)</b>	<b>No. of samples tested</b>	<b>&gt; ½ MRL to ≤ MRL</b>	<b>&gt; MRL</b>
dimethomorph (sum of E and Z isomers)	whole	0.01	not set	513	-	0
dithianon	whole	0.01	not set	513	-	0
dodine	whole	0.01	not set	513	-	0
epoxiconazole	whole	0.01	not set	513	-	0
etridiazole	whole	0.01	not set	513	-	0
fenarimol	whole	0.01	not set	513	-	0
fenhexamid	whole	0.01	not set	513	-	0
fluazinam	whole	0.01	not set	513	-	0
fludioxonil	whole	0.01	0.01	513	0	0
fluquinconazole	whole	0.01	0.01	513	0	0
flusilazole	whole	0.01	not set	513	-	0
flutriafol	whole	0.01	0.07	513	2	3
fluxapyroxad	whole	0.01	0.1	513	0	0
hexaconazole	whole	0.01	not set	513	-	0
imazalil	whole	0.01	not set	513	-	0
ipconazole	whole	0.01	not set	513	-	0
iprodione	whole	0.01	0.5	513	0	0
kresoxim-methyl	whole	0.01	not set	513	-	0
metalaxyll	whole	0.01	not set	513	-	0
myclobutanil	whole	0.01	not set	513	-	0
oxadixyl	whole	0.01	not set	513	-	0
penconazole	whole	0.01	not set	513	-	0
prochloraz	whole	0.01	not set	513	-	0
procymidone	whole	0.01	1	513	0	0
propiconazole	whole	0.01	not set	513	-	0
prothioconazole	whole	0.01	0.02	513	0	0
pyraclostrobin	whole	0.01	not set	513	-	0
pyrimethanil	whole	0.01	not set	513	-	0
quinoxyfen	whole	0.01	not set	513	-	0
spiroxamine-P	whole	0.01	not set	513	-	0
tebuconazole	whole	0.01	0.3	513	0	0
thiabendazole-P	whole	0.01	not set	513	-	0
tolclofos methyl	whole	0.01	not set	513	-	0
triadimefon	whole	0.01	not set	513	-	0
triadimenol	whole	0.01	not set	513	-	0
trifloxystrobin	whole	0.01	0.02	513	0	0
triticonazole	whole	0.01	not set	513	-	0
vinclozolin	whole	0.01	not set	513	-	0

**Table 2 Herbicides**

<b>Chemical</b>	<b>Matrix</b>	<b>LOR (mg/kg)</b>	<b>Australian standard (mg/kg)</b>	<b>No. of samples tested</b>	<b>&gt; ½ MRL to ≤ MRL</b>	<b>&gt; MRL</b>
2,2-DPA (2,2-dichloropropionic acid)	whole	0.01	not set	513	-	0
2,4-D	whole	0.01	0.05	513	0	0
amitrole	whole	0.01	0.01	231	0	0
atrazine	whole	0.01	0.02	513	0	0
bromacil	whole	0.01	not set	513	-	0
bromoxynil	whole	0.01	not set	513	-	0
carfentrazone-ethyl	whole	0.01	not set	513	-	0
chlorpropham	whole	0.01	not set	513	-	0
chlorsulfuron	whole	0.01	not set	513	-	0
chlorthal-dimethyl	whole	0.01	not set	513	-	0
clethodim (parent only)	whole	0.01	0.5	513	0	0
clodinafop-propargyl	whole	0.01	not set	513	-	0
clopyralid	whole	0.01	0.5	513	0	0
cyanazine	whole	0.01	not set	513	-	0
dicamba	whole	0.01	not set	513	-	0
dichlobenil	whole	0.01	not set	513	-	0
dichlorprop-P	whole	0.01	not set	513	-	0
diclofop-methyl	whole	0.01	0.1	231	0	0
diflufenican	whole	0.01	not set	513	-	0
diquat	whole	0.01	5	231	0	0
diuron	whole	0.01	0.5	513	0	0
ethofumesate	whole	0.01	not set	513	-	0
fenoxaprop-ethyl	whole	0.01	not set	231	-	0
flamprop-M-methyl	whole	0.01	not set	231	-	0
fluazifop-p-butyl	whole	0.01	0.5	231	0	0
flumetsulam	whole	0.01	not set	513	-	0
glufosinate	whole	0.01	0.05	231	0	0
glyphosate	whole	0.01	20	231	0	0
haloxyfop	whole	0.01	0.1	231	20	20
imazamox	whole	0.01	0.05	513	0	0
imazapic	whole	0.01	0.05	513	0	0
imazapyr	whole	0.01	0.05	513	0	0
imazaquin	whole	0.01	not set	513	-	0
imazethapyr	whole	0.01	not set	513	-	0
iodosulfuron-methyl	whole	0.01	not set	513	-	0
ioxynil	whole	0.01	not set	513	-	0
isoxaben	whole	0.01	not set	513	-	0
linuron	whole	0.01	not set	513	-	0

<b>Chemical</b>	<b>Matrix</b>	<b>LOR (mg/kg)</b>	<b>Australian standard (mg/kg)</b>	<b>No. of samples tested</b>	<b>&gt; ½ MRL to ≤ MRL</b>	<b>&gt; MRL</b>
MCPA	whole	0.01	not set	513	-	0
methabenzthiazuron	whole	0.01	not set	513	-	0
metolachlor	whole	0.01	0.02	513	0	0
metosulam	whole	0.01	not set	513	-	0
metribuzin	whole	0.01	0.02	513	0	0
metsulfuron-methyl	whole	0.01	not set	513	-	0
napropamide	whole	0.01	0.01	513	0	0
norflurazon	whole	0.01	not set	513	-	0
oryzalin	whole	0.01	0.05	513	0	0
oxyfluorfen	whole	0.01	not set	513	-	0
paraquat	whole	0.01	0.05	231	0	0
pendimethalin	whole	0.01	0.05	513	0	0
picloram	whole	0.01	not set	513	-	0
propachlor	whole	0.01	not set	513	-	0
propyzamide	whole	0.01	0.02	513	0	0
quizalofop-ethyl	whole	0.01	0.02	231	0	0
quizalofop-P-tefuryl	whole	0.01	0.02	231	0	0
saflufenacil	whole	0.01	0.03	513	0	0
sethoxydim	whole	0.01	0.5	513	0	0
simazine	whole	0.01	0.02	513	0	0
tralkoxydim	whole	0.01	not set	513	-	0
triasulfuron	whole	0.01	not set	513	-	0
triclopyr	whole	0.01	not set	513	-	0
trifluralin	whole	0.01	0.05	513	0	0

**Table 3 Insecticides**

<b>Chemical</b>	<b>Matrix</b>	<b>LOR (mg/kg)</b>	<b>Australian standard (mg/kg)</b>	<b>No. of samples tested</b>	<b>&gt; ½ MRL to ≤ MRL</b>	<b>&gt; MRL</b>
acephate	whole	0.01	not set	513	-	0
acetamiprid-P	whole	0.01	not set	513	-	0
aldicarb	whole	0.01	not set	513	-	0
amitraz	whole	0.01	not set	513	-	0
azamethiphos	whole	0.01	not set	513	-	0
azinphos-methyl	whole	0.01	not set	513	-	0
bifenazate	whole	0.01	not set	513	-	0
bifenthrin	whole	0.01	0.02	513	0	0
bioresmethrin	whole	0.01	not set	513	-	0
buprofezin	whole	0.01	not set	513	-	0
cadusafos	whole	0.01	not set	513	-	0

Canola residue testing annual datasets 2017–18

<b>Chemical</b>	<b>Matrix</b>	<b>LOR (mg/kg)</b>	<b>Australian standard (mg/kg)</b>	<b>No. of samples tested</b>	<b>&gt; ½ MRL to ≤ MRL</b>	<b>&gt; MRL</b>
carbaryl	whole	0.01	0.1	513	0	0
carbofuran	whole	0.01	not set	513	-	0
chlorantraniliprole	whole	0.01	0.01	513	0	0
chlорfenapyr	whole	0.01	not set	513	-	0
chlорfenvinphos (sum of isomers)	whole	0.01	not set	513	-	0
chlорpyrifos	whole	0.01	0.01	513	0	0
chlорpyrifos-methyl	whole	0.01	0.15	513	0	2
clofentezine	whole	0.01	not set	513	-	0
clothianidin	whole	0.01	0.01	513	0	0
cyfluthrin (sum of isomers)	whole	0.01	0.05	513	0	0
cyhalothrin (sum of isomers)	whole	0.01	0.02	513	0	0
cypermethrin (sum of isomers)	whole	0.01	0.2	513	0	0
deltamethrin	whole	0.01	0.1	513	3	0
diafenthiuron	whole	0.01	not set	513	-	0
diazinon	whole	0.01	not set	513	-	0
dichlorvos	whole	0.01	0.01	513	0	0
dicofol	whole	0.01	not set	513	-	0
diflubenzuron	whole	0.01	not set	513	-	0
dimethoate	whole	0.01	0.2	513	0	0
disulfoton	whole	0.01	not set	513	-	0
esfenvalerate	whole	0.01	0.5	513	0	0
ethion	whole	0.01	not set	513	-	0
ethoprophos	whole	0.005	not set	513	-	0
etoxazole	whole	0.01	not set	513	-	0
fenamiphos	whole	0.01	not set	513	-	0
fenbutatin oxide	whole	0.01	not set	513	-	0
fenitrothion	whole	0.01	0.1	513	0	0
fenoxy carb	whole	0.01	not set	513	-	0
fenpyroximate	whole	0.01	not set	513	-	0
fenthion	whole	0.01	not set	513	-	0
fenvalerate (sum of isomers)	whole	0.01	0.5	513	0	0
fipronil	whole	0.002	0.01	513	0	0
hexythiazox	whole	0.01	not set	513	-	0
imidacloprid	whole	0.01	0.05	513	2	1
indoxacarb	whole	0.01	0.05	513	0	0
malathion (maldison)	whole	0.01	10	513	0	0

Canola residue testing annual datasets 2017–18

<b>Chemical</b>	<b>Matrix</b>	<b>LOR (mg/kg)</b>	<b>Australian standard (mg/kg)</b>	<b>No. of samples tested</b>	<b>&gt; ½ MRL to ≤ MRL</b>	<b>&gt; MRL</b>
methacrifos	whole	0.01	not set	513	-	0
methamidophos	whole	0.01	not set	513	-	0
methidathion	whole	0.01	1	513	0	0
methiocarb	whole	0.01	not set	513	-	0
methomyl	whole	0.01	0.5	513	0	0
methoprene	whole	0.01	not set	513	-	0
methoxychlor	whole	0.01	not set	513	-	0
methoxyfenozide	whole	0.01	not set	513	-	0
mevinphos	whole	0.01	not set	513	-	0
monocrotophos	whole	0.01	not set	513	-	0
omethoate	whole	0.01	0.05	513	0	0
parathion	whole	0.01	not set	513	-	0
parathion-methyl	whole	0.01	not set	513	-	0
permethrin (sum of isomers)	whole	0.01	0.2	513	0	0
phenothrin (sum of isomers)	whole	0.01	not set	513	-	0
phorate	whole	0.01	not set	513	-	0
phosmet	whole	0.01	not set	513	-	0
piperonyl butoxide	whole	0.01	8	513	0	0
pirimicarb	whole	0.01	0.2	513	0	0
pirimiphos-methyl	whole	0.01	not set	513	-	0
profenofos	whole	0.01	not set	513	-	0
propargite	whole	0.01	not set	513	-	0
prothiofos	whole	0.01	not set	513	-	0
pymetrozine	whole	0.01	not set	513	-	0
pyrethrins	whole	0.01	1	513	0	0
pyriproxyfen	whole	0.01	not set	513	-	0
spinetoram	whole	0.01	0.01	513	0	0
spinosad	whole	0.01	not set	513	-	1
spirotetramat	whole	0.01	not set	513	-	0
sulfoxaflor	whole	0.01	0.01	513	0	0
tau-fluvalinate	whole	0.01	not set	513	-	0
tebufenozyde	whole	0.01	not set	513	-	0
tebufenpyrad	whole	0.01	not set	513	-	0
terbufos	whole	0.01	not set	513	-	0
tetradifon	whole	0.01	not set	513	-	0
thiacloprid	whole	0.01	not set	513	-	0
thiamethoxam	whole	0.01	0.01	513	0	0
thiodicarb	whole	0.01	not set	513	-	0

<b>Chemical</b>	<b>Matrix</b>	<b>LOR (mg/kg)</b>	<b>Australian standard (mg/kg)</b>	<b>No. of samples tested</b>	<b>&gt; ½ MRL to ≤ MRL</b>	<b>&gt; MRL</b>
triazofos	whole	0.01	not set	513	-	0
trichlorfon	whole	0.01	0.1	513	0	0
triflumuron	whole	0.01	not set	513	-	0
acephate	whole	0.01	not set	513	-	0
acetamiprid-P	whole	0.01	not set	513	-	0

**Table 4 Contaminants**

<b>Chemical</b>	<b>Matrix</b>	<b>LOR (mg/kg)</b>	<b>Australian standard (mg/kg)</b>	<b>No. of samples tested</b>	<b>&gt; ½ MRL to ≤ MRL</b>	<b>&gt; MRL</b>
aldrin and dieldrin (HHDN+HEOD)	whole	0.01	not set	513	-	0
chlordane	whole	0.01	not set	513	-	0
DDT	whole	0.01	not set	513	-	0
endosulfan	whole	0.01	not set	513	-	0
endrin	whole	0.01	not set	513	-	0
HCB (hexachlorobenzene)	whole	0.01	not set	513	-	0
HCH (BHC)	whole	0.01	not set	513	-	0
heptachlor	whole	0.01	not set	513	-	0
lindane (gamma-HCH)	whole	0.01	0.05	513	0	0
mirex	whole	0.01	not set	513	-	0