



Lupin residue testing annual datasets 2016–17

National Residue Survey, Department of Agriculture and Water Resources

Dataset abbreviations

LOR Limit of reporting.

MRL Maximum residue limit.

no limit No Australian standard applicable for the contaminant. The ‘as low as reasonably achievable’ principle applies. Detections at low levels are allowable.

not defined Standards are not defined in inedible matrixes (urine and faeces).

not set No Australian standard has been set for the chemical in the edible matrix and any detection is a contravention of the Australia New Zealand Food Standards Code.

Disclaimer

Although the Australian Government has exercised due care and skill in the preparation and compilation of this publication, it does not warrant its accuracy, completeness, currency or suitability for any purpose. To the maximum extent permitted by law, the Australian Government disclaims all liability, including liability in negligence for any loss, damage, cost or expense incurred by persons as a result of accessing, using or relying on any of the information or data set out in this publication. Before relying on the material in any matters, users should carefully evaluate its accuracy, currency, completeness and relevance for the purposes intended, and should obtain any appropriate professional advice relevant to their particular circumstances.

Table 1 Fungicides

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
azoxystrobin	whole	0.01	not set	71	–	0
benalaxyl	whole	0.01	not set	71	–	0
bitertanol	whole	0.01	not set	71	–	0
boscalid	whole	0.01	0.5	71	0	0
bupirimate	whole	0.01	not set	71	–	0
captafol	whole	0.02	not set	71	–	0
captan	whole	0.01	not set	71	–	0
carbendazim	whole	0.01	0.5	71	0	0
chlorothalonil	whole	0.01	3	71	0	0
cyproconazole	whole	0.01	0.07	71	0	0
cyprodinil	whole	0.01	not set	71	–	0
difenoconazole	whole	0.01	not set	71	–	0

Lupin residue testing annual datasets 2016–17

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
dimethomorph (sum of E and Z isomers)	whole	0.01	not set	71	–	0
dithianon	whole	0.01	not set	71	–	0
dodine	whole	0.01	not set	71	–	0
epoxiconazole	whole	0.01	not set	71	–	0
etridiazole	whole	0.01	0.2	71	0	0
fenarimol	whole	0.01	not set	71	–	0
fenhexamid	whole	0.01	not set	71	–	0
fluazinam	whole	0.01	not set	71	–	0
fludioxonil	whole	0.01	not set	71	–	0
fluquinconazole	whole	0.01	not set	71	–	0
flusilazole	whole	0.01	not set	71	–	0
flutriafol	whole	0.01	not set	71	–	0
fluxapyroxad	whole	0.01	0.1	71	0	0
hexaconazole	whole	0.01	not set	71	–	0
imazalil	whole	0.01	not set	71	–	0
ipconazole	whole	0.01	not set	71	–	0
iprodione	whole	0.01	0.1	71	0	0
kresoxim-methyl	whole	0.01	not set	71	–	0
metalaxyll	whole	0.01	not set	71	–	0
myclobutanil	whole	0.01	not set	71	–	0
oxadixyl	whole	0.01	not set	71	–	0
penconazole	whole	0.01	not set	71	–	0
prochloraz	whole	0.01	not set	71	–	0
procymidone	whole	0.01	0.01	71	0	0
propiconazole	whole	0.01	0.3	71	0	0
prothioconazole	whole	0.01	0.7	71	0	0
pyraclostrobin	whole	0.01	not set	71	–	0
pyrimethanil	whole	0.01	not set	71	–	0
quinoxyfen	whole	0.01	not set	71	–	0
spiroxamine-P	whole	0.01	not set	71	–	0
tebuconazole	whole	0.01	1	71	0	0
thiabendazole	whole	0.01	not set	71	–	0
tolclofos methyl	whole	0.01	not set	71	–	0
triadimefon	whole	0.01	not set	71	–	0
triadimenol	whole	0.01	not set	71	–	0
trifloxystrobin	whole	0.01	not set	71	–	0
triticonazole	whole	0.01	not set	71	–	0
vinclozolin	whole	0.01	not set	71	–	0

Table 2 Herbicides

Chemical	Matrix	LOR (mg/kg)	Australian standard (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
2,2-DPA (2,2-dichloropropionic acid)	whole	0.01	Not set	71	–	0
2,4-D	whole	0.01	0.05	71	0	0
amitrole	whole	0.01	0.01	7	0	0
atrazine	whole	0.01	0.02	71	0	0
bromacil	whole	0.01	not set	71	–	0
bromoxynil	whole	0.01	not set	71	–	0
carfentrazone-ethyl	whole	0.01	not set	71	–	0
chlorpropham	whole	0.01	not set	71	–	0
chlorsulfuron	whole	0.01	not set	71	–	0
chlorthal-dimethyl	whole	0.01	not set	71	–	0
clethodim (parent only)	whole	0.01	0.2	71	0	0
clodinafop-propargyl	whole	0.01	not set	71	–	0
clopyralid	whole	0.01	not set	71	–	0
cyanazine	whole	0.01	0.01	71	0	0
dicamba	whole	0.01	not set	71	–	0
dichlobenil	whole	0.01	not set	71	–	0
dichlorprop-P	whole	0.01	not set	71	–	0
diclofop-methyl	whole	0.01	0.1	7	0	0
diflufenican	whole	0.01	0.05	71	0	0
diquat	whole	0.01	1	7	0	0
diuron	whole	0.01	0.05	71	0	0
ethofumesate	whole	0.01	not set	71	–	0
fenoxaprop-ethyl	whole	0.01	not set	7	–	0
flamprop-M-methyl	whole	0.01	not set	7	–	0
fluazifop-p-butyl	whole	0.01	0.1	7	0	0
flumetsulam	whole	0.01	0.05	71	0	0
glufosinate	whole	0.01	not set	7	–	0
glyphosate	whole	0.01	5	7	0	0
haloxyfop	whole	0.01	0.1	7	0	0
imazamox	whole	0.01	not set	71	–	0
imazapic	whole	0.01	not set	71	–	0
imazapyr	whole	0.01	not set	71	–	0
imazaquin	whole	0.01	not set	71	–	0
imazethapyr	whole	0.01	0.1	71	0	0
iodosulfuron-methyl	whole	0.01	not set	71	–	0
ioxynil	whole	0.01	not set	71	–	0
isoxaben	whole	0.01	not set	71	–	0
linuron	whole	0.01	not set	71	–	0

Chemical	Matrix	LOR (mg/kg)	Australian standard (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
MCPA	whole	0.01	not set	71	–	0
methabenzthiazuron	whole	0.01	not set	71	–	0
metolachlor	whole	0.01	0.01	71	0	0
metosulam	whole	0.01	0.02	71	0	0
metribuzin	whole	0.01	0.01	71	0	0
metsulfuron-methyl	whole	0.01	not set	71	–	0
napropamide	whole	0.01	not set	71	–	0
norflurazon	whole	0.01	not set	71	–	0
oryzalin	whole	0.01	not set	71	–	0
oxyfluorfen	whole	0.01	not set	71	–	0
paraquat	whole	0.01	1	7	0	0
pendimethalin	whole	0.01	0.05	71	0	0
picloram	whole	0.01	not set	71	–	0
propachlor	whole	0.01	not set	71	–	0
propyzamide	whole	0.01	0.01	71	0	0
quizalofop-ethyl	whole	0.01	0.2	7	0	0
quizalofop-P-tefuryl	whole	0.01	0.2	7	0	0
saflufenacil	whole	0.01	0.2	71	0	0
sethoxydim	whole	0.01	0.2	71	0	0
simazine	whole	0.01	0.05	71	0	0
tralkoxydim	whole	0.01	not set	71	–	0
triasulfuron	whole	0.01	not set	71	–	0
triclopyr	whole	0.01	not set	71	–	0
trifluralin	whole	0.01	0.05	71	0	0

Table 3 Insecticides

Chemical	Matrix	LOR (mg/kg)	Australian standard (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
abamectin	whole	0.01	not set	71	–	0
acephate	whole	0.01	not set	71	–	0
acetamiprid	whole	0.01	not set	71	–	0
aldicarb	whole	0.01	not set	71	–	0
amitraz	whole	0.01	not set	71	–	0
azamethiphos	whole	0.01	not set	71	–	0
azinphos-methyl	whole	0.01	not set	71	–	0
bifenazate	whole	0.01	not set	71	–	0
bifenthrin	whole	0.01	0.02	71	0	0
bioresmethrin	whole	0.01	not set	71	–	0
buprofezin	whole	0.01	not set	71	–	0

Chemical	Matrix	LOR (mg/kg)	Australian standard (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
cadusafos	whole	0.01	not set	71	–	0
carbaryl	whole	0.01	0.1	71	0	0
carbofuran	whole	0.01	not set	71	–	0
chlorantraniliprole	whole	0.01	0.01	71	0	0
chlорfenapyr	whole	0.01	not set	71	–	0
chlорfenvinphos (sum of isomers)	whole	0.01	not set	71	–	0
chlорpyrifos	whole	0.01	not set	71	–	0
chlорpyrifos-methyl	whole	0.01	10	71	0	0
clofentezine	whole	0.01	not set	71	–	0
clothianidin	whole	0.01	not set	71	–	0
cyfluthrin (sum of isomers)	whole	0.01	0.5	71	0	0
cyhalothrin (sum of isomers)	whole	0.01	0.2	71	0	0
cypermethrin (sum of isomers)	whole	0.01	0.01	71	0	0
deltamethrin	whole	0.01	0.1	71	0	0
diafenthiuron	whole	0.01	not set	71	–	0
diazinon	whole	0.01	0.7	71	0	0
dichlorvos	whole	0.01	0.01	71	0	0
dicofol	whole	0.01	not set	71	–	0
diflubenzuron	whole	0.01	not set	71	–	0
dimethoate	whole	0.01	0.5	71	0	0
disulfoton	whole	0.01	not set	71	–	0
emamectin	whole	0.01	0.01	71	0	0
esfenvalerate	whole	0.01	0.5	71	0	0
ethion	whole	0.01	not set	71	–	0
ethoprophos	whole	0.005	not set	71	–	0
etoxazole	whole	0.01	not set	71	–	0
fenamiphos	whole	0.01	not set	71	–	0
fenbutatin oxide	whole	0.01	not set	71	–	0
fenitrothion	whole	0.01	0.1	71	0	0
fenoxy carb	whole	0.01	not set	71	–	0
fenpyroximate	whole	0.01	not set	71	–	0
fenthion	whole	0.01	not set	71	–	0
fenvalerate (sum of isomers)	whole	0.01	0.5	71	0	0
fipronil	whole	0.002	not set	71	–	0
hexythiazox	whole	0.01	not set	71	–	0
imidacloprid	whole	0.01	0.2	71	1	0

Chemical	Matrix	LOR (mg/kg)	Australian standard (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
indoxacarb	whole	0.01	0.2	71	0	0
malathion (maldison)	whole	0.01	2	71	0	0
methacrifos	whole	0.01	not set	71	–	0
methamidophos	whole	0.01	not set	71	–	0
methidathion	whole	0.01	not set	71	–	0
methiocarb	whole	0.01	not set	71	–	0
methomyl	whole	0.01	1	71	0	0
methoprene	whole	0.01	not set	71	–	0
methoxychlor	whole	0.01	not set	71	–	0
methoxyfenozide	whole	0.01	not set	71	–	0
mevinphos	whole	0.01	not set	71	–	0
monocrotophos	whole	0.01	not set	71	–	0
omethoate	whole	0.01	0.1	71	0	0
parathion	whole	0.01	not set	71	–	0
parathion-methyl	whole	0.01	not set	71	–	0
permethrin (sum of isomers)	whole	0.01	0.1	71	0	0
phenothrin (sum of isomers)	whole	0.01	not set	71	–	0
phorate	whole	0.01	not set	71	–	0
phosmet	whole	0.01	not set	71	–	0
piperonyl butoxide	whole	0.01	8	71	0	0
pirimicarb	whole	0.01	0.02	71	0	0
pirimiphos-methyl	whole	0.01	not set	71	–	0
profenofos	whole	0.01	not set	71	–	0
propargite	whole	0.01	not set	71	–	0
prothiofos	whole	0.01	not set	71	–	0
pymetrozine	whole	0.01	not set	71	–	0
pyrethrins	whole	0.01	1	71	0	0
pyriproxyfen	whole	0.01	not set	71	–	0
spinetoram	whole	0.01	0.01	71	0	0
spinosad	whole	0.01	0.01	71	0	0
spirotetramat	whole	0.01	not set	71	–	0
sulfoxaflor	whole	0.01	not set	71	–	0
tau-fluvalinate	whole	0.01	not set	71	–	0
tebufenozide	whole	0.01	not set	71	–	0
tebufenpyrad	whole	0.01	not set	71	–	0
terbufos	whole	0.01	not set	71	–	0
tetradifon	whole	0.01	not set	71	–	0
thiacloprid	whole	0.01	not set	71	–	0

Chemical	Matrix	LOR (mg/kg)	Australian standard (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
thiamethoxam	whole	0.01	not set	71	–	0
thiodicarb	whole	0.01	0.1	71	0	0
triazofos	whole	0.01	not set	71	–	0
trichlorfon	whole	0.01	0.2	71	0	0
triflumuron	whole	0.01	not set	71	–	0

Table 4 Contaminants

Chemical	Matrix	LOR (mg/kg)	Australian standard (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
aldrin and dieldrin (HHDN+HEOD)	whole	0.01	not set	71	–	0
chlordan	whole	0.01	0.02	71	0	0
DDT	whole	0.01	1	71	0	0
endosulfan	whole	0.01	not set	71	–	0
endrin	whole	0.01	not set	71	–	0
HCB (hexachlorobenzene)	whole	0.01	not set	71	–	0
HCH (BHC)	whole	0.01	not set	71	–	0
heptachlor	whole	0.01	0.05	71	0	0
lindane (gamma-HCH)	whole	0.01	2	71	0	0
mirex	whole	0.01	not set	71	–	0

Table 5 Fumigants

Chemical	Matrix	LOR (mg/kg)	Australian standard (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
phosphine total	whole	0.005	0.01	4	0	0