



Oat residue testing annual datasets 2014–15

National Residue Survey, Department of Agriculture and Water Resources

Dataset abbreviations

LOR Limit of reporting.

MRL Maximum Residue Limit.

no limit No Australian Standard applicable for the contaminant. The ‘as low as reasonably achievable’ principle applies. Detections at low levels are allowable.

not defined Standards are not defined in inedible matrixes (urine and faeces).

not set No Australian Standard has been set for the chemical in the edible matrix and any detection is a contravention of the Australia New Zealand Food Standards Code.

Disclaimer

Although the Australian Government has exercised due care and skill in the preparation and compilation of this publication, it does not warrant its accuracy, completeness, currency or suitability for any purpose. To the maximum extent permitted by law, the Australian Government disclaims all liability, including liability in negligence for any loss, damage, cost or expense incurred by persons as a result of accessing, using or relying on any of the information or data set out in this publication. Before relying on the material in any matters, users should carefully evaluate its accuracy, currency, completeness and relevance for the purposes intended, and should obtain any appropriate professional advice relevant to their particular circumstances.

Table 1 Fungicides

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
azoxystrobin	whole	0.01	0.1	189	0	0
benalaxyl	whole	0.01	not set	189	–	0
bitertanol	whole	0.01	not set	189	–	0
boscalid	whole	0.01	0.5	189	0	0
bupirimate	whole	0.01	not set	189	–	0
captafol	whole	0.02	not set	189	–	0
captan	whole	0.02	not set	189	–	0
carbendazim	whole	0.01	not set	189	–	0
chlorothalonil	whole	0.01	not set	189	–	0
ciproconazole	whole	0.01	not set	189	–	0
ciprodinil	whole	0.01	not set	189	–	0
difenoconazole	whole	0.01	0.01	189	0	0

Oat residue testing annual datasets 2014–15

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
dimethomorph	whole	0.01	not set	189	–	0
dithianon	whole	0.01	not set	189	–	0
dodine	whole	0.01	not set	189	–	0
epoxiconazole	whole	0.01	0.05	189	0	0
etridiazole	whole	0.01	not set	189	–	0
fenarimol	whole	0.01	not set	189	–	0
fenhexamid	whole	0.01	not set	189	–	0
fluazinam	whole	0.01	not set	189	–	0
fludioxonil	whole	0.01	not set	189	–	0
fluquinconazole	whole	0.01	not set	189	–	0
flusilazole	whole	0.01	not set	189	–	0
flutriafol	whole	0.01	0.02	189	1	0
fluxapyroxad	whole	0.01	0.1	189	0	0
hexaconazole	whole	0.01	not set	189	–	0
imazalil	whole	0.01	not set	189	–	0
ipconazole	whole	0.01	0.01	189	0	0
iprodione	whole	0.01	not set	189	–	0
kresoxim-methyl	whole	0.01	not set	189	–	0
metgalaxy	whole	0.01	0.01	189	0	0
myclobutanil	whole	0.01	not set	189	–	0
oxadixyl	whole	0.01	not set	189	–	0
penconazole	whole	0.01	not set	189	–	0
prochloraz	whole	0.01	not set	189	–	0
procymidone	whole	0.01	not set	189	–	0
propiconazole	whole	0.01	0.05	189	0	0
prothioconazole	whole	0.01	0.3	189	0	0
pyraclostrobin	whole	0.01	0.01	189	0	0
pyrimethanil	whole	0.01	not set	189	–	0
quinoxyfen	whole	0.01	not set	41	–	0
spiroxamine	whole	0.01	not set	189	–	0
tebuconazole	whole	0.01	0.2	189	0	0
thiabendazole	whole	0.01	not set	189	–	0
tolclofos methyl	whole	0.01	not set	189	–	0
triadimefon	whole	0.01	0.5	189	0	0
triadimenol	whole	0.01	0.01	189	0	0
trifloxystrobin	whole	0.01	not set	189	–	0
triticonazole	whole	0.01	0.05	189	0	0
vinclozolin	whole	0.01	not set	189	–	0

Table 2 Herbicides

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
2,2-DPA (2,2-dichloropropionic acid)	whole	0.01	0.1	189	0	0
2,4-D	whole	0.01	0.2	189	0	0
amitrole	whole	0.01	0.01	35	0	0
atrazine	whole	0.01	not set	189	–	0
bromacil	whole	0.01	not set	189	–	0
bromoxynil	whole	0.01	0.2	189	0	0
carfentrazone-ethyl	whole	0.01	0.05	189	0	0
chlorpropham	whole	0.01	not set	189	–	0
chlorsulfuron	whole	0.01	0.05	189	0	0
chlorthal-dimethyl	whole	0.01	not set	189	–	0
clethodim	whole	0.01	not set	189	–	0
clodinafop-propargyl	whole	0.01	not set	189	–	0
clopyralid	whole	0.01	2	189	0	0
cyanazine	whole	0.01	0.01	189	0	0
dicamba	whole	0.01	0.05	189	0	0
dichlobenil	whole	0.01	not set	189	–	0
dichlorprop-P	whole	0.01	not set	189	–	0
diclofop-methyl	whole	0.01	0.1	35	0	0
diflufenican	whole	0.01	0.05	189	0	0
diquat	whole	0.01	5	35	0	0
diuron	whole	0.01	0.1	189	0	0
ethofumesate	whole	0.01	not set	189	–	0
fenoxaprop-ethyl	whole	0.01	not set	35	–	0
flamprop-M-methyl	whole	0.01	not set	35	–	0
fluazifop-p-butyl	whole	0.01	not set	35	–	0
flumetsulam	whole	0.01	0.05	189	0	0
glufosinate	whole	0.01	not set	35	–	0
glyphosate	whole	0.01	0.1	35	2	1
haloxyfop	whole	0.01	not set	35	–	0
imazamox	whole	0.01	not set	189	–	0
imazapic	whole	0.01	not set	189	–	0
imazapyr	whole	0.01	not set	189	–	0
imazaquin	whole	0.01	not set	189	–	0
imazethapyr	whole	0.01	not set	189	–	0
iodosulfuron-methyl	whole	0.01	not set	189	–	0
ioxynil	whole	0.01	not set	189	–	0
isoxaben	whole	0.01	not set	189	–	0
linuron	whole	0.01	0.05	189	0	0

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
MCPA	whole	0.01	0.02	189	0	0
methabenthiiazuron	whole	0.01	not set	189	–	0
metolachlor	whole	0.01	0.02	189	0	0
metosulam	whole	0.01	0.02	189	0	0
metribuzin	whole	0.01	0.05	189	0	0
metsulfuron-methyl	whole	0.01	0.02	189	0	0
napropamide	whole	0.01	not set	189	–	0
norflurazon	whole	0.01	not set	189	–	0
oryzalin	whole	0.01	0.01	189	0	0
oxyfluorfen	whole	0.01	0.05	189	0	0
paraquat	whole	0.01	0.05	35	0	0
pendimethalin	whole	0.01	not set	189	–	0
picloram	whole	0.01	0.2	189	0	0
propachlor	whole	0.01	0.05	189	0	0
propyzamide	whole	0.01	not set	144	–	0
quizalofop-ethyl	whole	0.01	not set	35	–	0
quizalofop-P-tefuryl	whole	0.01	not set	35	–	0
saflufenacil	whole	0.01	0.03	144	0	0
sethoxydim	whole	0.01	not set	189	–	0
simazine	whole	0.01	not set	189	–	0
tralkoxydim	whole	0.01	0.02	189	0	0
triasulfuron	whole	0.01	0.02	189	0	0
triclopyr	whole	0.01	not set	189	–	0
trifluralin	whole	0.01	0.05	189	0	0

Table 3 Insecticides

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
abamectin	whole	0.01	not set	189	–	0
acephate	whole	0.01	not set	189	–	0
acetamiprid	whole	0.01	not set	189	–	0
aldicarb	whole	0.01	not set	189	–	0
amitraz	whole	0.01	not set	189	–	0
azamethiphos	whole	0.01	0.1	189	0	0
azinphos-methyl	whole	0.01	not set	189	–	0
bifenazate	whole	0.01	not set	189	–	0
bifenthrin	whole	0.01	0.02	189	0	0
bioresmethrin	whole	0.01	not set	189	–	0
buprofezin	whole	0.01	not set	189	–	0

Oat residue testing annual datasets 2014–15

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
cadusafos	whole	0.01	not set	189	–	0
carbaryl	whole	0.01	5	189	0	0
carbofuran	whole	0.01	not set	189	–	0
chlorantraniliprole	whole	0.01	0.01	189	0	0
chlорfenapyr	whole	0.01	not set	189	–	0
chlорfenvinphos	whole	0.01	not set	189	–	0
chlорpyrifos	whole	0.01	0.1	189	0	1
chlорpyrifos-methyl	whole	0.01	10	189	0	0
clofentezine	whole	0.01	not set	189	–	0
clothianidin	whole	0.01	not set	189	–	0
cyfluthrin	whole	0.01	2	189	0	0
cyhalothrin	whole	0.01	0.01	189	0	0
cypermethrin	whole	0.01	1	189	0	0
deltamethrin	whole	0.01	2	189	0	0
diafenthuron	whole	0.01	not set	189	–	0
diazinon	whole	0.01	0.1	189	0	0
dichlorvos	whole	0.01	0.01	189	0	0
dicofol	whole	0.01	not set	189	–	0
diflubenzuron	whole	0.01	2	189	0	0
dimethoate	whole	0.01	0.05	189	0	0
disulfoton	whole	0.01	not set	189	–	0
emamectin	whole	0.01	not set	189	–	0
endosulfan	whole	0.01	not set	189	–	0
esfenvalerate	whole	0.01	2	189	0	0
ethion	whole	0.01	not set	189	–	0
ethoprophos	whole	0.005	0.005	189	0	0
etoxazole	whole	0.01	not set	189	–	0
fenamiphos	whole	0.01	not set	189	–	0
fenbutatin oxide	whole	0.01	not set	189	–	0
fenitrothion	whole	0.01	10	189	0	0
fenoxycarb	whole	0.01	not set	189	–	0
fenpyroximate	whole	0.01	not set	189	–	0
fenthion	whole	0.01	not set	189	–	0
fenvalerate	whole	0.01	2	189	0	0
fipronil	whole	0.005	not set	189	–	0
hexythiazox	whole	0.01	not set	189	–	0
imidaclorpid	whole	0.01	0.05	189	0	0
indoxacarb	whole	0.01	not set	189	–	0
malathion (maldison)	whole	0.01	8	189	0	0

Oat residue testing annual datasets 2014–15

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
methacrifos	whole	0.01	not set	189	–	0
methamidophos	whole	0.01	not set	189	–	0
methidathion	whole	0.01	0.01	189	0	0
methiocarb	whole	0.01	not set	189	–	0
methomyl	whole	0.01	0.1	189	0	0
methoprene	whole	0.01	2	189	0	0
methoxychlor	whole	0.01	not set	189	–	0
methoxyfenozide	whole	0.01	not set	189	–	0
mevinphos	whole	0.01	not set	189	–	0
monocrotophos	whole	0.01	not set	189	–	0
omethoate	whole	0.01	0.05	189	0	0
parathion	whole	0.01	not set	189	–	0
parathion-methyl	whole	0.01	not set	189	–	0
permethrin	whole	0.01	2	189	0	0
phenothrin	whole	0.01	not set	189	–	0
phorate	whole	0.01	not set	189	–	0
phosmet	whole	0.01	0.05	189	0	0
piperonyl butoxide	whole	0.01	20	189	0	0
pirimicarb	whole	0.01	0.02	189	0	0
pirimiphos-methyl	whole	0.01	7	189	0	0
profenofos	whole	0.01	not set	189	–	0
propargite	whole	0.01	not set	189	–	0
prothifos	whole	0.01	not set	189	–	0
pymetrozine	whole	0.01	not set	189	–	0
pyrethrins	whole	0.01	3	189	0	0
pyriproxyfen	whole	0.01	not set	189	–	0
spinetoram	whole	0.01	not set	189	–	0
spinosad	whole	0.01	1	189	0	0
spirotetramat	whole	0.01	not set	189	–	0
sulfoxaflor	whole	0.01	0.01	189	0	0
tau-fluvalinate	whole	0.01	not set	189	–	0
tebufenozide	whole	0.01	not set	189	–	0
tebufenpyrad	whole	0.01	not set	189	–	0
terbufos	whole	0.01	0.01	189	0	0
tetradifon	whole	0.01	not set	189	–	0
thiacloprid	whole	0.01	not set	189	–	0
thiamethoxam	whole	0.01	0.01	189	0	0
thiodicarb	whole	0.01	not set	189	–	0
triazofos	whole	0.01	not set	189	–	0

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
trichlorfon	whole	0.01	0.1	189	0	0
triflumuron	whole	0.01	0.05	189	0	0

Table 4 Contaminants

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
aldrin and dieldrin (HHDN+HEOD)	whole	0.01	0.02	189	0	0
chlordanne	whole	0.01	0.02	189	0	0
DDT	whole	0.01	0.1	189	0	0
endrin	whole	0.01	not set	189	–	0
HCB (hexachlorobenzene)	whole	0.01	0.05	189	0	0
HCH (or BHC)	whole	0.01	0.1	189	0	0
heptachlor	whole	0.01	0.02	189	0	0
lindane (gamma-HCH)	whole	0.01	0.5	189	0	0
mirex	whole	0.01	not set	189	–	0

Table 5 Fumigants

Chemical	Matrix	LOR (mg/kg)	Australian standard (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
phosphine	whole	0.005	0.1	12	0	0