



Wheat (flour) residue testing annual datasets 2017–18

National Residue Survey, Department of Agriculture and Water Resources

Dataset abbreviations

LOR Limit of reporting.

MRL Maximum residue limit.

no limit No Australian standard applicable for the contaminant. The ‘as low as reasonably achievable’ principle applies. Detections at low levels are allowable.

not defined Standards are not defined in inedible matrixes (urine and faeces).

not set No Australian standard has been set for the chemical in the edible matrix and any detection is a contravention of the Australia New Zealand Food Standards Code.

Disclaimer

Although the Australian Government has exercised due care and skill in the preparation and compilation of this publication, it does not warrant its accuracy, completeness, currency or suitability for any purpose. To the maximum extent permitted by law, the Australian Government disclaims all liability, including liability in negligence for any loss, damage, cost or expense incurred by persons as a result of accessing, using or relying on any of the information or data set out in this publication. Before relying on the material in any matters, users should carefully evaluate its accuracy, currency, completeness and relevance for the purposes intended, and should obtain any appropriate professional advice relevant to their particular circumstances.

Table 1 Fungicides

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
azoxystrobin	whole	0.01	0.02	102	0	0
benalaxyl	whole	0.01	not set	102	–	0
bitertanol	whole	0.01	not set	102	–	0
boscalid	whole	0.01	0.5	102	0	0
bupirimate	whole	0.01	not set	102	–	0
captafol	whole	0.02	not set	102	–	0
captan	whole	0.01	not set	102	–	0
carbendazim	whole	0.01	not set	102	–	0
chlorothalonil	whole	0.01	not set	102	–	0
ciproconazole	whole	0.01	0.02	102	0	0
ciprodinil	whole	0.01	not set	102	–	0
difenoconazole	whole	0.01	0.01	102	0	0

Wheat (Flour) residue testing annual datasets 2017–18

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
dimethomorph (sum of E and Z isomers)	whole	0.01	not set	102	–	0
dithianon	whole	0.01	not set	102	–	0
dodine	whole	0.01	not set	102	–	0
epoxiconazole	whole	0.01	0.05	102	0	0
etridiazole	whole	0.01	not set	102	–	0
fenarimol	whole	0.01	not set	102	–	0
fenhexamid	whole	0.01	not set	102	–	0
fluazinam	whole	0.01	not set	102	–	0
fludioxonil	whole	0.01	not set	102	–	0
fluquinconazole	whole	0.01	0.02	102	0	0
flusilazole	whole	0.01	not set	102	–	0
flutriafol	whole	0.01	0.1	102	0	0
fluxapyroxad	whole	0.01	0.01	102	0	0
hexaconazole	whole	0.01	not set	102	–	0
imazalil	whole	0.01	not set	102	–	0
ipconazole	whole	0.01	0.01	102	0	0
iprodione	whole	0.01	not set	102	–	0
kresoxim-methyl	whole	0.01	not set	102	–	0
metalaxyl	whole	0.01	0.01	102	0	0
myclobutanil	whole	0.01	not set	102	–	0
oxadixyl	whole	0.01	not set	102	–	0
penconazole	whole	0.01	not set	102	–	0
prochloraz	whole	0.01	not set	102	–	0
procymidone	whole	0.01	not set	102	–	0
propiconazole	whole	0.01	0.05	102	0	0
prothioconazole	whole	0.01	0.3	102	0	0
pyraclostrobin	whole	0.01	0.01	102	0	0
pyrimethanil	whole	0.01	not set	102	–	0
quinoxyfen	whole	0.01	not set	102	–	0
spiroxamine-P	whole	0.01	not set	102	–	0
tebuconazole	whole	0.01	0.2	102	0	0
thiabendazole-P	whole	0.01	not set	102	–	0
tolclofos methyl	whole	0.01	not set	102	–	0
triadimefon	whole	0.01	0.5	102	0	0
triadimenol	whole	0.01	0.01	102	0	0
trifloxystrobin	whole	0.01	not set	102	–	0
triticonazole	whole	0.01	0.05	102	0	0
vinclozolin	whole	0.01	not set	102	–	0

Table 2 Herbicides

Chemical	Matrix	LOR (mg/kg)	Australian standard (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
2,2-DPA (2,2-dichloropropionic acid)	whole	0.01	0.1	102	0	0
2,4-D	whole	0.01	0.2	102	0	0
amitrole	whole	0.01	0.01	24	0	0
atrazine	whole	0.01	not set	102	–	0
bromacil	whole	0.01	not set	102	–	0
bromoxynil	whole	0.01	0.2	102	0	0
carfentrazone-ethyl	whole	0.01	0.05	102	0	0
chlorpropham	whole	0.01	not set	102	–	0
chlorsulfuron	whole	0.01	0.05	102	0	0
chlorthal-dimethyl	whole	0.01	not set	102	–	0
clethodim (parent only)	whole	0.01	0.1	102	0	0
clodinafop-propargyl	whole	0.01	0.05	102	0	0
clopyralid	whole	0.01	2	102	0	0
cyanazine	whole	0.01	0.01	102	0	0
dicamba	whole	0.01	0.05	102	0	0
dichlobenil	whole	0.01	not set	102	–	0
dichlorprop-P	whole	0.01	not set	102	–	0
diclofop-methyl	whole	0.01	0.1	24	0	0
diflufenican	whole	0.01	0.02	102	0	0
diquat	whole	0.01	2	24	0	0
diuron	whole	0.01	0.1	102	0	0
ethofumesate	whole	0.01	not set	102	–	0
fenoxaprop-ethyl	whole	0.01	0.01	24	0	0
flamprop-M-methyl	whole	0.01	0.05	24	0	0
fluazifop-p-butyl	whole	0.01	not set	24	–	0
flumetsulam	whole	0.01	0.05	102	0	0
glufosinate	whole	0.01	not set	24	–	0
glyphosate	whole	0.01	5	24	0	0
haloxyfop	whole	0.01	not set	24	–	0
imazamox	whole	0.01	not set	102	–	0
imazapic	whole	0.01	0.05	102	0	0
imazapyr	whole	0.01	0.05	102	0	0
imazaquin	whole	0.01	not set	102	–	0
imazethapyr	whole	0.01	not set	102	–	0
iodosulfuron-methyl	whole	0.01	0.01	102	0	0
ioxynil	whole	0.01	not set	102	–	0
isoxaben	whole	0.01	0.01	102	0	0

Wheat (Flour) residue testing annual datasets 2017–18

Chemical	Matrix	LOR (mg/kg)	Australian standard (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
linuron	whole	0.01	0.05	102	0	0
MCPA	whole	0.01	0.02	102	0	0
methabenzthiazuron	whole	0.01	not set	102	–	0
metolachlor	whole	0.01	0.02	102	0	0
metosulam	whole	0.01	0.02	102	0	0
metribuzin	whole	0.01	0.05	102	0	0
metsulfuron-methyl	whole	0.01	0.02	102	0	0
napropamide	whole	0.01	not set	102	–	0
norflurazon	whole	0.01	not set	102	–	0
oryzalin	whole	0.01	0.01	102	0	0
oxyfluorfen	whole	0.01	0.05	102	0	0
paraquat	whole	0.01	0.05	24	0	0
pendimethalin	whole	0.01	0.05	102	0	0
picloram	whole	0.01	0.2	102	0	0
propachlor	whole	0.01	0.05	102	0	0
propyzamide	whole	0.01	not set	102	–	0
quizalofop-ethyl	whole	0.01	not set	24	–	0
quizalofop-P-tefuryl	whole	0.01	not set	24	–	0
saflufenacil	whole	0.01	0.2	102	0	0
sethoxydim	whole	0.01	0.1	102	0	0
simazine	whole	0.01	not set	102	–	0
tralkoxydim	whole	0.01	0.02	102	0	0
triasulfuron	whole	0.01	0.02	102	0	0
triclopyr	whole	0.01	not set	102	–	0
trifluralin	whole	0.01	0.05	102	0	0

Table 3 Insecticides

Chemical	Matrix	LOR (mg/kg)	Australian standard (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
abamectin	whole	0.01	not set	102	–	0
emamectin	whole	0.01	not set	102	–	0
acephate	whole	0.01	not set	102	–	0
acetamiprid-P	whole	0.01	not set	102	–	0
aldicarb	whole	0.01	not set	102	–	0
amitraz	whole	0.01	not set	102	–	0
azamethiphos	whole	0.01	0.1	102	0	0
azinphos-methyl	whole	0.01	not set	102	–	0
bifenazate	whole	0.01	not set	102	–	0
bifenthrin	whole	0.01	0.02	102	0	0

Wheat (Flour) residue testing annual datasets 2017–18

Chemical	Matrix	LOR (mg/kg)	Australian standard (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
bioresmethrin	whole	0.01	not set	102	–	0
buprofezin	whole	0.01	not set	102	–	0
cadusafos	whole	0.01	not set	102	–	0
carbaryl	whole	0.01	5	102	0	0
carbofuran	whole	0.01	0.2	102	0	0
chlorantraniliprole	whole	0.01	0.01	102	0	0
chlорfenapyr	whole	0.01	not set	102	–	0
chlорfenvinphos (sum of isomers)	whole	0.01	0.05	102	0	0
chlорpyrifos	whole	0.01	0.1	102	0	0
chlорpyrifos-methyl	whole	0.01	10	102	0	0
clofentezine	whole	0.01	not set	102	–	0
clothianidin	whole	0.01	not set	102	–	0
cyfluthrin (sum of isomers)	whole	0.01	2	102	0	0
cyhalothrin (sum of isomers)	whole	0.01	0.05	102	0	0
cypermethrin (sum of isomers)	whole	0.01	0.2	102	0	0
deltamethrin	whole	0.01	2	102	0	0
diafenthiuron	whole	0.01	not set	102	–	0
diazinon	whole	0.01	0.1	102	0	0
dichlorvos	whole	0.01	0.01	102	0	0
dicofol	whole	0.01	not set	102	–	0
diflubenzuron	whole	0.01	not set	102	–	0
dimethoate	whole	0.01	0.05	102	0	0
disulfoton	whole	0.01	not set	102	–	0
esfenvalerate	whole	0.01	2	102	0	0
ethion	whole	0.01	not set	102	–	0
ethoprophos	whole	0.005	0.005	102	0	0
etoxazole	whole	0.01	not set	102	–	0
fenamiphos	whole	0.01	not set	102	–	0
fenbutatin oxide	whole	0.01	not set	102	–	0
fenitrothion	whole	0.01	10	102	0	0
fenoxycarb	whole	0.01	not set	102	–	0
fenpyroximate	whole	0.01	not set	102	–	0
fenthion	whole	0.01	not set	102	–	0
fenvalerate (sum of isomers)	whole	0.01	2	102	0	0
fipronil	whole	0.002	not set	102	–	0
hexythiazox	whole	0.01	not set	102	–	0

Wheat (Flour) residue testing annual datasets 2017–18

Chemical	Matrix	LOR (mg/kg)	Australian standard (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
imidacloprid	whole	0.01	0.05	102	0	0
indoxacarb	whole	0.01	not set	102	–	0
malathion (maldison)	whole	0.01	8	102	0	0
methacrifos	whole	0.01	not set	102	–	0
methamidophos	whole	0.01	not set	102	–	0
methidathion	whole	0.01	0.01	102	0	0
methiocarb	whole	0.01	not set	102	–	0
methomyl	whole	0.01	0.1	102	0	0
methoprene	whole	0.01	2	102	0	0
methoxychlor	whole	0.01	not set	102	–	0
methoxyfenozide	whole	0.01	not set	102	–	0
mevinphos	whole	0.01	not set	102	–	0
monocrotophos	whole	0.01	not set	102	–	0
omethoate	whole	0.01	0.05	102	0	0
parathion	whole	0.01	not set	102	–	0
parathion-methyl	whole	0.01	not set	102	–	0
permethrin (sum of isomers)	whole	0.01	2	102	0	0
phenothrin (sum of isomers)	whole	0.01	2	102	0	0
phorate	whole	0.01	not set	102	–	0
phosmet	whole	0.01	0.05	102	0	0
piperonyl butoxide	whole	0.01	20	102	0	0
pirimicarb	whole	0.01	0.02	102	0	0
pirimiphos-methyl	whole	0.01	10	102	0	0
profenofos	whole	0.01	not set	102	–	0
propargite	whole	0.01	not set	102	–	0
prothiofos	whole	0.01	not set	102	–	0
pymetrozine	whole	0.01	not set	102	–	0
pyrethrins	whole	0.01	3	102	0	0
pyriproxyfen	whole	0.01	not set	102	–	0
spinetoram	whole	0.01	not set	102	–	0
spinosad	whole	0.01	1	102	0	0
spirotetramat	whole	0.01	not set	102	–	0
sulfoxaflor	whole	0.01	0.01	102	0	0
tau-fluvalinate	whole	0.01	not set	102	–	0
tebufenozide	whole	0.01	not set	102	–	0
tebufenpyrad	whole	0.01	not set	102	–	0
terbufos	whole	0.01	0.01	102	0	0
tetradifon	whole	0.01	not set	102	–	0

Wheat (Flour) residue testing annual datasets 2017–18

Chemical	Matrix	LOR (mg/kg)	Australian standard (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
thiacloprid	whole	0.01	not set	102	–	0
thiamethoxam	whole	0.01	0.01	102	0	0
thiodicarb	whole	0.01	not set	102	–	0
triazofos	whole	0.01	not set	102	–	0
trichlorfon	whole	0.01	0.1	102	0	0
triflumuron	whole	0.01	0.05	102	0	0

Table 4 Contaminants

Chemical	Matrix	LOR (mg/kg)	Australian standard (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
aldrin and dieldrin (HHDN+HEOD)	whole	0.01	0.02	102	0	0
chlordan	whole	0.01	0.02	102	0	0
DDT	whole	0.01	0.1	102	0	0
endosulfan	whole	0.01	not set	102	–	0
endrin	whole	0.01	not set	102	–	0
HCB (hexachlorobenzene)	whole	0.01	0.05	102	0	0
HCH (BHC)	whole	0.01	0.1	102	0	0
heptachlor	whole	0.01	0.02	102	0	0
lindane (gamma-HCH)	whole	0.01	0.5	102	0	0
mirex	whole	0.01	not set	102	–	0